

Lecterns & Podiums Sit-Stand Lecterns




ADA Compliant



800-730-6682
novadesk.com




Model Number Structure




Dimensions


Sit-Stand Lectern
(Top View)




Sit-Stand Lectern
with Locking
CPU Storage
(Top View)
67 7/16"



Sit-Stand Lectern in
seated position
(Side View)



Sit-Stand Lectern in
standing position
(Side View)



- Electrically Adjustable from base height of 30" with 12" travel
- ADA Compliant
- iMod™ Wire Management
- Power strip
- Lift capacity up to 550 lbs
- Column legs are standard black metal finish
- Laminate or Perforated Metal Modesty

Color Options


Base Color Options




Worksurface Color Options




Metallic Color Options (for Metal Modesty)



Modesty Panel Options



Laminate Modesty Panel



Perforated Metal Modesty Panel

Option with Locking CPU Storage

Model Number:
66-SS306530LD or 66-SS306530MD



Also Available with these Visual Display Options



Trolley™ Monitor Lift With the press of a button, the display emerges from its fully recessed compartment beneath the work surface while the patented access door provides a clean, uncluttered work space.



Downview™ The fully-adjustable arm allows for easy, under desk mounting of any flat panel display with all the benefits of the ergonomically proven Downward Gaze viewing angle.



Articulating Surface Mount Arm The Articulating Surface Arm provides an adjustable and secure mounting solution for computer monitors




Surface Mount Arm The Surface Mount Arm attaches to the underside of the work surface and provides limited adjustability of the flat panel display.

Options & Accessories

Please Note: All items on this page must be Field installed.


Options for Sit-Stand Lecterns

2 Space Rack Drawer




Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity
Model Number: 66-2DRAWER

Flip-up shelf




Shipped Separately. Color matches worksurface of desk ordered. Located 3" down from worksurface.
Sizes available for all desks. See pricebook for model numbers.

Sliding Shelf




Attaches to rack rails. 35 lb. weight capacity.
Model Number: 66-SSHELF

2 Space Rack Shelf



Attaches to rack rails. Takes up 2 RU space . 50 lb. weight capacity.
Model Number: 66-2SHELF

Removable Console




Black laminate box. (Customer to provide cutouts needed).
Model Number: 66-CONSOLE01

Ventilation Fan



115V fan rated at 57 CFM. 30 dBA. Factory installed in lectern - **add (-VF) on lectern model number to be installed.** Specify cutout location on lectern
Model Number: 66-FAN


Rack Cube



Available from 6 RU - 14 RU. Specify number of Rack Units at the end of model number. Standard Polished Black metal
Model Number: 66-RRCUBE__

Factory Installed Accessories

Factory Installed NOVA Keyboard



Keyboard length to fit desk ordered.
Only ordered when NO Visual Display Option is chosen.
Model Number: NK

Rectangular Wire Grommet



Rectangular black plastic grommet cover is removable for easy wire management.
Model Number: WG1080

Round Power Center



One grounded outlet. 6Ft, 15 Amp cord. UL Listed
Model Number: 3825P

Star Cut Wire Grommet



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.
Model Number: RWGSC

Pop-up Power Center



Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.
Model Number: 11225PP

Pop-up Power/Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.
Model Number: 11225PD

Pop-up Power/USB Charging Center



One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed.
Model Number: 11225PC

Round Flush Power Center



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL Listed
Model Number: 3359PP

Round Flush Power/USB Charging Center



One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed
Model Number: 3359PC



800-730-6682

novadesk.com