

# Sit/Stand AV Lecterns

## Privacy Sides With Locking CPU Door & Downview



### Model Number Structure

<u>Series</u>	<u>Type</u>	<u>Size</u>	<u>Modesty Combination for</u>	<u>Visual Display Option</u>
66=Lectern	SS= Sit/Stand Lectern PS= Prestige Sit/ Stand SSP=Sit/Stand Privacy	D x W x H	<b>Laminate modesty</b> LD=Laminate modesty panels & CPU door <b>Perforated Metal modesty</b> MD=Metal modesty panels & CPU door	FPA1621NK=16"D x 21"W Downview & NOVA Keyboard Drawer FPA1821NK=18"D x 21"W Downview & NOVA Keyboard Drawer FPA2124NK=21"D x 24"W Downview & NOVA Keyboard Drawer

  
**NOVA**  
 SOLUTIONS™  
 (217) 342-7070  
 www.novadesk.com  
 sales@novasolutionsinc.com

# Sit/Stand AV Lecterns

## 1. Select model number

Ex: 66-SSP306834LD  
(30x68x34 Sit/Stand Privacy Side Lectern - Locking CPU Door with laminate modesty)

## 2. Select laminate color for base and worksurface


**If ordering with perforated metal modesty, select metal color Note:**  
Laminate modesty will match base color.

Ex: **567** **567**  
Base Worksurface

### Optional Selections:

## 3. Select Visual Display Options (see page 34 of catalog)

Ex: FPA2124NK (21"D x 24"W Downview with NOVA keyboard drawer) - Lectern will grow 2" in width when ordered with FPA2124



D x W x H (in.)      ft<sup>3</sup> / lbs      Model

### Laminate Modesty

30 x 67 <sup>7/16</sup> x 34    49.3 / 406    66-SSP306834LD

### Perforated Metal Modesty (shown left)

30 x 67 <sup>7/16</sup> x 34    49.3 / 406    66-SSP306834MD



## Downview™

• Ships installed in assembled units only.

### 16" D x 21" W viewport (Widescreen)

Maximum Dimensions for  
Widescreen: 20 1/8" W x 12 1/2" H  
up to 21" widescreen

24" min. worksurface depth

### 21" D x 24" W viewport (Widescreen)

Maximum Dimensions for  
Widescreen: 23 1/8" W x 19" H  
up to 24" widescreen

30" min. worksurface depth

36" min. worksurface width

### 18" D x 21" W viewport (Widescreen)

Maximum Dimensions for  
Widescreen: 20 1/8" W x 14 1/2" H  
up to 21" widescreen

26" min. worksurface depth

- Tinted, tempered glass viewport
- Keeps monitor under glass below worksurface
- Ergonomic viewing angle

Model      Wt(lbs)      Description

### With NOVA Keyboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only.  
Optional Privacy/Glare visor sold separately, see page 60 for pricing.

Model	Wt(lbs)	Description
FPA1621NK	35	16" D x 21" W Downview™ & NOVA Keyboard Drawer
FPA1821NK	35	18" D x 21" W Downview™ & NOVA Keyboard Drawer
FPA2124NK	39	21" D x 24" W Downview™ & NOVA Keyboard Drawer

## Standard Features

- Electronically adjustable from base height of 30" with 12" of travel
- ADA compliant
- iMod™ wire management
- Powerstrip
- Locking CPU Door
- Privacy Sides
- Lift capacity up to 550 lbs
- Column legs are standard black metal finish
- 12 RU rack rail storage in the right compartment (available with a rack cube)
- Laminate or metal modesty panel
- 8" CPU Storage (6 1/2" with FPA2124)

## Color Options

### Base Color Options



WALNUT  
(537)



EMPIRE  
MAHOAGANY  
(531)



WILD  
CHERRY  
(567)



FUSION  
MAPLE  
(560)



WHITE  
(664)



FASHION  
GREY  
(227)



SILVER  
(N99)



SLATE  
GREY  
(129)



BLACK  
(174)

### Worksurface Color Options



BLACK  
LODESTONE  
(N62)



SILVER  
(N99)



FUSION  
MAPLE  
(560)



WILD  
CHERRY  
(567)



WALNUT  
(537)



FASHION  
GREY  
(227)



WHITE  
(664)



GRAPHITE  
NEBULA  
(030)



GREY  
NEBULA  
(044)



EMPIRE  
MAHOAGANY  
(531)

### Metallic Color Options (for Metal Modesty)



POLISHED  
BLACK  
(PBL)



POLISHED  
SILVER  
(PSL)



WHITE  
(WHT)




SLATE  
(SLL)

# Options & Accessories


## Factory Installed Accessories

**Must specify location of grommet / power center at time of order**

	Dimensions (in.)	Model
<b>NOVA Keyboard Drawer</b> 	Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen <b>24" - 34" wide</b>	<b>NK</b>
<b>Rectangular Wire Grommet</b> 	Rectangular black plastic grommet cover is removable for easy wire management <b>1 7/8" D x 3 1/4" W</b>	<b>WG1080</b>
<b>Star Cut Wire Grommet</b> 	Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through <b>2 3/4" Diameter</b>	<b>RWGSC</b>
<b>Pop-up Power Center</b> 	Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. <b>3 3/4" D x 5" W</b>	<b>11225PP</b>
<b>Pop-up Power / Data Center</b> 	One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. <b>3 3/4" D x 5" W</b>	<b>11225PD</b>
<b>Pop-up Power / USB Charging Center</b> 	One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed. <b>3 3/4" D x 5" W</b>	<b>11225PC</b>
<b>Round Flush Power Center</b> 	Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed. <b>4" Diameter</b>	<b>3359PP</b>
<b>Round Flush Power / USB Charging Center</b> 	One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed. <b>4" Diameter</b>	<b>3359PC</b>
<b>Round Power Center</b> 	One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed. <b>2" Diameter</b>	<b>3825P</b>

**Privacy / Glare Visor**


D x W x H (in.)	ft <sup>3</sup> / lbs	Model
21 & 24" Wide viewports		AC-1064
12 x 26 1/2 x 6		

**Flip-up Shelf**



Field installed on all but Sit-Stand Lecterns. Shipped Separately. Color matches worksurface of lectern ordered. Located 3" down from worksurface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement, or "B" on lectern model number for both left and right hand placement.

**For 21" D or 24" D Lectern:**


Attaches to the LEFT side panel of Lectern	20 x 20 x 1	0.9 / 24	66-SH202001L
Attaches to the RIGHT side panel of Lectern			

**For 26" D, 30" D or 36" D Lectern:**


Attaches to the LEFT side panel of Lecterns	22 x 20 x 1	1.0 / 24	66-SH222001L
Attaches to the RIGHT side panel of Lecterns			
	22 x 20 x 1	1.0 / 24	66-SH222001R

**2 Space Rack Drawer**



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.		
20 x 15 x 3 1/2	10.4 / 20	66-2DRAWER

**Sliding Shelf**


Attaches to rack rails. 35 lb. weight capacity.		
20 x 15 x 1	10.4 / 15	66-SSHELF

**2 Space Rack Shelf**



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.		
20 x 15 x 3 1/2	10.4 / 15	66-2SHELF

**Removable Console**


Black laminate box (Customer to provide cutouts needed)		
11 x 15 x 6	2.0 / 20	66-CONSOLE01

**Ventilation Fan**


115V fan rated at 57 CFM. 30 dBA. Add (-VF) on lectern model number to be factory installed. Must also specify cutout location on lectern.		
1 x 6 x 6	2.0 / 3	66-FAN

**Rack Cube**


All metal construction providing front and rear Rack Rails allowing rack storage mounting prior to installation in rack storage compartment. Standard Black metal. Available with 6 RU - 14 RU; height varies by RU count. Complete Model number replacing blank "___" with desired RU (Ex: 66-RRCUBE10 - 10 RU Rack Cube). <b>NOTE:</b> If ordering with a lectern, specify "-RR" at end of lectern model number. (Ex: 66-LP303047LM-RR)		
19 1/8 x 19 1/2	Varies	66-RRCUBE___