Computer Training Desks **Split-Top** 6" Rear Shelf



800-730-6682 novadesk.com





Model Number Structure

Dimensions

Single Desks:

Depth Options: 24" / 30"

Width Options: 36" / 42"

Height Options: 30" / 32" (ADA Height Compliant)


46


Series

Double Desks:

Depth Options: 24" / 30" Width Options: 63" / 71"

Height Options: 30" / 32" (ADA Height Compliant)





S=Single Desk L=Laminate iMod™ D=Double Desk M=Metal iModTM

Includes/Features:

Thermofused Melamine Work Surface

ST

6" Rear


Shelf

- Flat PVC Edgebanding
- iMod compartment with removable modesty panel (Available in laminate or metal)
- Wire management and six plug powerstrip
- Manufactured with recycled postindustrial materials
- Ships assembled
- Double Desk option


Powerstrip 30 Management Channel **CPU** Opening Powerstrip Wire Management Channel CPU Opening

End Panel Options

Standard End



Contoured End



Modesty Panel Options

Color Options

Base Color Options





MAHOGANY (531)





MAPLE (560)



(664)



GREY (227)







Worksurface Color Options



BLACK LODESTONE







CHERRY (567)



WALNUT (537)










EMPIRE MAHOGANY

(531)





Perforated Metal Modesty Panel

Metallic Color Options (for Metal Modesty)



POLISHED











Shown with this Visual Display Option



Surface Mount Arm

The Surface Mount Arm attaches to the underside of the work surface and provides limited adjustability of the flat panel display.

Options & Accessories

Please Note: All items on this page must be Field installed.

Options for Computer Training Desks

Contoured end panels

To specify contoured end panels, add "-S" to the end of model number.

Not available on desks with Locking Door option (-D)

Locking CPU Door

To specify a locking CPU Door, replace "X" in the model number with "D"

Example: 46-SM243630RX becomes 46-SM243630RD

- Not available on desks 30", 32", or 63" wide
- Not available in combination with Contoured End Panels (-S)
- Deduct 1 ½" from CPU width
- Locking iMod™ modesty automatically paired with locking CPU door.

Locking iMod™ Modesty

To add locking iMod™ modesty, add "-L" to the end of model number. (Locking Modesty automatically paired with Locking

• Available in both Laminate or Perforated Metal





To add casters, add "-C" to the end of model number. Includes stabilization bracket.



Wedges 🚌

Hardware included

For 24" D units:

90 Degree Angle- Includes end panels and grommet. Must specify base and worksurface color. To add wedges, use model number 46-WG24333090

For 30" D units:


90 Degree Angle - Includes end panels and grommet. Must specify base and worksurface color To add wedges, use model number 46-WG30423090

No Powerstrip

Powerstrip included in all desks by default, to remove, add "-X" to the end of model number.

Privacy Panels for Double 1 id Sing

For factory prep, must add "-PP" to end of model number. Specify base color only. 6" radius on front. Field installed. Sizes available for all desks. See pricebook for model numbers.



Factory Installed Accessories

Factory Installed NOVA Keyboard



Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen. Model Number: NK

Rectangular Wire Grommet

Rectangular black plastic grommet cover is removable for easy wire management.

Model Number: WG1080



One grounded outlet. 6Ft, 15 Amp cord. UL Listed



Model Number: 3825P



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.

Model Number: RWGSC



Pop-up Power Center

Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. **Model Number: 11225PP**

Pop-up Power/ Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. Model Number: 11225PD

Pop-up Power/ **USB** Charging Center

One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed. Model Number: 11225PC



Round Flush Power Center

Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL Listed



Model Number: 3359PP

Round Flush Power/USB Charging Center

One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed **Model Number: 3359PC**



