

WWW.NOVADESK.COM

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List Prices Shown Herein are List (61.71% Discount)

Online access to contract ordering information, terms and conditions, up-to-date pricing and the option to create an electronic delivery order is available through GSA Advantage!*, a menu-driven database system. The INTERNET address GSA Advantage!* is: GSAAdvantage.gov.

MAS - Multiple Awards Schedule FSC Group 71 - Furniture

Contract #: GS-28F-005GA

Contract Period: Feb. 24, 2017 - Feb. 23, 2027

*For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov Contractor: NOVA Solutions, Inc. 421 Industrial Avenue Effingham, IL 62401

Manufactured by NOVA Solutions, Inc. Phone: 800-730-6682 Fax: 800-940-6682 Email: sales@novasolutionsinc.com Website: http://www.novadesk.com Business Size: Small DUNS: 19-433-1401 Cage Code: 07DR6 Price book issue date: November 2025

GOVERNMENT EDITION OF April 2025 COMMERCIAL CATALOG





World **Class** Creativity Is Now in Session





A NOVA desk isn't simply a piece of classroom furniture... It actively participates in your classroom.

We take creativity beyond the expected. A NOVA desk can serve as a computer station, a testing environment, or a traditional classroom. NOVA's Trolley Monitor Lift option (shown above) provides instructors and administrators the maximum flexibility in classroom design and use at the touch of a button. The Trolley Monitor Lift facilitates instruction and learning and is easily adaptable to other teaching programs and tools.

PRODUCTS

A/V Lecterns **Collaborative Tables Classroom Work Stations Study Carrels Training Technology Multi-Purpose Tables Accessories**

SERVICES

Training Classroom design **Multi-purpose functionality** Multi-course adaptability Variable training environments Individualized solutions Design to anticipate unique needs

PROJECTS

A business curriculum needed desktop computers with a mock stock trading wall. A school needed a traditional IT lab that could serve other course needs. A course required both desktop computer screens and lecture components without computer distraction. A law enforcement office needed a war room for crisis situations. The NOVA desk solution was adaptable for each.

















When you're looking for The Right Solution™ for your classroom, you can rely on NOVA.

Contract # GS-28F-005GA GSA



sales@novasolutionsinc.com

1-800-730-6682

novadesk.com

NOVA Solutions, Inc. **421 Industrial Ave** Effingham, IL 62401

© 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

Terms & Conditions

GENERAL SERVICES ADMINISTRATION

CONTRACT NUMBER

GS-28F-005GA

CONTRACT PERIOD

February 24, 2017 - February 23, 2027

CONTRACTOR

NOVA Solutions, Inc. 421 Industrial Avenue Effingham, Illinois 62401 Phone: 800-730-6682 Fax: 800-940-6682

BUSINESS SIZE

Small

WEBSITE

novadesk.com

PARTICIPATING DEALERS

Contact NOVA's Customer Support at 800-730-6682

AWARDED SPECIAL ITEM NUMBERS

33721 Office Furniture

OLM **Order Level Materials**

LOWEST PRICED ITEM NUMBERS

33721 BE41955 (\$3.06)

HOURLY RATES

Open Market

MAXIMUM ORDER LIMITATION

\$250,000.00

MINIMUM ORDER

\$100

GEOGRAPHIC COVERAGE

The United States (Alaska and Hawaii ship to closest port on west coast)

POINT OF PRODUCTION

Effingham, Illinois

PRICING

61.71% off List Price

QUANTITY DISCOUNTS

None Offered

PROMPT PAYMENT TERMS

Net 30 - Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

GOVERNMENT CREDIT CARDS

Government credit cards are accepted at no additional charge

FOREIGN ITEMS

None

TIME OF DELIVERY

50 days ARO, no expedited delivery (calendar days)

EXPEDITED DELIVERY

Open market

OVERNIGHT AND 2-DAY DELIVERY

None offered

URGENT REQUIREMENTS

None offered

FOB POINT

Destination (Except for shipments to Alaska and Hawaii)

EXPORT PACKAGING CHARGES

Open market

TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD

No dollar limit, no negotiated payment discounts

TERMS AND CONDITIONS OF RENTAL, MAINTENANCE AND REPAIR

None offered

TERMS AND CONDITIONS OF INSTALLATION

Open market

TERMS AND CONDITIONS OF REPAIR PARTS

None offered

LIST OF SERVICE AND DISTRIBUTION POINTS

Open market

LIST OF PARTICIPATING DEALERS

None offered

PREVENTATIVE MAINTENANCE

Open market

ENVIRONMENTAL ATTRIBUTES, e.g. RECYCLED CONTENT, ENERGY **EFFICIENCY, AND/OR REDUCED POLLUTANTS**

NOVA is committed to protecting the environment. For NOVA's complete environmental information, contact the Customer Service Department at 800-730-6682.

SECTION 508 COMPLIANCE

None offered

DATA UNIVERSAL NUMBER SYSTEM (DUNS) NUMBER

19-433-1401

NOTIFICATION REGARDING REGISTRATION IN SYSTEM FOR AWARD

MANAGEMENT (SAM) DATABASE.

SAM Compliant

ORDER PLACEMENT

NOVA requires that all orders be in writing and accompanied by a layout/ drawing. This is to insure that orders are complete, avoid errors, and avoid duplication. Please order products by model numbers specified to avoid any possible error.

Terms & Conditions

GENERAL SERVICES ADMINISTRATION

Telephone orders will not be processed for production without proper written confirmation. NOVA cannot be held responsible for errors, omissions, and order duplication due to non-compliance with this procedure.

ORDERING ADDRESS

NOVA Solutions, Inc. P.O. Box 725 421 Industrial Avenue Effingham, Illinois 62401-0725 E-mail: Orders@novasolutionsinc.com

PAYMENT ADDRESS

NOVA Solutions, Inc. P.O. Box 725 421 Industrial Avenue Effingham, Illinois 62401-0725

FOR PROMPT DELIVERY, ALL ORDERS MUST INCLUDE:

- 1) Purchase order number
- 2) Attached layout/drawing
- 3) Billing address
- 4) Ship-to information and e-mail address
- 5) Special handling instructions
- 6) Complete model and finish number
- 7) Correct pricing
- 8) CPU / Monitor Dimensions (Where Applicable)

ORDER ACKNOWLEDGEMENT

Please notify NOVA immediately of any discrepancies in your order acknowledgement. The customer assumes all responsibility for order accuracy. NOVA does not assume responsibility for errors caused by miscommunications from the customer. Orders are accepted only by issuance of NOVA's formal acknowledgement. Orders are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms. The order acknowledgement is the final confirmation of the agreement between the customer and NOVA and supersedes all prior oral and written statements regarding the order. Once the order confirmation has been sent, only NOVA approved and signed modifications will supersede the original confirmation.

DIMENSIONS/SPECIFICATIONS/FINISHES

All dimensions are approximate and may vary due to technique of each craftsman. If exact dimensions are required, it is necessary for the customer to state such specifications with the order. Detailed specifications sheets are available for each series of goods, and customer should consult NOVA's customer service department for these specification sheets. NOVA reserves the right to make changes in dimensions, style, or specifications if NOVA believes these changes will improve the goods' quality or appearance.

ORDER CHANGES

Upon acknowledgement of an order, NOVA may not be able to accept a change order. NOVA will not accept changes on specials or customer items once production begins. Every attempt to make the requested change will be made and the following conditions apply:

- 1) Requested changes must be submitted in writing
- Additional charges for materials, labor, and administrative costs may be charged
- Completion dates may be rescheduled as required based on changes

CANCELLATION POLICY

Prior to production, no charges to the customers. After this period, the Federal customer will be charged all actual costs incurred if items are not sold within a six month period.

STORAGE FEES

Open market

SHIPPING INFORMATION

NOVA Solutions products are shipped via contract carriers. NOVA's product pricing is dock delivered, based on standard delivery between normal business hours Monday through Friday, excluding weekends and holidays. Any charges arising from failure to meet shipments, rerouting while in transit, or carrier shortage charges are the responsibility of the customer. Detention charges will be incurred for untimely off-loading of product or other time delays incurred. Customer pick ups are handled on an appointment basis. Please contact NOVA Customer Service to schedule appointment.

Loss, Damage or Delay: NOVA shall not be liable for loss, damage or delay resulting from causes beyond its reasonable control, including but not limited to fire, strike, inclement weather, accidents, or delay in transportation. In the event of a delay, due to any such cause, the delivery date will be postponed.

Shortages: If the shipment is not delivered in accordance with the quantity of cartons and packages shown on the Bill of Lading and/ or Freight Bill, do not accept it until such shortages are noted on both documents.

Open Market Shipping Fees

Handling Fee (all orders not able to be shipped via small parcel carriers): All orders under \$30,000 list will incur \$200 handling fee Call Before Delivery (CBD) fee: \$30 per order and location Multiple site deliveries: \$100 per order and location drop charge Non-Standard Detention Time: \$100 per hour after two hours for each delivery location

Delivery Time (outside normal delivery hours): Contact Customer Support for charges and availability

Fuel Surcharge: A fuel surcharge will be added to all items shipped via small parcel carriers.

Residential Deliveries: Additional charge will apply, contact Customer Support for more information.

UNCARTONED OR BLANKET WRAPPED

NOVA Solutions, Inc. uses the finest packing and cartoning. No blanket wrapped orders will be allowed.

DAMAGED MERCHANDISE

All merchandise is carefully packed and thoroughly inspected prior to shipment. Responsibility for its safe delivery is assumed by the carrier. Please inspect the merchandise immediately upon receipt. If shipment arrives short or obviously freight-damaged, notate immediately on freight bill so claim can be filed with the carrier. In the event of concealed damage, take pictures immediately and **notify NOVA within 7 days of receipt**. All cartons and packaging must be kept with the merchandise at the delivered location. Failure to comply will void any recourse to NOVA Solutions or the carrier. Failure to report damage within 7 days after receipt of merchandise constitutes acceptance and a waiver of any such claim.

RETURN POLICY

NOVA Solutions, Inc. will not accept the return of any merchandise for any reason unless prior written approval, including a Returned Material Authorization number (RMA), is issued by NOVA Solutions, Inc. Special order items may not be returned for credit. If merchandise is approved for return, the restocking fee of 25% will be applied. No returns will be allowed after sixty (60) days from the ship date. Upon receipt, all returned merchandise will be thoroughly inspected, and any discrepancies will result in an adjustment in the amount of credit issued.

RESULTS AND ALLOWANCES

NOVA will not make allowances for trip or delivery charges, but will only make allowance for actual work performed to correct manufacturing defects. Allowances may be authorized only by a company officer. It is the responsibility of the field sales representative to inspect any

Terms & Conditions

GENERAL SERVICES ADMINISTRATION

defective merchandise and make suggestions and recommendations as to the proper disposition. Field personnel cannot obligate or bind the company by definite agreement, without final authorization by a company officer. NOVA will not accept automatic charge backs which do not have prior authorization. All defects must be called to the company's attention upon arrival at the customer's "ship to" destination. To initiate any type of claim or request for parts, it is imperative to have the model number.

NOVA'S PERFORMANCE OF ITS OBLIGATION

The production and delivery of the goods to the extent delayed or hindered or prevented from the performance by reason of natural disasters, acts of God, strikes, lockouts, labor troubles, inability to procure materials, casualties, failure of power, restrictive governmental laws or regulations, riots, insurrections, acts of terrorism, war or other reason of a like nature not the fault of NOVA shall excuse for the period of the delay NOVA's performance and the period for the performance shall be extended for a period equivalent to the period of such delay.

WARRANTY PROVISION

LIMITED LIFETIME WARRANTY: NOVA Solutions warrants that its products are free from defects in materials and workmanship given normal use and care for the lifetime of service; proof of delivery being the only official document accepted by NOVA for any claim. In the event that a product is used more than normal use, the applicable warranty period may be reduced.

This warranty is made by NOVA Solutions to the original customer for as long as the original customer owns and uses the product. NOVA Solutions' warranty is only valid if the products are given normal and proper use, and installed in accordance with NOVA Solutions' installation and/or application guidelines, and installed by an authorized NOVA Solutions' dealer or agent. NOVA Solutions assumes no responsibility for repairs to products sustaining damages resulting from end-user modifications, attachments to a product, misuse, abuse, alteration, or negligence.

This warranty is subject to the limitations, exclusions, and other provisions provided below:

- Twenty-five years: Thermofused laminate
- Twenty years: Drawer slides
- Ten years: Locks
- Five years: Downview™ technology with flat panel monitor Flat Panel Display Security Arm, high-pressure laminate, casters, fabrics, electrical components, PVC extrusions, adjustable surface mechanisms, and accessories.
- Three years: The Trolley™ E and The Trolley™ EXL with Intelligent Motion Technology and NOVALinked™ Components:
- Three years for parts and repair labor plus optional extended warranty available for purchase.
- Additional installation labor charges may not be covered by this warranty. Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.
- Five years: Electric Lift for Sit-Stand Units:
 Five years for parts and repair labor.

 Additional installation labor charges may not be covered by this warranty. Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.

As your manufacturer, NOVA Solutions stands behind our quality products and will do everything possible to resolve any problems that might arise within the terms of this warranty.

For more information, or to file a warranty claim, please contact NOVA Solutions' Customer Support at 800-730-6682.

GOVERNING LAW

This contract shall be construed and governed in accordance with the laws and regulations of the state of Illinois. Customer agrees to submit to the jurisdiction of and agrees all lawsuits relating to any disputes between the customer and the company will be brought only in a state court located in Effingham County, Illinois or the United States District Court for Marion, Illinois. The customer hereby waives the right to a trial by jury in any action, proceeding, claim, or counter-claim whether in contract or tort, at law or in equity, arising out of or relating in any way to these terms and conditions and all other disputes between the parties.

REMEDIES

The remedies herein reserved shall be cumulative, and additional to any other or further remedies provided in law or equity. No waiver of a breach of any provision of these terms and conditions shall constitute waiver of any other breach or of such provision.

LIMITATION OF LIABILITY

NOVA shall not under any circumstances be liable to the customer, owner of the goods or any third party for special, indirect, incidental, or consequential damages, including, without limitation, loss of profits or revenues, loss or damage to other property or equipment, cost of capital or of purchased or replacement goods, or expense, delay, or inconvenience cause by or arising from the purchase, sale, use, repair or inability to use the goods or by any performance or non-performance under, or breach of, these terms and conditions. NOVA's sole liability for any defective goods shall be its repair or its replacement pursuant to the express warranties set forth above, or if amended, as applicable at the time of manufacture or repair of the goods. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusion may not apply to all customers. Any action resulting from any breach on the part of NOVA as to the goods or services delivered here under must be commenced within one year after the cause of action has occurred.

© 2025 NOVA Solutions, Inc. | III | 800-730-6682 www.novadesk.com

Procurement Information

CONTRACT: GS-28F-005GA LAMINATE FURNITURE

CONTRACTOR: NOVA Solutions, Inc.

VENDOR BLOCK: c/o Assisting Dealer

421 Industrial Avenue

P.O. Box 725

Effingham, IL 62401

DATES: GS-28F-005GA: Feb. 24, 2017 - Feb. 23, 2027

TIN: 37-1343933

DUNS: 19-433-1401

CAGE CODE: 07DR6

NAICS CODE: 337211 - Wood Office Furniture Manufacturing

TERMS: Net 30

FOB POINT: Destination (Except for shipments to Alaska and Hawaii)

BUSINESS SIZE: Small

Product Benefits

Integrated Furniture Features

Extensive Product Portfolio

NOVA Solutions is proud to offer a diverse product portfolio in high-quality laminate, targeting markets that include office, education, training, hospitality, and health care. GSA and State Contracts allow government agencies to participate in NOVA's extensive offering. Architects and designers are critical contacts and liaisons for specifying "The Right Solutions™ from NOVA's unique product portfolio.

Exceptional Quality

Quality furniture shipped complete and on time is the standard of excellence required with customers to even be considered a viable offering. NOVA partners with quality suppliers that demand this same philosophy. NOVA's extensive investment in the latest state-of-the-art machining technology provides unlimited flexibility while insuring we exceed our promised fit and finish. Attention to detail at every level in the manufacturing process is a requirement. "Would I spend my money to buy that finished product?" is the final quality check.

Durable Construction

Durability and strength are necessities for the utmost value in quality furniture. Our durable thermofused laminate components provide that strength, coupled with our metal-to-metal hardware assembly. Added rigidity is integrated through framed and recessed back panels. Our first-class engineering ensures every product's design includes maximum durability and strength.

Integrated Technology

Our various Visual Display Options (The Trolley™, Downview™, and Surface Mount Arm for example) are unique solutions that differentiate NOVA from any other furniture manufacturer. The Trolley™ Personal Monitor Arm System with Intelligent Motion Technology™ is the latest addition to the family. The Trolley™ is a mainstream solution allowing you to view your flat panel display in its normal position. Then with the push of a button, your monitor recedes below the work surface allowing full utilization of the work area. Whereas our Downview™ technology positions your flat panel display below the work surface at a natural reading angle while also allowing you to use the entirety of the workspace in addition to the display. We also offer our Surface Mount Arm that allows you to secure your display in an upright position above the worksurface.

Quality Look

Attention to detail integrated throughout our product portfolio creates a quality look. Overlapped drawer and door designs in our office solutions products ensure the proper fit for every function. Matching edge banding on all surfaces allows a seamless view that accentuates the product's clean lines. Our Classroom Training Series gets high marks for providing a clear, crisp design that allows our Visual Display Options to blend in perfectly.

Multiple Selections

NOVA Solutions' comprehensive product portfolio confirms your only limitation is your imagination. Impress others with a vast variety of components with multiple options that fit your every need — from the back room to the boardroom. Now you can maintain a consistent company image that matches your facility and its function. Make your furniture an essential element of your productive environment!

Unlimited Flexibility

Throughout each product offering, unlimited flexibility gives you colors and shapes that can be mixed or matched to fit your style in any working or learning environment. Enjoy the freedom to create your own environment!

Customer Friendly

The majority of NOVA Solutions' furniture is shipped assembled, ready-to-install in your working or learning environment. Those components that require some assembly are designed to fit together with simplicity and minimal effort.




NOVA Solutions takes our environmental accountability seriously with regards to our daily processes and products we produce. It is our corporate responsibility to our employees, customers, and community. We maintain the highest sensitivity and follow-through in preserving our natural resources today, and more importantly, for our future generations.

We have chosen suppliers that share this same commitment. Particleboard, the foundation of our furniture design, is manufactured from 100% recycled post-industrial materials. We ensure it is low formaldehyde emission particleboard, use water-based adhesives that are non-toxic in lamination, and band any exposed edges to seal the substrate.

To reduce materials in landfill sites, we integrate remaining cuttings into smaller products or packaging material. Our sawdust is recycled for use on local farms. We use recycled cardboard in all our packaging. NOVA also recycles cardboard, paper, plastics, steel, and aluminum. Even our Visual Display Options (Downview™ technology and The Trolley™) are completely recyclable.

NOVA continually evaluates all initiatives for improving our environmental accounability while providing the highest quality products to our customers.

Contents



Classroom Training Page 2

AV Lecterns & Podiums
Page 25

Collaboration & ConferencePage 35

Gaming DesksPage 44

Retrofit Kits Page 48

Accessories Page 60

Classroom Training





Classroom Training

These products are uniquely suited for the following environments...

- K-12 Classroms
- College & University Classrooms
- Technical Schools
- Private Training & Tutoring Companies
- Lecture Halls
- Testing Centers
- Corporate Training Rooms
- Government Training Facilities
- Government & Private Security Centers
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Healthcare Facilities
- Correctional Institutions

Smart tools. Smart thinking.

© 2025 NOVA Solutions, Inc. 3 800-730-6682 www.novadesk.com

Computer Training Desks

with iMod™ Wire Management System

Features

- · Solutions for a wide variety of environments
- · Visual Display Options available
- · ADA compliant desks available
- Standard edge detail: 2mm Flat PVC. Matching edge banding colors
- Thermofused Melamine Worksurface; 1" Thick
- iMod™ compartment with removable modesty panels (locking optional; available in laminate or metal) for easy wire management
- · Wire management system and power strip included per user
- CPU Shelf
- Manufactured with recycled post-industrial materials
- · Ships assembled

How To Order

1. Select model number

Ex: 46-SL303630RX

• To specify an **ADA Height** unit, change height from 30 to **32** in model number and add \$215 for single desk or \$322 for double desk ADA Height Example: 46-SL303632RX

2. Select laminate base and worksurface color (see page 62)

Ex: 227 Worksurface Base

3. Select laminate base color for removable laminate iMod™ modesty or metal color (see page 63) for removable metal iMod™ modesty

Ex: 227 (Fashion Grey laminate color for laminate modesty) PSL (Polished silver metal color for metal modesty)

Optional Selections:

4. Select Visual Display Options (see page 12)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

5. Select Desk Options & Factory Installed Accessories (see page 11)

Ex: RWGSC (Star cut wire grommet)

Note: To indicate no power strip, add "-X" to model number and deduct \$50 for a single desk and \$100 for a double desk.

Model Number Structure



46 Series

SL

Type SL=Single desk/ Laminate iMod™ DI =Double desk/ Laminate iMod™ SM=Single desk/ Metal iMod™

DM=Double desk/

Metal iMod[™]

303630

Size DxWxH

CPII Location RX=Right LX=Left XX=No CPU

RX

Visual Display Options

The Trolley™ Monitor Lift System

Maximum dimensions for widescreen:

E: 2 ½" D x 18 ½" W x 14 ½" H (63.5mm D x 479.4mm W x 368.3mm H) **EXL:** 2 ½" D x 22 %" W x 14 ½" H (63.5mm D x 581mm W x 368.3mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ Lift

Maximum dimensions for monitor with base removed:

32"/63" W Desks: 6" D x 25" W x 15 1/2" H (152.4mm D x 635mm W x 393.7mm H) **36"/71" W Desks: 6" D x 29" W x 15** ½**" H** (152.4mm D x 736.6mm W x 393.7mm H) **42" W Desks: 6" D x 35" W x 15** ½**" H** (152.4mm D x 889mm W x 393.7mm H) **48" W Desks: 6" D x 41" W x 15** ½**" H** (152.4mm D x 1041.4mm W x 393.7mm H) **NOTE:** Maximum distance from center of wall mount VESA plate to bottom of

monitor is 6 ¾" (171mm). Max monitor weight supported is 21 lbs. Some



Downview™

Maximum monitor dimensions:

16x21 widescreen viewport: 20 %" W x 12 ½" H (511mm W x 318mm H) **18x21 widescreen viewport: 20** %" W x 14 ½" H (511mm W x 368mm H) 21x24 widescreen viewport: 23 1/8" W x 19" H (587mm W x 482mm H)

Surface Mount Arm

Maximum monitor dimensions:

Surface Mount Arm: Up to 24" widescreen


Articulating Surface Mount Arm: Up to 35" widescreen

Maximum monitor weight:

Surface Mount Arm: 21 lbs

Articulating Surface Mount Arm: 33 lbs

End Panel Styles Straight End Panels are standard



Optional

Contoured End Panels - Specify "S"



Add \$108 list for single and \$161 list for double desk

Grommets

Standard grommets in end panels are rectangular black plastic.

CPU Storage (Some larger CPU's may fit. Contact Customer Service for more information)

		-			
The Trolley™ CPU Size Table					
Trolley Model	Desk Width	CPU Width	CPU Height	CPU Depth	
TE0724	All Desk Widths	7 1/8"	15 %"	20"	
TE0728	32"	4 1/8"	14 %" (24"/26"D) 15 %" (30" D)	20"	
TE0728	36"	7 1/8"	15 %"	20"	
TE0728	42"	7 1/8"	15 %"	20"	
TE0728	63"	4 1/8"	14 %" (24"/26"D) 15 %" (30" D)	20"	
TE0728	71"	7 1/8"	15 %"	20"	
Some larger CPUs may fit. Contact Customer Support for more information.				ation.	

Downview™ CPU Widths

21" Wide Viewport

63"W Desks = 7 1/16" 30"W Desks = 5 %" 32"W Desks = 7 1/16" 71"W Desks = 8 1/2"

36"W Desks = 8 1/2" 42"W Desks = 8 1/2"

24" Wide Viewport

30"W Desks = 1 1%"

63" W Desks = 4" 32"W Desks = 4" 71" W Desks = $6\frac{3}{4}$ "

36" W Desks = 6 3/4" 42"W Desks = 8 1/2"

Standard & Surface Mount Arm CPU Widths

All Desk Widths = 8 1/2"

ADA Electric Lift Desks

Contact Customer Service for CPU Widths.


Computer Training Desks

with iMod™ Wire Management System

Computer Training Desks with Laminate iMod™ Modesty

• Standard CPU storage shelf right • Change "RX" to "LX" for Left CPU storage shelf or "XX" for no CPU storage shelf CPU Storage Shelf Widths: See page 4 • Options & Factory Installed Accessories Available: See page 11

Single Desks -Laminate Modesty




D x W x H (in.)	ft ³ / lbs	Model	List Price
24 x 32 1/8 x 30	16.4 / 125	46-SL243230RX	\$770
24 x 36 1/8 x 30	18.3 / 133	46-SL243630RX	\$784
24 x 42 1/8 x 30	21.2 / 144	46-SL244230RX	\$1,019
26 x 32 1/8 x 30	17.7 / 130	46-SL263230RX	\$810
26 x 36 1/8 x 30	19.8 / 138	46-SL263630RX	\$826
26 x 42 1/8 x 30	22.9 / 150	46-SL264230RX	\$1,058
,			
30 x 32 1/8 x 30	20.2 / 140	46-SL303230RX	\$852
30 x 36 1/8 x 30	22.6 / 148	46-SL303630RX	\$864
30 x 42 1/8 x 30	26.1 / 161	46-SL304230RX	\$1,097

Double Desks -	D x W x H (in.)	ft ³ / lbs	Model	List Price
Laminate	24 x 63 x 30	31.3 / 232	46-DL246330RX	\$1,498
Modesty	24 x 71 x 30	35.2 / 248	46-DL247130RX	\$1,544
	26 x 63 x 30	33.8 / 240	46-DL266330RX	\$1,570
	26 x 71 x 30	37.9 / 256	46-DL267130RX	\$1,626
	1			
	30 x 63 x 30	38.6 / 257	46-DL306330RX	\$1,641
7	30 x 71 x 30	43.3 / 273	46-DL307130RX	\$1,666

Computer Training Desks with Perforated Metal iMod™ Modesty

• Standard CPU storage shelf right • Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf CPU Storage Shelf Widths: See page 4 • Options & Factory Installed Accessories Available: See page 11

Single Desks -Perforated Metal Modesty



	DxWxH (in.)	ft ³ / lbs	Model	List Price
	24 x 32 1/8 x 30	16.4 / 125	46-SM243230RX	\$1,245
	24 x 36 1/8 x 30	18.3 / 133	46-SM243630RX	\$1,313
	24 x 42 1/8 x 30	21.2 / 144	46-SM244230RX	\$1,544
	26 x 32 1/8 x 30	17.7 / 130	46-SM263230RX	\$1,315
	26 x 36 1/8 x 30	19.8 / 138	46-SM263630RX	\$1,386
	26 x 42 1/8 x 30	22.9 / 150	46-SM264230RX	\$1,630
	30 x 32 1/8 x 30	20.2 / 140	46-SM303230RX	\$1,459
	30 x 36 1/8 x 30	22.6 / 148	46-SM303630RX	\$1,540
	30 x 42 1/8 x 30	26.1 / 161	46-SM304230RX	\$1,809


Double Deele	D x W x H (in.)	ft ³ / lbs	Model	List Price
Double Desks - Perforated Metal	24 x 63 x 30	31.3 / 232	46-DM246330RX	\$2,279
Modesty	24 x 71 x 30	35.2 / 248	46-DM247130RX	\$2,415
	26 x 63 x 30	33.8 / 240	46-DM266330RX	\$2,401
	26 x 71 x 30	37.9 / 256	46-DM267130RX	\$2,546
	30 x 63 x 30	38.6 / 257	46-DM306330RX	\$2,667
	30 x 71 x 30	43.3 / 273	46-DM307130RX	\$2,828

ADA Computer Training Desks with Electric Lifts

Electrically adjustable from base height 30" with 2 ½" travel.

· Standard CPU storage shelf right · Change "AD" to "AX" for no CPU storage shelf and add "-L" for left CPU storage shelf

• CPU Storage Shelf Widths: Contact Customer Service • Options & Factory Installed Accessories Available: See page 11 • FPA2124NK only available in 42" W units. NOTE: ADA Lift / Column Legs are standard Polished Black metal.



	D x W x H (in.)	ft ³ / lbs	Model	List Price
	24 x 38 ¼ x 30	18.3 / 133	46-SL243630AD	\$4,629
a	24 x 42 1/8 x 30	21.2 / 144	46-SL244230AD	\$4,854
	26 x 38 ½ x 30	19.8 / 138	46-SL263630AD	\$4,669
	26 x 42 1/8 x 30	22.9 / 150	46-SL264230AD	\$4,890
1	30 x 38 ½ x 30	22.6 / 140	46-SL303630AD	\$4,705
Ů	30 x 42 1/8 x 30	26.1 / 148	46-SL304230AD	\$4,928

Perforated Metal	DxWxH(in.)	ft ³ / lbs	Model	List Price
Modesty	24 x 38 ¼ x 30	18.3 / 133	46-SM243630AD	\$5,134
	24 x 42 1/8 x 30	21.2 / 144	46-SM244230AD	\$5,354
30"	26 x 38 ¼ x 30	19.8 / 138	46-SM263630AD	\$5,204
	26 x 42 1/8 x 30	22.9 / 150	46-SM264230AD	\$5,437
	30 x 38 ¼ x 30	22.6 / 140	46-SM303630AD	\$5,350
32 1/2"	30 x 42 1/8 x 30	26.1 / 148	46-SM304230AD	\$5,607

Computer Training Desks

with iMod™ Wire Management System

48" W Computer Training Desks - Monitor Center

- Standard CPU storage shelf right · Change "RXC" to "LXC" for CPU storage shelf left or "XXC" for no CPU storage shelf
- CPU Storage Shelf Width: 11" Options & Factory Installed Accessories

 Available: See page 11

Laminate Modesty



DxWxH (in.)	ft ³ / lbs	Model	List Price
24 x 48 1/8 x 30	24.1 / 139	46-SL244830RXC	\$1,224
30 x 48 1/8 x 30	29.7 / 156	46-SL304830RXC	\$1,303
36 x 48 1/8 x 30	35.2 / 173	46-SL364830RXC	\$1,542

Perforated Metal Modesty



D x W x H (in.)	ft ³ / lbs	Model	List Price
24 x 48 1/8 x 30	24.1 / 139	46-SM244830RXC	\$1,575
30 x 48 ½ x 30	29.7 / 156	46-SM304830RXC	\$1,655
36 x 48 1/8 x 30	35.2 / 173	46-SM364830RXC	\$1,892

ADA Compliant Computer Training Desks - Monitor Center

- Standard CPU storage shelf right · Change "RXC" to "LXC" for CPU storage shelf left or "XXC" for no CPU storage shelf
- CPU Storage Shelf Width: 11" Options & Factory Installed Accessories

 Available: See page 11

Laminate Modesty



DxWxH (in.)	ft ³ / lbs	Model	List Price
30 x 48 1/8 x 32	31.5 / 165	46-AL304832RXC	\$1,519

Perforated Metal Modesty



DxWxH (in.)	ft ³ / lbs	Model	List Price
30 x 48 1/8 x 32	31.5 / 165	46-AM304832RXC	\$1,871

30" Wide Computer Training Desks

Trolley™ E, EXL and 21x24 Downview™ **not** available on 30" W Computer Desks

- Standard CPU storage shelf right · Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf
- CPU Storage Shelf Width: See page 4 Options & Factory Installed Accessories Available: See page 11



D x W x H (in.)	ft ³ / lbs	Model	List Price
Laminate M	<u>lodesty</u>		
24 x 30 1/8 x 30	16.4 / 125	46-SL243030RX	\$730
26 x 30 1/8 x 30	17.7 / 130	46-SL263030RX	\$771
30 x 30 1/8 x 30	20.2 / 135	46-SL303030RX	\$810

Perforated Metal Modesty


24 x 30 1/8 x 30	16.4 / 125	46-SM243030RX	\$1,205
26 x 30 1/8 x 30	17.7 / 130	46-SM263030RX	\$1,274
30 x 30 1/8 x 30	20.2 / 135	46-SM303030RX	\$1,419

Teacher's Stand-up Computer Desks

- Standard CPU storage shelf right · Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf
- CPU Storage Shelf Width: See page 4 Options & Factory Installed
 Accessories Available: See page 11

NOTE: Not available with (-S) Contoured End Panels

Laminate Modesty



St	У			
	D x W x H (in.)	ft ³ / lbs	Model	List Price
	24 x 36 1/8 x 40	24.1 / 130	46-SL243640RX	\$1,254
	24 x 42 1/8 x 40	27.9 / 152	46-SL244240RX	\$1,467
	24 x 48 1/8 x 40	31.6 / 158	46-SL244840RX	\$1,536
1				
_	30 x 36 1/8 x 40	29.6 / 149	46-SL303640RX	\$1,318
	30 x 42 1/8 x 40	34.3 / 172	46-SL304240RX	\$1,533
	30 x 48 1/8 x 40	38.9 / 179	46-SL304840RX	\$1,603
	36 x 36 1/8 x 40	35.1 / 176	46-SL363640RX	\$1,734
	36 x 42 1/8 x 40	40.7 / 193	46-SL364240RX	\$1,809
1	36 x 48 ½ x 40	46.2 / 200	46-SL364840RX	\$1,893

Perforated Metal Modesty

48"W Desk

CPU Width: 11"



DxWxH(in.)	ft ³ / lbs	Model	List Price
24 x 36 1/8 x 40	24.1 / 130	46-SM243640RX	\$1,604
24 x 42 1/8 x 40	27.9 / 152	46-SM244240RX	\$1,818
24 x 48 1/8 x 40	31.6 / 158	46-SM244840RX	\$1,887
30 x 36 1/8 x 40	29.6 / 149	46-SM303640RX	\$1,669
30 x 42 1/8 x 40	34.3 / 172	46-SM304240RX	\$1,885
30 x 48 1/8 x 40	38.9 / 179	46-SM304840RX	\$1,953
36 x 36 1/8 x 40	35.1 / 176	46-SM363640RX	\$2,084
36 x 42 1/8 x 40	40.7 / 193	46-SM364240RX	\$2,160
36 x 48 1/8 x 40	46.2 / 200	46-SM364840RX	\$2,244







Shipped Separately. Color matches worksurface of desk ordered. Located 3" down from worksurface. Includes Star cut wire grommet on end panel for wire management.

DxWxH(in.)	ft ³ / lbs	Model	List Price			
For 24" & 26" De	ep Desks					
Left Flip-up She	lf:					
20 x 20 x 01	1.0 / 14	46-SH202001L	\$660			
Right Flip-up Sh	elf:					
20 x 20 x 01	1.0 / 14	46-SH202001R	\$660			
For 30" Deep Desks Left Flip-up Shelf:						
22 x 20 x 01	1.0 / 14	46-SH222001L	\$660			
Right Flip-up Sh	elf:					
22 x 20 x 01	1.0 / 14	46-SH222001R	\$660			

Computer Training Desks with Dual Trolley™ Monitor Lift

and iMod™ Wire Management System

Not on GSA Contract

How To Order

1. Select model number

Ex: 47-SL305830RX-TDV0728NK

• To specify an **ADA Height** unit, change height from 30 to **32** in model number and add \$215

ADA Height Example: 47-SL305832RX-TDV0728NK

2. Select laminate base and worksurface color (see page 62)

Ex: 227 Worksurface

3. Select laminate base color for removable laminate iMod™ modesty or metal color (see page 63) for removable metal iMod™ modesty

Ex: 227 (Fashion Grey laminate color for laminate modesty) PSL (Polished silver metal color for metal modesty)

Optional Selections:

4. Select Desk Options & Factory Installed Accessories (see page 11)

Ex: RWGSC (Star cut wire grommet)

Model Number Structure

47 SL

Type SL=Single desk/

SM=Single desk/

Laminate iMod™

Metal iMod™

Size DyWyH

305030

CPU Location RX=Right IX=Left XX=No CPU

RX

TDV0724NK

Visual Display Option TDV0724NK=Dual Trolley™ E w/ NOVA Keyboard Drawer TDV0728NK=Dual Trolley™ EXL w/ NOVA Keyboard Drawer

Max Monitor Dimensions


TDV0724 Dual Trolley™ E: 2 ½" D x 18 ¾" W x 14 ½" H per monitor (63.5mm D x 479.4mm W x 368.3mm H)

TDV0728 Dual Trolley™ EXL: 2 ½" D x 22 %" W x 14 ½" H per monitor (63.5mm D x 581mm W x 368.3mm H)

Computer Training Desks with Dual Trolley™ Monitor Lift

· Standard CPU storage shelf right · Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf CPU Storage Shelf Width: 4 1/2" • Options & Factory Installed Accessories Available: See page 11

Dual Trolley™ E



\$5,545

Perforated Metal Modesty



26 x 49 % x 30 30.1 / 250 47-SM265030RX-TDV0724NK 30 x 49 5% x 30 34 4 / 260 47-SM305030RX-TDV0724NK

Laminate Modesty

Perforated Metal Modestv



Dual Trolley™ EXL

y	DxWxH (in.)	ft ³ /lbs	Model	List Price
	26 x 58 1/8 x 30	35.1 / 270	47-SL265830RX-TDV0728NK	\$6,540
	30 x 58 1/8 x 30	40.1 / 280	47-SL305830RX-TDV0728NK	\$6,601

26 x 58 1/8 x 30 35.1 / 270 47-SM265830RX-TDV0728NK 30 x 58 1/2 x 30 40.1 / 280 47-SM305830RX-TDV0728NK \$7,668

ADA Electric Lift Computer Training Desks with Dual Trolley™ Monitor Lift

Electrically adjustable from base height 30" with 2 ½" travel.

· Standard CPU storage shelf right · Change "AD" to "AX" for no CPU storage shelf and add "-L" for left CPU storage shelf · CPU Storage Shelf Widths: Contact Customer Service · Options & Factory Installed Accessories Available: See page 11 NOTE: ADA Lift / Column Legs are standard Polished Black metal.

Dual Trolley™ E


DxWxH (in.)	ft ³ /lbs	Model	List Price
26 x 55 % x 30	33.2 / 260	47-SL265530AD-TDV0724NK	\$11,583
30 x 55 % x 30	37.9 / 270	47-SL305530AD-TDV0724NK	\$11,640

26 x 55 % x 30 33.2 / 260 47-SM265530AD-TDV0724NK \$12,442

30 x 55 % x 30 37.9 / 270 47-SM305530AD-TDV0724NK \$12,710

Perforated Metal Modestv

Laminate Modesty 26 x 5



Dual Trolley™ EXL

D x W x H (in.)	ft ³ / lbs	Model	List Price
26 x 64 % x 30	38.1 / 280	47-SL266430AD-TDV0728NK	\$12,639
30 x 64 1/8 x 30	43.6 / 290	47-SL306430AD-TDV0728NK	\$12,697
	26 x 64 1/8 x 30	26 x 64 1/8 x 30 38.1 / 280	DxWxH (in.) ft³/lbs Model 26 x 64 % x 30 38.1 / 280 47-SL266430AD-TDV0728NK 30 x 64 % x 30 43.6 / 290 47-SL306430AD-TDV0728NK

Perforated Metal Modestv



26 x 64 1/8 x 30	38.1 / 280	47-SM266430AD-TDV0728NK	\$13,498
30 x 64 1/8 x 30	43.6 / 290	47-SM306430AD-TDV0728NK	\$13,766

© 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

Curved Computer Training Desks

with iMod™ Wire Management System

How To Order

1. Select model number

Ex: 46-CL303630RX60

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$215 for single desk or \$322 for double desk ADA Height Example: 46-CL303632RX60
- 2. Select laminate base and worksurface color (see page 62)

Ex: 227 044
Base Worksurface

3. Select laminate base color for removable laminate iMod™ modesty or metal color (see page 63) for removable metal iMod™ modesty

Ex: 227 (Fashion Grey laminate color for laminate modesty)
PSL (Polished silver metal color for metal modesty)

Optional Selections:

4. Select Visual Display Options (see page 12)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

Select Desk Options & Factory Installed Accessories (see page 11)Ex: RWGSC (Star cut wire grommet)

Note: To indicate no power strip, add "-X" to model number and deduct \$50 for a single desk and \$100 for a double desk.

Model Number Structure

303630



Type

CL=Curved Desk

/Laminate iMod™

CM=Curved Desk

/Metal iMod™

- **(L**

e <u>Size</u> d Desk D x W x H te iMod™ d Desk iMod™ CPU
Location
RX=Right
LX=Left
XX=No CPU

RX

Arc Radius 48=48 ft. Radius Arc 60=60 ft. Radius Arc 72=72 ft. Radius Arc

60

CPU Storage - Maximum Widths

See page 4 for CPU widths.




NOVALinked $^{\text{M}}$ is a networking system that provides complete control of NOVA's Trolley $^{\text{M}}$ monitor lifts in a classroom or training room setting. To order, see page 22.


Mending Options - To specify, add "-1", "-2", or "-3" to end of model number.

- "-1" = Mending right add \$55
- "-2" = Mending left add \$55
- "-3" = Mending left and right add \$82

48 ft. Radius Arc


To specify a 48 ft. Radius Arc desk, add **48** to end of model no. (Ex. 46-CM246330RX**48**)





60 ft. Radius Arc

To specify a 60 ft. Radius Arc desk, add **60** to end of model no. (Ex. 46-CM246330RX**60**)



Seated side

(30"D) 3'-7 3/4"


(30"D) 3'-1 1/2"


(30"D) 2'-9 5/16"

(24"D) 3'-1 3/16"	(24"D) 3'-7 3/8"
36"W	42"W
3'-0"	3'-6"
od modesty side) of	
Seated sid	ie
1 (01)	(00118) 01 4 40 (4011
) 1/2"	(30"D) 6'-1 13/16"
5 1/2" 5 1/8"	(30"D) 6'-1 13/16" (26"D) 6'-1 7/16"
5 1/8"	(26"D) 6'-1 7/16"
5 1/8"	(26"D) 6'-1 7/16"
	Approach s width listed is base and modesty side) of Seated side

72 ft. Radius Arc

To specify a 72 ft. Radius Arc desk, add **72** to end of model no. (Ex. 46-CM246330RX**72**)





Model number width listed is based on the approach side

(iMod modesty side) of workstation.

(iMod modesty side) of workstation.

Curved Computer Training Desks

with iMod[™] Wire Management System

Curved Computer Training Desks with Laminate iMod™ Modesty

Specify arc radius with either 48, 60, or 72 to complete model number Ex: 46-CL243630RX48

• Standard CPU storage shelf right • Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf CPU Storage Shelf Widths: See page 4 • Options & Factory Installed Accessories Available: See page 11

Arc

Single Desks -Laminate Modesty



	DxWxH (in.)	ft ³ / lbs	Model	Radius	List Price
	24 x 32 1/8 x 30	16.4 / 125	46-CL243230F	RX	\$1,468
	24 x 36 1/8 x 30	18.3 / 133	46-CL243630F	RX_	\$1,497
	24 x 42 1/8 x 30	21.2 / 144	46-CL244230F	RX	\$1,944
	26 x 32 1/8 x 30	17.7 / 130	46-CL263230F	RX	\$1,547
1	26 x 36 1/8 x 30	19.8 / 138	46-CL263630F	RX_	\$1,575
	26 x 42 1/8 x 30	22.9 / 150	46-CL264230F	RX	\$2,019
	30 x 32 1/8 x 30	20.2 / 140	46-CL303230F	RX	\$1,625
	30 x 36 1/8 x 30	22.6 / 148	46-CL303630F	RX_	\$1,650
	30 x 42 1/8 x 30	26.1 / 161	46-CL304230F	RX	\$2,094


Double Desks -	D x W x H (in.)	ft ³ / lbs	Model	Arc Radius	List Price
Laminate	24 x 63 x 30	31.3 / 232	46-CL2463	30RX	\$2,860
Modesty	24 x 71 x 30	35.2 / 248	46-CL2471	30RX	\$3,028
	26 x 63 x 30	33.8 / 240	46-CL2663	30RX	\$2,997
	26 x 71 x 30		46-CL2671	_	\$3,054
	30 x 63 x 30	38.6 / 257	46-CL3063	30RX	\$3,131
	30 x 71 x 30	43.3 / 273	46-CL3071	30RX	\$3,181

Curved Computer Training Desks with Perforated Metal iMod™ Modesty

Specify arc radius with either 48, 60, or 72 to complete model number Ex: 46-CM243630RX48

• Standard CPU storage shelf right • Change "RX" to "LX" for left CPU storage shelf or "XX" for no CPU storage shelf CPU Storage Shelf Widths: See page 4 • Options & Factory Installed Accessories Available: See page 11

Single Desks -Perforated Meta Modesty



	DxWxH (in.)	ft ³ / lbs	Model	Radius	List Price
al	24 x 32 1/8 x 30	16.4 / 125	46-CM243230	RX	\$1,922
	24 x 36 1/8 x 30	18.3 / 133	46-CM243630	RX	\$2,002
	24 x 42 1/8 x 30	21.2 / 144	46-CM244230	RX	\$2,445
\geq	26 x 32 1/8 x 30	17.7 / 130	46-CM263230	RX	\$2,029
	26 x 36 1/8 x 30	19.8 / 138	46-CM263630	RX_	\$2,112
	26 x 42 1/8 x 30	22.9 / 150	46-CM264230	RX	\$2,566
	30 x 32 1/8 x 30	20.2 / 140	46-CM303230	RX	\$2,205
	30 x 36 1/8 x 30	22.6 / 148	46-CM303630	RX	\$2,294
	30 x 42 1/8 x 30	26.1 / 161	46-CM304230	RX	\$2,774

Double Desks -
Perforated Met
Modesty



DxWxH(in.)	ft ³ / lbs	Model	Radius	List Price
24 x 63 x 30	31.3 / 232	46-CM246330	RX	\$3,605
24 x 71 x 30	35.2 / 248	46-CM247130	RX	\$3,819
26 x 63 x 30	33.8 / 240	46-CM266330	RX	\$3,791
26 x 71 x 30	37.9 / 256	46-CM267130	RX	\$3,983
30 x 63 x 30	38.6 / 257	46-CM306330	RX	\$4,110
30 x 71 x 30	43.3 / 273	46-CM307130	RX	\$4,290


Curved ADA Computer Training Desks with Electric Lifts

Electrically adjustable from base height 30" with 2 1/2" travel.

Specify arc radius with either 48, 60, or 72 to complete model number Ex: 46-CM243630AD48


- · Standard CPU storage shelf right · Change "AD" to "AX" for no CPU storage shelf or add "-L" for left CPU storage shelf
 - CPU Storage Shelf Widths: Contact Customer Service Options & Factory Installed Accessories Available: See page 11
 - FPA2124NK only available in 42" W units. NOTE: ADA Lift / Column Legs are standard Polished Black metal.

Laminate Modesty



D x W x H (in.)	ft ³ / lbs	Model	Arc Radius	List Price
24 x 38 ¼ x 30	18.3 / 133	46-CL243630	AD	\$5,377
24 x 42 1/8 x 30	21.2 / 144	46-CL244230	AD_	\$5,825
26 x 38 ¼ x 30	19.8 / 138	46-CL263630	AD	\$5,399
26 x 42 1/8 x 30	22.9 / 150	46-CL264230	AD_	\$5,900
30 x 38 ¼ x 30	22.6 / 140	46-CL303630	AD	\$5,530
30 x 42 1/8 x 30	26.1 / 148	46-CL304230	AD_	\$5,975

Perforated Metal Modesty



D x W x H (in.)	ft ³ / lbs	Model	Arc Radius	List Price
24 x 38 ¼ x 30	18.3 / 133	46-CM243630	AD	\$5,882
24 x 42 1/8 x 30	21.2 / 144	46-CM244230	AD	\$6,326
26 x 38 ¼ x 30	19.8 / 138	46-CM263630	AD	\$5,991
26 x 42 1/8 x 30	22.9 / 150	46-CM264230	AD	\$6,447
30 x 38 ¼ x 30	22.6 / 140	46-CM303630	AD	\$6,174
30 x 42 1/8 x 30	26.1 / 148	46-CM304230	AD_	\$6,567

Split-Top Computer Training Desks

with iMod™ Wire Management System

How To Order

1. Select model number

Ex: 46-SL303630ST

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$215 for single desk or \$322 for double desk ADA Height Example: 46-SL303632ST
- 2. Select laminate base and worksurface color (see page 62)

Ex: 227 044
Base Worksurface

3. Select laminate base color for removable laminate iMod™ modesty or metal color (see page 63) for removable metal iMod™ modesty

Ex: 227 (Fashion Grey laminate color for laminate modesty)
PSL (Polished silver metal color for metal modesty)

Optional Selections:

4. Select Visual Display Options (see page 12)

Ex: SMA0203NK (Surface Mount Arm with NOVA keyboard drawer)

Select Desk Options & Factory Installed Accessories (see page 11)Ex: RWGSC (Star cut wire grommet)

Note: To indicate no power strip, add "-X" to model number and deduct \$50 for a single desk and \$100 for a double desk.

Split-Top Options

- Standard 6" D x 27" H rear shelf intended for a flat panel monitor with small base or Surface Mount Arm (SMA0203NK or ASMA0203NK) Visual Display Option.
- 10" D x 27" H rear shelf option available for larger monitors. Add "-SP" to order with 10" D rear shelf NOTE: Not available with any Visual Display Options. 24" D Desks with this option are not available with Keyboard Drawer

Worksurface Depths (6" Shelf)

24" D Desks = 18" D front worksurface and 6" D rear shelf 30" D Desks = 24" D front worksurface and 6" D rear shelf

Worksurface Depths (10" Shelf)

24" D Desks = 14" D front worksurface and 10" D rear shelf 30" D Desks = 20" D front worksurface and 10" D rear shelf

- Standard CPU storage shelf right
- Add "-LX" for left CPU storage shelf or "-XX" for no CPU storage shelf
 - CPU Storage Shelf Width: See page 4

Available with Locking CPU Door


- Add "-RD" for Locking CPU Door right, or "-LD" for Locking CPU Door left
 - Not available on units 32" or 63" wide
 - Not available with Contoured End Panels
 - Deduct 1 1/2" from CPU width
 - Locking iMod™ modesty automatically included
- Add \$386 for a single desk or \$771 for a double desk

Split-Top Computer Training Desks

Laminate Modesty




DxWxH (in.)	ft ³ / lbs	Model	List Price
24 x 32 1/8 x 30	16.0 / 120	46-SL243230ST	\$1,029
24 x 36 1/8 x 30	18.3 / 123	46-SL243630ST	\$1,043
24 x 42 1/8 x 30	21.2 / 130	46-SL244230ST	\$1,302
24 x 48 1/8 x 30	27.0 / 137	46-SL244830ST	\$1,508
30 x 32 1/8 x 30	20.0 / 135	46-SL303230ST	\$1,106
30 x 36 1/8 x 30	22.6 / 138	46-SL303630ST	\$1,120
30 x 42 1/8 x 30	26.1 / 145	46-SL304230ST	\$1,379
30 x 48 1/8 x 30	33.3 / 152	46-SL304830ST	\$1,585




D x W x H (in.)	ft ³ / lbs	Model	List Price
24 x 63 x 30	31.3 / 200	46-DL246330ST	\$1,646
24 x 71 x 30	35.2 / 212	46-DL247130ST	\$1,760
30 x 63 x 30	38.6 / 220	46-DL306330ST	\$1,722
30 x 71 x 30	43.3 / 234	46-DL307130ST	\$1,843

Perforated Metal Modesty



D x W x H (in.)	ft ³ / lbs	Model	List Price
24 x 32 1/8 x 30	16.0 / 120	46-SM243230ST	\$1,366
24 x 36 1/8 x 30	18.3 / 123	46-SM243630ST	\$1,379
24 x 42 1/8 x 30	21.2 / 130	46-SM244230ST	\$1,635
24 x 48 1/8 x 30	27.0 / 137	46-SM244830ST	\$1,841
30 x 32 1/8 x 30	20.0 / 135	46-SM303230ST	\$1,442
30 x 36 1/8 x 30	22.6 / 138	46-SM303630ST	\$1,455
30 x 42 1/8 x 30	26.1 / 145	46-SM304230ST	\$1,713
30 x 48 1/8 x 30	33.3 / 152	46-SM304830ST	\$1,919



	DxWxH (in.)	ft ³ /lbs	Model	List Price
	24 x 63 x 30	31.3 / 200	46-DM246330ST	\$2,316
	24 x 71 x 30	35.2 / 212	46-DM247130ST	\$2,429
1	30 x 63 x 30	38.6 / 220	46-DM306330ST	\$2,398
	30 x 71 x 30	43.3 / 234	46-DM307130ST	\$2,512



Options & Accessories

for Computer Training Desks with iMod™ Wire Management

Options for Computer Training Desks



List Price

Not available on desks with Locking Door option (-D) \$108 / Single Desk

\$161 / Double Desk

Locking CPU Door

To specify a locking CPU Door, replace "X" in the model number

Example: 46-SM243630RX becomes 46-SM243630RD

- Not available on desks 30", 32", or 63" wide
- Not available in combination with Contoured End Panels (-S)
- Deduct 1 ½" from CPU width
- Locking iMod™ modesty automatically paired with locking CPU door

\$386 / Single Desk \$771 / Double Desk

Locking iMod™ Modesty

To add locking iMod™ modesty, add "-L" to the end of model number (Locking Modesty automatically paired with Locking CPU Door)

· Available in both Laminate or Perforated Metal

\$167 / Single Desk \$333 / Double Desk

No Power Strip

Power strip included in all desks by default, to remove:

Deduct \$50 / Single Desk Deduct \$100 / Double Desk

Casters

DxWxH(in.) Model List Price To add casters, add "-C" to the end of model number. Includes stabilization bracket.

Single Desk / Set of 4 (2 locking, 2 non-locking)

2 5/8 x 1 3/4 x 3 1/4

\$110 / set

Double Desk / Set of 6 (2 locking, 4 non-locking)

2 5/8 x 1 3/4 x 3 1/4

\$165 / set

Teacher Standup / Set of 4 Will increase height by 23/4"

\$402 / set 3 1/2 x 3 x 4






D x W x H (in.)	ft ³ /lbs	Model	List Price
For factory prep	, must add	"-PP" to e	nd of model number.
Specify base co	lor only. 6" ı	radius on f	front. Field installed.

specify base co	ior only. 6	radius on front. Field i	nstalled.
24 x 32 x 15	1.3 / 36	46-PP243215	\$432
24 x 36 x 15	1.5 / 37	46-PP243615	\$447
24 x 42 x 15	1.7 / 40	46-PP244215	\$490
24 x 48 x 15	1.9 / 42	46-PP244815	\$542
26 x 32 x 15	1.3 / 37	46-PP263215	\$454
26 x 36 x 15	1.5 / 38	46-PP263615	\$468
26 x 42 x 15	1.7 / 41	46-PP264215	\$513
26 x 48 x 15	1.9 / 43	46-PP264815	\$563
30 x 32 x 15	1.3 / 40	46-PP303215	\$480
30 x 36 x 15	1.5 / 42	46-PP303615	\$495
30 x 42 x 15	1.7 / 44	46-PP304215	\$546
30 x 48 x 15	1.9 / 47	46-PP304815	\$600
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	44 5554454	4.00
24 x 63 x 15	1.6 / 48	46-PP246315	\$680
24 x 71 x 15	1.8 / 51	46-PP247115	\$765
26 x 63 x 15	1.6 / 49	46-PP266315	\$701
26 v 71 v 15	10/52	46-DD267115	Ċ700









List Price D x W x H (in.) ft³/lbs Model 90 Degree Angle - Includes end panels and grommet. Must specify base and worksurface color.

For 24" D desks:

24 x 33 ¹⁵/₁₆ x 30 16.9 / 49 46-WG24333090 \$492

For 30" D desks: 30 x 42 ³/₁₆ x 30 26.1 / 63 46-WG30423090 \$525

Factory Installed Accessories

Must specify location of grommet / power center at time of order

Factory Installed NOVA Keyboard Drawer

Dimensions (in.) Model **List Price** Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen. 24" - 34" wide NK \$149

Rectangular Wire Grommet

Rectangular black plastic grommet cover is removable for easy wire management.



1 %" D x 3 1/4" W

Star Cut Wire Grommet

Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.



2 ¾" Diameter RWGSC



Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.



3 3/4" D x 5" W 11225PP \$380



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of



manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. 3 3/4" D x 5" W 11225PD



Pop-up Power / USB Charging 3 3/4" D x 5" W Center



One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed. 11225PC \$435



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.

4" Diameter



Round Flush

Not on GSA Contract

3359PP

\$354

\$278

Round Flush Power / USB **Charging Center** One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed. 4" Diameter 3359PC \$415

Not on GSA Contract



Round Power

One grounded outlet. Features spill-proof technology.

6ft, 15 Amp cord. UL Listed. 2" Diameter 3825P



Not on GSA Contract


800-730-6682 © 2025 NOVA Solutions, Inc. www.novadesk.com



Visual Display Options

Computer Training Desks

Model



The Trolley™

- · Ships installed in most units.
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm)

Widescreen:

The Trolley™ EXL

up to 24" widescreen

Maximum Dimensions for

2 1/2" D x 22 1/8" W x 14 1/2" H

Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

TE0724NK	25	Trolley™ E & NOVA Keyboard Drawer	\$1,546 / Single
TE0724NK	50	Trolley™ E & NOVA Keyboard Drawer	\$3,092 / Double
TE0728NK	25	Trolley™ EXL & NOVA Keyboard Drawer	\$2,050 / Single
TE0728NK	50	Trolley™ EXL & NOVA Keyboard Drawer	\$4,100 / Double

Model



Not on GSA Contract

List Price

List Price

List Price

\$500 / Single

List Price

The Trolley™ E

Maximum Dimensions for Widescreen:

2 1/2" D x 18 1/8" W x 14 1/2" H up to 20" widescreen

- Patented Access door automatically opens and closes with the push of a button
- · Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology[™] provides operational intuition

The Trolley™ Lift

- Ships installed in most units.
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm)

Maximum Dimensions for Monitor without stand: See Page 4 for Max Monitor Dimensions

- · Lift opens hinged top in the 'up' position. Closes again in the 'down' position
- · Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology™ provides operational intuition

Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

TLIFTNK	25	Trolley™ Lift & NOVA Keyboard Drawer	\$2,554 / Single
TLIFTNK	50	Trolley™ Lift & NOVA Keyboard Drawer	\$5,108 / Double

Model

FPA1621NK 35





Downview™

Ships installed in most units.

16" D x 21" W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 20 1/8" W x 12 1/2" H up to 21" widescreen

24" min. worksurface depth

21" D x 24" W viewport (Widescreen) **Maximum Dimensions for**

30" min. worksurface depth

18" D x 21" W viewport (Widescreen)

Maximum Dimensions for Widescreen: 20 1/8" W x 14 1/2" H up to 21" widescreen

26" min. worksurface depth

Articulating Surface Mount Arm

Maximum Weight: 33 lbs

Not on GSA Contract

Maximum Dimensions: Up to 35" widescreen

Widescreen: 23 1/8" W x 19" H up to 24" widescreen

· Tinted, tempered glass viewport

- · Keeps monitor under glass below worksurface
- · Ergonomic viewing angle

Wt(lbs) Description With NOVA Keyboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only. Optional Privacy/Glare visor sold separately, see page 60 for pricing.

FPA1621NK	70	16″ D x 21″ W Downview™ & NOVA Keyboard Drawer	\$1,000 / Double
FPA1821NK	35	18″ D x 21″ W Downview™ & NOVA Keyboard Drawer	\$530 / Single
FPA1821NK	70	18″ D x 21″ W Downview™ & NOVA Keyboard Drawer	\$1,060 / Double
FPA2124NK	39	21" D x 24" W Downview™ & NOVA Keyboard Drawer	\$675 / Single
FPA2124NK	78	21" D x 24" W Downview™ & NOVA Kevboard Drawer	\$1,350 / Double

16" D x 21" W Downview™ & NOVA Keyboard Drawer



Surface Mount Arm 👄

· Installation required



Surface Mount Arm

Maximum Weight: 21 lbs **Maximum Dimensions: Up** to 24" widescreen

- · Securely fastens monitor to worksurface
- · Height and tilt adjustable



Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

Novine/sould state: instance in assembled and only.					
SMA0203NK	13	SMA & NOVA Keyboard Drawer	\$383 / Single		
SMA0203NK	26	SMA & NOVA Keyboard Drawer	\$766 / Double		
ASMA0203NK	22	Articulating SMA & NOVA Keyboard Drawer	\$605 / Single		
Not on GSA Contract					
AZMANZNZNK	44	Articulating SMA & NOVA Keyboard Drawer	\$1 210 / Double		

12 800-730-6682 © 2025 NOVA Solutions, Inc. www.novadesk.com

Not on GSA Contract

Computer Training Tables

with iMod™ Wire Management System

Features

- Solutions for all learning environments
- · Visual Display Options available
- ADA compliant tables available
- Standard edge detail: 2mm Flat PVC. Matching edge banding colors
- Thermofused Melamine Worksurface; 1" Thick
- iMod™ compartment with removable modesty panels (locking optional; available in laminate or metal) for easy wire management
- · Wire management system and power strip included per user
- Adjustable CPU Holder
- · Manufactured with recycled post-industrial materials

How To Order

1. Select model number

Ex: 26-RL303630TL

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$215 for single table or \$322 for double table ADA Height Ex: 26-RL303632TL
- To specify an **ADA Lift** unit, change model number from R to **A** and add \$4,704. Available on single units with T-Legs only.

ADA Lift Ex: 26-AL303630TL

2. Select metal color for legs (see page 63), laminate color for worksurface, and laminate base color for iMod™ compartment (see page 62) **Note:** Laminate iMod™ modesty will match base color, and Perforated Metal iMod™ modesty will match metal color.

Ex: PBL 030 174 Worksurface

Optional Selections:

3. Casters or height-adjustable legs (Arched or T-Legs only)

For casters, add "-C" to the end of model number. (Add \$55 per leg) Ex: 26-RL244230TL-C

For height-adjustable legs, add "-H" to the model number. (Add \$154 per leg)

Ex: 26-RL244230TL-H

4. Select Visual Display Options (see page 17)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

5. Select Options and Factory Installed Accessories (see page 15) Ex: RWGSC (Star cut wire grommet)

Please Note:

Power strip, wire management, and CPU Holder are included with iMod™ Tables.

To indicate no power strip, add "-X" to model number and deduct \$50

To indicate no CPU Holder, add "-XC" to model number. For alternate CPU holder sizes, contact Customer Service

Model Number Structure



26

Series

Type RL=Rectangle Top / Laminate iMod™ RM=Rectangle Top / Metal iMod AL=ADA Lift / Laminate

iMod™ AM=ADA Lift / Metal iMod™

243630

TL Leg Style AL=Arched Leg

Visual Display Options

The Trolley™ Monitor Lift System

Maximum dimensions for widescreen:

E: 2 ½" D x 18 ½" W x 14 ½" H (63.5mm D x 479.4mm W x 368.3mm H) EXL: 2 ½" D x 22 %" W x 14 ½" H (63.5mm D x 581mm W x 368.3mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)



NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting. To order, see page 22.

Downview™

Maximum monitor dimensions:

16x21 widescreen viewport: 20 %" W x 12 ½" H (511mm W x 318mm H) **18x21 widescreen viewport: 20** %" W x 14 ½" H (511mm W x 368mm H) 21x24 widescreen viewport: 23 1/8" W x 19" H (587mm W x 482mm H)

Surface Mount Arm

Maximum monitor dimensions:

Surface Mount Arm: Up to 24" widescreen


Articulating Surface Mount Arm: Up to 35" widescreen

Maximum monitor weight:

Surface Mount Arm: 21 lbs

Articulating Surface Mount Arm: 33 lbs

Leg Base Styles & Options



T-Leg with Casters (-C) Add \$55 per leg

Arched Lea with Casters (-C) Add \$55 per leg

Height-adjustable Legs (-H) Adjustable height from 27"-37" Add \$154 per leg

CPU Storage Widths Standard CPU Holder adjusts from 4 1/4" - 7 1/2" W

Downview™ - 21" Wide Viewport

36" W Tables: 7" Max Width 42" W Tables: 7 1/2" Max Width 72" W Tables: 7" Max Width

Downview™ - 24" Wide Viewport

36" W Tables: 4 1/2" Max Width 42" W Tables: 7 1/2" Max Width 72" W Tables: 4 1/2" Max Width

Standard and SMA

All Table Widths: 7 1/2" Max Width

Trolley™ E

36" W Tables: 7" Max Width 42" W Tables: 7 1/2" Max Width 72" W Tables: 7" Max Width

Trolley™ EXL

36" W Tables: 4 1/2" Max Width* 42" W Tables: 7 1/2" Max Width 72" W Tables: 4 1/2" Max Width*

* Shipped with Medium Profile CPU Holder. Adjustment range: 3 $\frac{1}{4}$ " to 5 $\frac{1}{2}$ " W



Computer Training Tables

with iMod™ Wire Management System

Computer Training Tables with Laminate iMod™ Modesty

· Standard CPU holder right · Add "-LC" for left CPU holder and "-XC" for no CPU holder • CPU holder widths: See page 13 • Options & Factory Installed Accessories Available: See page 15


T-Leas


D x W x H (in.)	ft ³ / lbs	Model	List Price	
Two leg bases - Single laminate modesty				
24 x 36 1/8 x 30	18.3 / 124	26-RL243630TL	\$1,340	
24 x 42 x 30	21.2 / 131	26-RL244230TL	\$1,452	
24 x 48 x 30	24.0 / 138	26-RL244830TL	\$1,657	
48W not on GS	A Contract			
26 x 36 1/8 x 30	19.8 / 126	26-RL263630TL	\$1,380	
26 x 42 x 30	22.9 / 134	26-RL264230TL	\$1,496	
26 x 48 x 30	25.9 / 142	26-RL264830TL	\$1,701	
48W not on GSA Contract				
30 x 36 1/8 x 30	22.6 / 133	26-RL303630TL	\$1,534	
30 x 42 x 30	26.1 / 142	26-RL304230TL	\$1,662	
30 x 48 x 30	29.6 / 151	26-RL304830TL	\$1,867	
48W not on GS	A Contract			

T-Legs	T
^	2
	2
	3
	/

D x W x H (in.)	ft ³ / lbs	Model	List Price
Three leg bases	- Double lar	ninate modesty	
24 x 71 1/8 x 30	35.7 / 279	26-RL247230TL	\$2,371
26 x 71 1/8 x 30	38.4 / 283	26-RL267230TL	\$2,443
30 x 71 1/8 x 30	43.9 / 292	26-RL307230TL	\$2,712








	D x W x H (in.)	ft ³ / lbs	Model	List Price
Arched Legs	Three leg bases - Double laminate modesty			
	24 x 71 1/8 x 30	35.7 / 279	26-RL247230AL	\$2,653
	26 x 71 1/8 x 30	38.4 / 283	26-RL267230AL	\$2,732
	30 x 71 1/8 x 30	43.9 / 292	26-RL307230AL	\$3,036
	_			
·				

Computer Training Tables with Perforated Metal iMod™ Modesty

· Standard CPU holder right · Add "-LC" for left CPU holder and "-XC" for no CPU holder • CPU holder widths: See page 13 • Options & Factory Installed Accessories Available: See page 15

T-I ons



DXWXH (in.)	ft ³ / lbs	Model	List Price	
Two leg bases - 9	Single metal ı	modesty		
24 x 36 1/8 x 30	18.3 / 124	26-RM243630TL	\$1,700	
24 x 42 x 30	21.2 / 131	26-RM244230TL	\$1,837	
24 x 48 x 30	24.0 / 138	26-RM244830TL	\$2,042	
48W not on GS	A Contract			
26 x 36 1/8 x 30	19.8 / 126	26-RM263630TL	\$1,740	
26 x 42 x 30	22.9 / 134	26-RM264230TL	\$1,883	
26 x 48 x 30	25.9 / 142	26-RM264830TL	\$2,088	
48W not on GSA Contract				
30 x 36 1/8 x 30	22.6 / 133	26-RM303630TL	\$1,933	
30 x 42 x 30	26.1 / 142	26-RM304230TL	\$2,088	
30 x 48 x 30	29.6 / 151	26-RM304830TL	\$2,294	
48W not on GS	A Contract			
D x W x H (in.)	ft ³ / lbs	Model	List Price	


i Legs	ını
^	24
	26
	30
	iii

D x W x H (in.)	ft ³ / lbs	Model	List Price
Three leg bases			
24 x 71 1/8 x 30	35.7 / 279	26-RM247230TL	\$3,061
26 x 71 1/8 x 30	38.4 / 283	26-RM267230TL	\$3,132
30 x 71 1/8 x 30	43.9 / 292	26-RM307230TL	\$3,477
1			



Arched Legs

	48W not on GSA Contract						
	DxWxH(in.)	ft ³ / lbs	Model	List Price			
	Two leg bases - Single metal modesty						
	24 x 36 1/8 x 30	18.3 / 124	26-RM243630AL	\$1,906			
	24 x 42 x 30	21.2 / 131	26-RM244230AL	\$2,047			
	24 x 48 x 30	24.0 / 138	26-RM244830AL	\$2,252			
	48W not on GS	48W not on GSA Contract					
	26 x 36 1/8 x 30	19.8 / 126	26-RM263630AL	\$1,953			
3	26 x 42 x 30	22.9 / 134	26-RM264230AL	\$2,096			
	26 x 48 x 30	25.9 / 142	26-RM264830AL	\$2,302			
3	48W not on GSA Contract						
	30 x 36 1/8 x 30	22.6 / 133	26-RM303630AL	\$2,168			
	30 x 42 x 30	26.1 / 142	26-RM304230AL	\$2,327			
	30 x 48 x 30	29.6 / 151	26-RM304830AL	\$2,533			
	48W not on GS.	A Contract					



D x W x H (in.)	ft ³ / lbs	Model	List Price
Three leg bases	 Double met 	al modesty	
24 x 71 1/8 x 30	35.7 / 279	26-RM247230AL	\$3,369
26 x 71 1/8 x 30	38.4 / 283	26-RM267230AL	\$3,451
30 x 71 1/8 x 30	43.9 / 292	26-RM307230AL	\$3,830
	Three leg bases 24 x 71 ½ x 30 26 x 71 ½ x 30	Three leg bases - Double met	Three leg bases - Double metal modesty 24 x 71 1/2 x 30 35.7 / 279 26-RM247230AL 26 x 71 1/2 x 30 38.4 / 283 26-RM267230AL



Options & Accessories

for Computer Tables with iMod™ Wire Management

ADA Lift Option

Electrically adjustable base height from 30" with 2 1/2" travel. Activated with buttons mounted beneath worksurface.

- To specify an ADA Lift unit, change model number from R to A ADA Lift Ex: 26-AM303630TL
- Note: ADA Lift / Column Legs are standard Polished Black metal
- Available on single units with T-Legs only

Add \$4,704

Options for Computer Tables

Locking iMod™ Modesty

List Price To add locking iMod™ modesty, add "-L" to the end of model number

Available in both Laminate or Perforated Metal

\$167 / Single Table \$333 / Double Table

Heightadjustable Legs

To add height-adjustable legs, add "-H" to the end of model number

- Adjustable height from 27"- 37"
- Can be paired with casters

DwWwH (in)

\$154 / Lea





DxWxH(in.) **List Price**

To add casters, add "-C" to the end of model number Does not increase height of table Required per leg / Set of 2 (1 locking, 1 non-locking)

2 5/8 x 1 3/4 x 3 1/4 \$55 / leg

Model

43 / Ib.





Privacy Panels for Double Table

	DXWXH(III.)	Model	LIST Price	
For factory prep, must specify "PP" on table model n				number.
	Specify base color only. 6" radius on front. Field installed.			
	24 x 36 x 15	1.5 / 37	26-PP243615	\$447
	24 x 42 x 15	1.7 / 40	26-PP244215	\$490
	24 x 48 x 15	1.9 / 42	26-PP244815	\$542
	26 x 36 x 15	1.5 / 38	26-PP263615	\$468
	26 x 42 x 15	1.7 / 41	26-PP264215	\$513
	26 x 48 x 15	1.9 / 43	26-PP264815	\$563
	30 x 36 x 15	1.5 / 42	26-PP303615	\$495
	30 x 42 x 15	1.7 / 44	26-PP304215	\$546
	30 x 48 x 15	1.9 / 47	26-PP304815	\$600
	24 x 71 x 15	1.8 / 51	26-PP247115	\$765
	26 x 71 x 15	1.8 / 52	26-PP267115	\$788
	30 x 71 x 15	1.8 / 55	26-PP307115	\$842

Factory Installed Accessories

Must specify location of grommet / power center at time of order

Factory Prepared NOVA Keyboard **Drawer**

Dimensions (in.)	Model	List Price
Keyboard length to fit Only ordered when NO		n is chosen.
24" - 34" wide	NK	\$149



Rectangular black plastic grommet cover is removable for easy wire management



1 %"D x 3 ¼"W WG1080 \$79



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through 2 ¾" Diameter RWGSC \$93



Center

Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.



3 ¾" D x 5" W \$380 11225PP



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.



3 ¾" D x 5" W \$380



Center

List Dries

One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed. 3 ¾" D x 5" W 11225PC \$435



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp **Round Flush** cord. UL listed. **Power Center**



Not on GSA Contract

Not on GSA Contract

4" Diameter



One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.

3359PP

\$354

\$415



4" Diameter



Center

One grounded outlet. Features spill-proof technology. **Round Power**



6ft, 15 Amp cord. UL Listed. 2" Diameter 3825P \$278

Not on GSA Contract



Study Carrels

Features

- · Solutions for library and learning resource environments
- Visual Display Options available
- · ADA compliant kits available
- Standard edge detail: 2mm Flat PVC. Matching edge banding colors
- Thermofused Melamine Worksurface; 1" Thick
- · Wire management system and power strip optional
- · Manufactured with recycled post-industrial materials

How To Order

1. Select model number

Ex: 65-SC303635CS (35" H Starter Study Carrel)

2. Select laminate base and worksurface color (see page 62)

Ex: 227 044 Base Worksurface

Optional Selections:

3. Select Visual Display Options (see page 17)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

4. Select Options and Factory Prepared Accessories (see below) Ex: 3359PP (Round Flush Power Center)

Model Number Structure



65 Series

SC Type

303635 Size D x W x H

Placement CS=Starter CA=Add-on

CS

65-SC303635CS

Study Carrels

Wire opening on top. If a Visual Display Option is specified, a CPU shelf, wire management channel, and power strip will be added. Rectangular black plastic grommet in worksurface and end panels. Worksurface height: 30". Worksurface depth: 28".

35" H Starter **Study Carrel**

D x W x H (in.)	ft ³ / lbs	Model	List Price
30 x 36 x 35	3.5 / 126	65-SC303635CS	\$972



35" H Add-on **Study Carrel**

D x W x H (in.)	ft ³ / lbs	Model	List Price
30 x 35 x 35	28/99	65-SC303535CA	\$777

Model

List Price

\$1,360

List Price

\$354

ft3/lbs



53" H Starter **Study Carrel**

y Carrel	8" deep fixed accessory shelf. Clearance 15 3/8"		
	30 x 36 x 53	4.7 / 167	65-SC303653CS

DxWxH(in.)

53" H Add-on **Study Carrel**

D x W x H (in.)	ft ³ / lbs	Model	List Price
8" deep fixed a	ccessory shel	f. Clearance 15 ¾"	
30 x 35 x 53	3.56 / 126	65-SC303553CA	\$1,067



Study Carrel Options & Accessories Must specify location of power center at time of order

Pop-up Power Center

Dimensions (in.) Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed. 3 ¾" D x 5" W 11225PP \$380



Pop-up Power/

Data Center

One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers.



Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.



11225PD

ADA Bracket Kit

Round Flush

Power Center

Factory Prepared

NOVA Keyboard

Drawer

Keyboard length to fit table ordered. Only ordered when NO Visual Display Option is chosen. 24" - 34" wide NK \$149

cord. UL listed.

Not on GSA Contract

4" Diameter

Dimensions (in.)

Metal bracket and hardware to raise the surface of any carrel

from 30" to 32". Package of six. Order one kit per surface. 1 x 1 x 4

65-KT010104AD \$145

Pop-up Power / USB Charging Center

One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed.

3 34" D x 5" W

11225PC



Round Flush Power / USB

One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.

Two grounded outlets. Clean, flush mount. 6ft, 15 Amp

3359PC \$415

3359PP



Charging Center

4" Diameter Not on GSA Contract





One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed. 3825P \$278

2" Diameter Not on GSA Contract




16 © 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com



Visual Display Options

Computer Tables and Study Carrels



The Trolley™ E

Widescreen:

Maximum Dimensions for

2 1/2" D x 18 1/8" W x 14 1/2" H

up to 20" widescreen

The Trolley™

- · Installation required
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ EXL **Maximum Dimensions for** Widescreen:

2 1/2" D x 22 7/8" W x 14 1/2" H up to 24" widescreen

- Patented Access door automatically opens and closes with the push of a
- Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology™ provides operational intuition

Model Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units,

compatible with all power requirements inside and outside the U.S.

TE0724NK	48	Trolley™ E & NOVA Keyboard Drawer	\$1,546 / Single
TE0724NK	96	Trolley™ E & NOVA Keyboard Drawer	\$3,092 / Double
TE0728NK	48	Trolley™ EXL & NOVA Keyboard Drawer	\$2,050 / Single
TE0728NK	96	Trolley™ EXL & NOVA Keyboard Drawer	\$4,100 / Double

List Price

List Price

List Price





Downview™

Installation required

16" D x 21" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8" W x 12 1/2" H

24" min. worksurface depth

up to 21" widescreen

up to 24" widescreen

21" D x 24" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 23 1/8" W x 19" H

30" min. worksurface depth

18" D x 21" W viewport (Widescreen) **Maximum Dimensions for**

Widescreen: 20 1/8" W x 14 1/2" H up to 21" widescreen

- 26" min. worksurface depth
- Tinted, tempered glass viewport
- Keeps monitor under glass below worksurface
- · Ergonomic viewing angle

Model Wt(lbs) Description With NOVA Keyboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only. Optional Privacy/Glare visor sold separately, see page 60 for pricing.

FPA1621NK	35	16" D x 21"W Downview™ & NOVA Keyboard Drawer	\$500 / Single
FPA1621NK	70	16" D x 21" W Downview™ & NOVA Keyboard Drawer	\$1000 / Double
FPA1821NK	35	18″ D x 21″W Downview™ & NOVA Keyboard Drawer	\$530 / Single
FPA1821NK	70	18"D x 21"W Downview™ & NOVA Keyboard Drawer	\$1060 / Double
FPA2124NK	39	21″ D x 24″W Downview™ & NOVA Keyboard Drawer	\$675 / Single
FPA2124NK	78	21" D x 24" W Downview™ & NOVA Keyboard Drawer	\$1,350 / Double



Surface Mount Arm

Surface Mount Arm

Installation required



Maximum Weight: 21 lbs **Maximum Dimensions: Up** to 24" widescreen

Articulating Surface Mount Arm

Maximum Weight: 33 lbs Maximum Dimensions: Up to 35" widescreen Not on GSA Contract

- · Securely fastens monitor to worksurface
- · Height and tilt adjustable

Model Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

SMA0203NK	13	SMA & NOVA Keyboard Drawer	\$383 / Single
SMA0203NK	26	SMA & NOVA Keyboard Drawer	\$766 / Double
ASMA0203NK	22	Articulating SMA & NOVA Keyboard Drawer	\$605 / Single
Not on GSA	Cont	ract	
ASMA0203NK	44	Articulating SMA & NOVA Keyboard Drawer	\$1,210 / Double

17 www.novadesk.com © 2025 NOVA Solutions, Inc. 800-730-6682

Not on GSA Contract



How To Order

1. Select model number

Ex: 25-RT247230TL

2. Select metal color for legs (see page 63), and laminate color for worksurface (see page 62)

Ex: PBL 044

Optional Selections:

3. Casters or height-adjustable legs (Arched Legs, T-Legs, or C-Legs only) For casters, add "-C" to the end of model number and add \$55 per leg. Ex: 25-RT247230TL-C

For height-adjustable legs, add "-H" to the model number and add \$154 per leg.

Ex: 25-RT247230TL-H

4. Select Options and Factory Prepared Accessories (see page 15) Ex: RWGSC (Star cut wire grommet)

Model Number Structure

25 **RT**

Series 25=Standard table

27=Double

table with

stiffener bar

instead of

middle lea

Top Shape RT=Rectangle 247230 Size DxWxH

TL=T-Leg CL=C-Leg AL=Arched Leg SL=Straight Leg TC=T-Leg w/ casters* CC=C-Leg w/ casters* AC=Arched Leg w/ casters* *Nesting tables only

TL

Leg Base Styles & Options

- 2" diameter metal legs, 16 gauge metal
- Leg mounting plates 1/4" thick
- Powder coated paint

Styles



Options



Add \$55 per leg

C-Leg with Casters (-C) Add \$55 per leg





Rectangle Tables

Model number replacing blank "_" with "T" for T-Leg option or

Complete Mod "C" for C-Leg o
T-Legs / C-Legs Table w/ 2 leg bases
T-Legs
(-Legs
T-Legs / C-Legs Double table w/2 leg bases & stiffener bar
T-Legs C-Legs
T-Legs / C-Legs Double table w/3 leg bases
T-Leg
C-Leg

pti	ption (Ex: 25-RT303630 <u>C</u> L)					
	D x W x H (in.)	ft ³ / lbs	Model	List Price		
	18 x 36 x 30	5.5 / 50	25-RT183630_L	\$621		
	18 x 42 x 30	5.7 / 55	25-RT184230_L	\$634		
	18 x 48 x 30	6.4 / 59	25-RT184830_L	\$646		
\geq	18 x 60 x 30	6.6 / 86	25-RT186030_L	\$705		
20	24 x 36 x 30	6.0 / 61	25-RT243630_L	\$656		
-	24 x 42 x 30	6.3 / 65	25-RT244230_L	\$671		
	24 x 48 x 30	6.7 / 71	25-RT244830_L	\$686		
	24 x 60 x 30	7.4 / 102	25-RT246030_L	\$746		
>	30 x 36 x 30	6.5 / 68	25-RT303630_L	\$710		
	30 x 42 x 30	6.9 / 74	25-RT304230_L	\$732		
	30 x 48 x 30	7.5 / 80	25-RT304830_L	\$770		
	30 x 60 x 30	8.3 / 114	25-RT306030_L	\$850		
S						
	36 x 42 x 30	7.6 / 97	25-RT364230_L	\$796		
	36 x 48 x 30	8.1 / 104	25-RT364830_L	\$827		
	36 x 60 x 30	9.2 / 136	25-RT366030_L	\$930		

8.2 / 93

8.8 / 101

27-RT187230_L

27-RT188430_L

27-RT247230 L

27-RT248430_L

27-RT307230 L

27-RT308430_L

27-RT367230 L

27-RT368430_L

\$968

\$906

\$925

\$1,237

\$1,057

\$1,326

\$1,057

\$1,326


\$1,070

Double table w/2 leg	18 x 84 x 30
bases & stiffener bar	
	24 x 72 x 30
	24 x 84 x 30
T-Legs	30 x 72 x 30
	30 x 84 x 30
C-Legs	36 x 72 x 30
C-regs	36 x 84 x 30

bases & stiffener bar
T-Legs
C-Legs

N/ 2 leg	
ner bar	
	24 x
	24 x
5	30 x
	30 x
C-Legs	36 x
c Legs	36 x
-Legs	18 x

24 x 72 x 30	9.2 / 111
24 x 84 x 30	10.0 / 120
30 x 72 x 30	10.3 / 126
30 x 84 x 30	11.2 / 138
36 x 72 x 30	11.3 / 151
36 x 84 x 30	12.4 / 165
18 x 72 x 30	8.2 / 93
18 x 84 x 30	8.8 / 101





36 x 96 x 30	13.2 / 181	25-RT369630_L
36 x 84 x 30	12.4 / 165	25-RT368430_L
36 x 72 x 30	11.3 / 151	25-RT367230_L
30 x 96 x 30	12.1 / 150	25-RT309630_L
50 X 64 X 50	11.2/130	25-K13U643U_L



36 x 96 x 30	13.2 / 181	25-RT369630_L	\$1,538
18 x 36 x 30	2.3 / 50	25-RT183630SL	\$621
18 x 42 x 30	2.5 / 55	25-RT184230SL	\$634
18 x 48 x 30	2.8 / 59	25-RT184830SL	\$646
18 x 60 x 30	3.3 / 86	25-RT186030SL	\$705
24 x 36 x 30	2.7 / 61	25-RT243630SL	\$656
24 x 42 x 30	3.1 / 65	25-RT244230SL	\$671
24 x 48 x 30	3.5 / 71	25-RT244830SL	\$686
24 x 60 x 30	4.2 / 102	25-RT246030SL	\$746
30 x 36 x 30	3.3 / 68	25-RT303630SL	\$710
30 x 42 x 30	3.7 / 74	25-RT304230SL	\$732
30 x 48 x 30	4.2 / 80	25-RT304830SL	\$770
30 x 60 x 30	5.1 / 114	25-RT306030SL	\$850
36 x 42 x 30	4.4 / 97	25-RT364230SL	\$796
36 x 48 x 30	4.9 / 104	25-RT364830SL	\$827
36 x 60 x 30	5.9 / 136	25-RT366030SL	\$930



Rectangle Tables				
Straight Legs	D x W x H (in.)	ft ³ / lbs	Model	List Price
Double table w/ 4 leg	18 x 72 x 30	4.2 / 93	27-RT187230SL	\$757
bases & stiffener bar	18 x 84 x 30	4.7 / 101	27-RT188430SL	\$968
/, >	24 x 72 x 30	5.3 / 111	27-RT247230SL	\$906
	24 x 84 x 30	5.9 / 120	27-RT248430SL	\$1,070
	30 x 72 x 30	6.2 / 126	27-RT307230SL	\$925
U	30 x 84 x 30	7.2 / 138	27-RT308430SL	\$1,237
	36 x 72 x 30	6.5 / 151	27-RT367230SL	\$1,057
	36 x 84 x 30	8.4 / 165	27-RT368430SL	\$1,326
	18 x 72 x 30	4.2 / 93	25-RT187230SL	\$819
Straight Legs	18 x 84 x 30	4.7 / 101	25-RT188430SL	\$1,046
Double table w/ 6 leg bases	18 x 96 x 30	5.3 / 107	25-RT189630SL	\$1,254
	24 x 72 x 30	5.3 / 111	25-RT247230SL	\$979
	24 x 84 x 30	5.9 / 120	25-RT248430SL	\$1,156
	24 x 96 x 30	6.7 / 130	25-RT249630SL	\$1,415
U	30 x 72 x 30	6.2 / 126	25-RT307230SL	\$999
ū	30 x 84 x 30	7.2 / 138	25-RT308430SL	\$1,336
	30 x 96 x 30	8.1 / 150	25-RT309630SL	\$1,565
	36 x 72 x 30	6.5 / 151	25-RT367230SL	\$1,141
	36 x 84 x 30	8.4 / 165	25-RT368430SL	\$1,433
	36 x 96 x 30	9.4 / 181	25-RT369630SL	\$1,662
Arched Legs	18 x 36 x 30	5.5 / 50	25-RT183630AL	\$798
Table w/ 2 leg bases	18 x 42 x 30	5.7 / 55	25-RT184230AL	\$817
^	18 x 48 x 30	6.1 / 59	25-RT184830AL	\$851
	18 x 60 x 30	6.6 / 86	25-RT186030AL	\$983
	24 x 36 x 30	6.0 / 61	25-RT243630AL	\$840
	24 x 42 x 30	6.3 / 65	25-RT244230AL	\$864
4	24 x 48 x 30	6.7 / 71	25-RT244830AL	\$882
	24 x 60 x 30	7.4 / 102	25-RT246030AL	\$1,047
	30 x 36 x 30	6.5 / 68	25-RT303630AL	\$865
	30 x 42 x 30	6.9 / 74	25-RT304230AL	\$893
	30 x 48 x 30	7.5 / 80	25-RT304830AL	\$928
	30 x 60 x 30	8.3 / 114	25-RT306030AL	\$1,133
	36 x 42 x 30	7.6 / 97	25-RT364230AL	\$949
	36 x 48 x 30	8.1 / 104	25-RT364830AL	\$986
	36 x 60 x 30	9.2 / 136	25-RT366030AL	\$1,195
Auchodlass	18 x 72 x 30	8.2 / 93	27-RT187230AL	\$1,056
Arched Legs Double table w/ 2 leg	18 x 84 x 30	8.8 / 101	27-RT188430AL	\$1,298
bases & stiffener bar	24 x 72 x 30	9.2 / 111	27-RT247230AL	\$1,141
	24 x 84 x 30	10.0 / 120	27-RT248430AL	\$1,371
	30 x 72 x 30	10.3 / 126	27-RT307230AL	\$1,206
	30 x 84 x 30	11.2 / 138	27-RT308430AL	\$1,554
1)	36 x 72 x 30	11.3 / 151	27-RT367230AL	\$1,355
	36 x 84 x 30	12.4 / 165	27-RT368430AL	\$1,652


	Recta	angle Tab	oles	
Arched Legs	D x W x H (in.)	ft ³ / lbs	Model	List Price
Double table w/ 3	18 x 72 x 30	8.2 / 93	25-RT187230AL	\$1,056
leg bases	18 x 84 x 30	8.8 / 101	25-RT188430AL	\$1,298
	18 x 96 x 30	9.4 / 107	25-RT189630AL	\$1,633
	>			
	24 x 72 x 30	9.2 / 111	25-RT247230AL	\$1,141
	24 x 84 x 30	10.0 / 120	25-RT248430AL	\$1,371
	24 x 96 x 30	10.7 / 130	25-RT249630AL	\$1,710
	30 x 72 x 30	10.3 / 126	25-RT307230AL	\$1,206
	30 x 84 x 30	11.2 / 138	25-RT308430AL	\$1,554
	30 x 96 x 30	12.1 / 150	25-RT309630AL	\$1,897
	36 x 72 x 30	11.3 / 151	25-RT367230AL	\$1,355
	36 x 84 x 30	12.4 / 165	25-RT368430AL	\$1,652
	36 x 96 x 30	13.2 / 181	25-RT369630AL	\$1,992

Nesting Tables

Stiffener bar included on tables 60" or wider. Complete Model number replacing blank "_" with "T" for T-Leg option or "C" for C-Leg option (Ex: 25-NT303630 \underline{C} L)

Dialik _ With 1 1
T-Legs / C-Legs Table with folding top
T-Legs
(-Legs
Nested

	D x W x H (in.)	ft ³ / lbs	Model	List Price
	18 x 36 x 30	5.4 / 50	25-NT183630_L	\$829
	18 x 42 x 30	5.7 / 55	25-NT184230_L	\$884
	18 x 48 x 30	6.1 / 59	25-NT184830_L	\$940
	18 x 60 x 30	6.6 / 65	25-NT186030_L	\$1,111
	18 x 72 x 30	7.1 / 72	25-NT187230_L	\$1,155
	18 x 84 x 30	7.7 / 80	25-NT188430_L	\$1,202
	18 x 96 x 30	8.2 / 86	25-NT189630_L	\$1,244
•				
	24 x 36 x 30	6.1 / 61	25-NT243630_L	\$886
	24 x 42 x 30	6.3 / 65	25-NT244230_L	\$941
	24 x 48 x 30	6.7 / 71	25-NT244830_L	\$998
	24 x 60 x 30	7.5 / 80	25-NT246030_L	\$1,179
	24 x 72 x 30	8.2 / 89	25-NT247230_L	\$1,205
	24 x 84 x 30	8.9 / 98	25-NT248430_L	\$1,298
	24 x 96 x 30	9.6 / 108	25-NT249630_L	\$1,371
	30 x 36 x 30	6.5 / 68	25-NT303630_L	\$952
	30 x 42 x 30	6.9 / 74	25-NT304230_L	\$1,003
	30 x 48 x 30	7.4 / 80	25-NT304830_L	\$1,057
	30 x 60 x 30	8.3 / 91	25-NT306030_L	\$1,276
	30 x 72 x 30	9.2 / 103	25-NT307230_L	\$1,333
	30 x 84 x 30	10.1 / 115	25-NT308430_L	\$1,350
	30 x 96 x 30	10.9 / 127	25-NT309630_L	\$1,446
_				
	18 x 36 x 30	5.4 / 52	25-NT183630_C	\$952
	18 x 42 x 30	5.7 / 57	25-NT184230_C	\$1,008
	18 x 48 x 30	6.1 / 61	25-NT184830_C	\$1,063
	18 x 60 x 30	6.6 / 67	25-NT186030_C	\$1,236
	18 x 72 x 30	7.1 / 74	25-NT187230 C	\$1,277



T-Legs / C-Legs

	18 x 36 x 30	5.4 / 52	25-NT183630_C	\$952
	18 x 42 x 30	5.7 / 57	25-NT184230_C	\$1,008
	18 x 48 x 30	6.1 / 61	25-NT184830_C	\$1,063
	18 x 60 x 30	6.6 / 67	25-NT186030_C	\$1,236
	18 x 72 x 30	7.1 / 74	25-NT187230_C	\$1,277
	18 x 84 x 30	7.7 / 82	25-NT188430_C	\$1,326
	18 x 96 x 30	8.2 / 88	25-NT189630_C	\$1,368
	24 x 36 x 30	6.1 / 63	25-NT243630_C	\$1,010
>	24 x 42 x 30	6.3 / 67	25-NT244230_C	\$1,065
	24 x 48 x 30	6.7 / 73	25-NT244830_C	\$1,122
	24 x 60 x 30	7.5 / 82	25-NT246030_C	\$1,301
	24 x 72 x 30	8.2 / 91	25-NT247230_C	\$1,375
	24 x 84 x 30	8.9 / 100	25-NT248430_C	\$1,420
	24 x 96 x 30	9.6 / 110	25-NT249630_C	\$1,496
	30 x 36 x 30	6.5 / 70	25-NT303630_C	\$1,072
	30 x 42 x 30	6.9 / 76	25-NT304230_C	\$1,124
\$	30 x 48 x 30	7.4 / 82	25-NT304830_C	\$1,181
8	30 x 60 x 30	8.3 / 93	25-NT306030_C	\$1,399
	30 x 72 x 30	9.2 / 105	25-NT307230_C	\$1,457
	30 x 84 x 30	10.1 / 117	25-NT308430_C	\$1,474
	30 x 96 x 30	10.9 / 129	25-NT309630_C	\$1,568



Nesting Tables Stiffener bar included on tables 60" or wider List Price ft³ / lbs Model DxWxH(in.) **Arched Legs** 5.4 / 50 25-NT183630AL 18 x 36 x 30 \$1,031 Table with folding top 18 x 42 x 30 5.7 / 55 25-NT184230AL \$1,102 18 x 48 x 30 6.1 / 59 25-NT184830AL \$1,134 18 x 60 x 30 6.6 / 65 25-NT186030AL \$1,261 18 x 72 x 30 7.1 / 72 25-NT187230AL \$1,304 18 x 84 x 30 7.7 / 80 25-NT188430AL \$1,361 18 x 96 x 30 8.2 / 86 25-NT189630AL \$1,399 25-NT243630AL \$1,053 24 x 36 x 30 6.1 / 61 24 x 42 x 30 6.3 / 65 25-NT244230AL \$1,109 24 x 48 x 30 6.7 / 71 25-NT244830AL \$1,196 24 x 60 x 30 7.5 / 80 25-NT246030AL \$1,336 24 x 72 x 30 8.2 / 89 25-NT247230AL \$1,366 24 x 84 x 30 \$1,463 8.9 / 98 25-NT248430AL 24 x 96 x 30 9.6 / 108 25-NT249630AL \$1,542 30 x 36 x 30 6.5 / 68 25-NT303630AL \$1,089 6.9 / 74 25-NT304230AL 30 x 42 x 30 \$1,163 7.4 / 80 30 x 48 x 30 25-NT304830AL \$1,289 30 x 60 x 30 8.3 / 91 25-NT306030AL \$1,445 30 x 72 x 30 9.2 / 103 25-NT307230AL \$1,503 30 x 84 x 30 10.1 / 115 25-NT308430AL \$1,521 30 x 96 x 30 10.9 / 127 25-NT309630AL \$1,628 18 x 36 x 30 5.4 / 52 25-NT183630AC \$1,115 **Arched Leas** 18 x 42 x 30 5.7 / 57 25-NT184230AC \$1,179 Table with folding top 18 x 48 x 30 6.1 / 61 25-NT184830AC \$1,258 & casters 18 x 60 x 30 6.6 / 67 25-NT186030AC \$1,386 18 x 72 x 30 7.1 / 74 25-NT187230AC \$1,430 18 x 84 x 30 7.7 / 82 25-NT188430AC \$1,485 8.2 / 88 25-NT189630AC 18 x 96 x 30 \$1,523 24 x 36 x 30 6.1 / 63 25-NT243630AC \$1,156 24 x 42 x 30 6.3 / 67 25-NT244230AC \$1,224 24 x 48 x 30 6.7 / 73 25-NT244830AC \$1,318 24 x 60 x 30 7.5 / 82 25-NT246030AC \$1,459 24 x 72 x 30 8.2 / 91 25-NT247230AC \$1,485 24 x 84 x 30 8.9 / 100 25-NT248430AC \$1,586 24 x 96 x 30 9.6 / 110 25-NT249630AC \$1,662 25-NT303630AC 30 x 36 x 30 6.5 / 70 \$1,211 30 x 42 x 30 6.9 / 76 25-NT304230AC \$1,287 30 x 48 x 30 7.4 / 82 \$1,412 25-NT304830AC 30 x 60 x 30 8.3 / 93 25-NT306030AC \$1,463 30 x 72 x 30 9.2 / 105 25-NT307230AC \$1,625 10.1 / 117 30 x 84 x 30 25-NT308430AC \$1,643 30 × 06 × 30 100/120 25-NT300630AC \$1.750

	30 x 96 x 30	10.9 / 129	25-N1309630AC	\$1,/50
	Squ	are Table	!S	
Metal Straight	D x W x H (in.)	ft ³ / lbs	Model	List Price
X-Leg	30 x 30 x 30	17.9 / 46	25-SQ303030XS	\$638
	36 x 36 x 30	18.9 / 67	25-SQ363630XS	\$749
	42 x 42 x 30	20.1 / 85	25-SQ424230XS	\$1,008
\mathbb{X}	48 x 48 x 30	21.4 / 102	25-SQ484830XS	\$1,079
Metal Arched	30 x 30 x 30	17.9 / 46	25-SQ303030XA	\$827
X-Leg	36 x 36 x 30	18.9 / 67	25-SQ363630XA	\$905
	42 x 42 x 30	20.1 / 85	25-SQ424230XA	\$1,134
	48 x 48 x 30	21.4 / 102	25-SQ484830XA	\$1,192
Metal Straight	30 x 30 x 30	2.9 / 46	25-SQ303030SL	\$827
Leg	36 x 36 x 30	3.8 / 67	25-SQ363630SL	\$905
· < >	42 x 42 x 30	4.9 / 85	25-SQ424230SL	\$1,134
	48 x 48 x 30	6.3 / 102	25-SQ484830SL	\$1,192

Round Tables				
Metal Straight	D x W x H (in.)	ft ³ / lbs	Model	List Price
X-Leg	30 x 30 x 30	17.9 / 46	25-FR303030XS	\$662
A Leg	36 x 36 x 30	18.9 / 67	25-FR363630XS	\$762
	42 x 42 x 30	20.1 / 85	25-FR424230XS	\$1,028
	48 x 48 x 30	21.4 / 102	25-FR484830XS	\$1,130
Metal Arched	30 x 30 x 30	17.9 / 46	25-FR303030XA	\$849
X-Leg	36 x 36 x 30	18.9 / 67	25-FR363630XA	\$931
()	42 x 42 x 30	20.1 / 85	25-FR424230XA	\$1,208
	48 x 48 x 30	21.4 / 102	25-FR484830XA	\$1,254
Metal Straight	30 x 30 x 30	2.9 / 46	25-FR303030SL	\$849
Leg	36 x 36 x 30	3.8 / 67	25-FR363630SL	\$931
()	42 x 42 x 30	4.9 / 85	25-FR424230SL	\$1,208
	48 x 48 x 30	6.3 / 102	25-FR484830SL	\$1,254
Laminate Cross	Specify lamina	ate base and v	vorksurface colors	
Base	36 x 36 x 30	3.8 / 67	25-FR363630CB	\$762
	42 x 42 x 30	4.9 / 85	25-FR424230CB	\$1,028
\mathcal{M}	48 x 48 x 30	6.3 / 102	25-FR484830CB	\$1,130
\square	Not on GSA C	ontract		
	Ouarte	Round T	ables	
	•			
Metal Straight	D x W x H (in.)	ft ³ / lbs	Model	List Price
X-Leg	24 x 24 x 30	17.1 / 32	25-QR242430XS	\$715
	30 x 30 x 30	17.9 / 47	25-QR303030XS	\$841
	36 x 36 x 30	18.9 / 62	25-QR363630XS	\$935

Metal Straight	D x W x H (in.)	ft ³ / lbs	Model	List Price
X-Leg	24 x 24 x 30	17.1 / 32	25-QR242430XS	\$715
~~ ~	> 30 x 30 x 30	17.9 / 47	25-QR303030XS	\$841
	36 x 36 x 30	18.9 / 62	25-QR363630XS	\$935
Metal Arched	24 x 24 x 30	17.1 / 32	25-QR242430XA	\$954
X-Leg	30 x 30 x 30	17.9 / 47	25-QR303030XA	\$1,043
	36 x 36 x 30	18.9 / 62	25-QR363630XA	\$1,146
75				
Metal Straight	24 x 24 x 30	1.1 / 32	25-QR242430SL	\$954
Leg	30 x 30 x 30	2.9 / 47	25-QR303030SL	\$1,043
	36 x 36 x 30	3.8 / 62	25-QR363630SL	\$1,146
Metal T-Leg	30 x 30 x 30	6.1 / 44	25-QR303030TL	\$840
For stability only.	36 x 36 x 30	7.1 / 59	25-QR363630TL	\$935
Designed to attach to				

other units on both sides





Table Bridges				
18° Bridge	D x W x H (in.)	ft ³ / lbs	Model	List Price
9	18 x 18 x 1	1.0 / 4	25-WG18180118	\$240
	24 x 24 x 1	1.6 / 10	25-WG24240118	\$259
	30 x 30 x 1	2.4 / 25	25-WG30300118	\$267
	36 x 36 x 1	3.4 / 32	25-WG36360118	\$284
30° Bridge	18 x 18 x 1	1.0 / 4	25-WG18180130	\$240
	24 x 24 x 1	1.6 / 10	25-WG24240130	\$259
	30 x 30 x 1	2.4 / 25	25-WG30300130	\$267
	36 x 36 x 1	3.4 / 32	25-WG36360130	\$284
45° Bridge	18 x 18 x 1	1.0 / 4	25-WG18180145	\$240
	24 x 24 x 1	1.6 / 10	25-WG24240145	\$259
	30 x 30 x 1	2.4 / 25	25-WG30300145	\$267
	Leg is for stabi on both sides	lity only. De	signed to attach to o	ther units
	36 x 36 x 30	7.1 / 59	25-WG36360145	\$581
60° Bridge	18 x 18 x 1	1.4 / 4	25-WG18180160	\$240
	24 x 24 x 1	2.1 / 10	25-WG24240160	\$259
	Leg is for stabi	lity only. De	signed to attach to o	ther units
	30 x 30 x 30	6.1 / 44	25-WG30300160	\$564
H	36 x 36 x 30	7.1 / 59	25-WG36360160	\$581
90° Bridge	18 x 18 x 1	1.4 / 4	25-WG18180190	\$240
	24 x 24 x 1	2.1 / 10	25-WG24240190	\$259
		,		4207
	Leg is for stabi	lity only. De	signed to attach to o	ther units
Ų	30 x 30 x 30	6.1 / 44	25-WG30300190	\$564
Ŋ	36 x 36 x 30	7.1 / 59	25-WG36360190	\$581

Stiffner Bar & Quick Connector

Stiffener Bar



Table Width	ft ³ /lbs	Model	List Price
Use to prevent	sagging of	top.	
Standard color	is Polished	Black metal.	
48" W Table	0.4 / 1	25-ST014802	\$107
60"W Table	0.5 / 1	25-ST016002	\$107
72" W Table	0.6 / 2	25-ST017202	\$137
84" W Table	0.6/3	25-ST018402	\$148
96" W Table	0.7 / 4	25-ST019602	\$172

Quick Connector



D x W (in.)	ft ³ / lbs	Model	List Price
Use when ch	aining two or	more tables.	
Standard col	or is Polished	Black metal.	
3 x 6	0.1 / 0.5	25-QC060600	\$55

Mending & **Bridge Plate Kit**




D x W (in.)	ft ³ / lbs	Model	List Price
Use when ch	aining two or	more tables.	
Standard col	or is Polished	Black metal.	
2 x 5 ½	0.1 / 0.5	26-MEND01	\$55

iMod™ Compartments

iMod™ w/ Laminate **Modesty Panels**

Table not included

DxWxH(in.) ft³ / lbs Model **List Price** Includes a power strip and wire management channel per user. To indicate no power strip, add "-X" to model number and deduct \$50 per user. Specify a laminate base color.



2.1 / 19 25-SM053612 \$482 25-SM054212 5 x 42 x 12 2.5/22 \$492 5 x 48 x 12 2.8 / 25 25-SM054812 \$504 5 x 60 x 12 3.5 / 31 25-SM056012 \$518 **Double Modesty**

5 x 72 x 12 2.1 / 38 25-SM057212 \$830 5 x 84 x 12 2.5 / 44 25-SM058412 \$856 5 x 96 x 12 2.8 / 50 25-SM059612 \$874

iMod™ w/ **Perforated Metal Modesty Panels**

Table not included

Includes a power strip and wire management channel per user. To indicate no power strip, add "-X" to model number and deduct \$50 per user.

Specify a laminate base color and a metal color.

Single Modesty 25-PM053612 5 x 36 x 12 2.1 / 20 \$724 5 x 42 x 12 2.5 / 23 25-PM054212 \$774 5 x 48 x 12 2.8 / 26 25-PM054812 \$816 25-PM056012 5 x 60 x 12 3.5 / 33 \$870

<u>Double Modesty</u>			
5 x 72 x 12	2.1 / 39	25-PM057212	\$1,301
5 x 84 x 12	2.5 / 46	25-PM058412	\$1,366
5 x 96 x 12	28/52	25-PM059612	\$1.450

Modesty Panels

Specify a metal color.

Laminate **Modesty Panels** Table not included




D x W x H (in.)	ft ³ / lbs	Model	List Price
Specify a lamir	nate base col	or.	
Single Modest	<u>x</u>		
1 x 36 x 12	0.25 / 8	25-SM013612	\$191
1 x 42 x 12	0.3/9	25-SM014212	\$202
1 x 48 x 12	0.3 / 10	25-SM014812	\$214
1 x 60 x 12	0.5 / 13	25-SM016012	\$228

<u>Double Modesty</u>			
1 x 72 x 12	0.5 / 15	25-SM017212	\$381
1 x 84 x 12	0.6 / 18	25-SM018412	\$400
1 x 96 x 12	0.75 / 20	25-SM019612	\$425

Perforated Metal Modesty Panels

Table not included



Single Modes	ty		
1 x 36 x 12	0.25 / 8	25-PM013612	\$415
1 x 42 x 12	0.3 / 9	25-PM014212	\$449
1 x 48 x 12	0.3 / 10	25-PM014812	\$491
1 x 60 x 12	0.5 / 13	25-PM016012	\$545
Double Mode	sty		
1 x 72 x 12	0.5 / 16	25-PM017212	\$830
1 x 84 x 12	0.6 / 18	25-PM018412	\$895
1 x 96 x 12	0.75 / 21	25-PM019612	\$977

NOVALinked™ is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting. Utilizing a Crestron, Extron, AMX or other major brand controller, or an ISI component, instructors can raise or lower all of the Trolley™ monitor lifts in the classroom simultaneously.



LCI - Linking Control Interface

The LCI is required for all NOVALinked™ installations. One LCI is required to control each Trolley™ monitor lift. It can be located in an inconspicuous location on each desk/table or within the total access iMod™ compartment (if available).

1 %6" D x 4" W x 1 34" H

AC-LCI.....\$269



CSIM - Control System Interface Module

The CSIM is required for "wired" NOVALinked™ installations. One CSIM is needed for every thirty (30) LCI units / Trolley™ monitor lifts. Includes a 24V = 1.67A, 40W MAX Power Supply with Cord. 1 %16" D x 4 1/8" W x 2 15/16" H



JCN - Junction

The JCN is a parallel 3 way splitter for the NOVALinked™ System. One JCN required per row. Designed for use only with the NOVALinked™ System. 1 %6" D x 4" W x 1 ¾" H

AC-JCN3 (Three RJ45 ports).....\$202



Components for Wireless NOVALinked™

The Wireless NOVALinked[™] application eliminates the issue of running power from the lectern to the first row of desks, and from row to row.



TXM - Transmitter

The Transmitter allows wireless control of the Trolley™, and is housed in the lectern or any other location in the room. The Transmitter connects to the Controller or ISI, and each one has a unique frequency address. It sends separate commands for On, Off, Up and Down.

AC-TXM\$511

CAT6 Patch Cable

CAT6 molded boot patch cable.

AC-CAT6-1 (1ft)	\$27
AC-CAT6-2 (2ft)	\$31
AC-CAT6-5 (5ft)	\$34
AC-CAT6-7 (7ft)	\$37
AC-CAT6-10 (10ft)	\$46
AC-CAT6-14 (14ft)	\$57



RCVR - Receiver

One Receiver required per row of desks, including the last row.

AC-RCVR.....\$511



ISI - Independent Switching Interface

The ISI allows full control of the On/Off and Up/Down functions of the NOVALinked™ System without interfacing with a control system. The ISI Module is designed to be housed in the lectern-based Trolley[™] control panel.

AC-ISI (for Wired Systems)	\$454
AC-ISIRE (for Wireless RE Systems)	\$454

NOTE: If not using a major brand controller, order ISI component for wireless systems (AC-ISIRF)

NOTE: Typically one CSIM is required for every 30 LCI units in the classroom. Each Trolley™ unit requires one LCI (even with the wireless configuration).

All NOVALinked[™] components shown on this page.



22 © 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

NOVALinked[™] Sample Layouts






RF Transmitter, typically located on lectern (Qty 1) Has a unique frequency. **AC-TXM**





Receiver 1 per row (Qty 4) AC-RCVR





Interface, typically located on lectern (Qty 1)

AC-ISIRF (for Wireless RF Systems)





1 per Trolley, except in Lectern when using a CSIM or Transmitter If Lectern utilizes a Trolley with CSIM or Transimitter, then no need for an LCI.

(Qty 20)

AC-LCI






1ft or 2ft cable needed to run from RCVR to the 1st LCI in each row (Qty 4)


AC-CAT6-2





5ft or 7ft cables needed to run from LCI to LCI in each row (Qty 16)


AC-CAT6-5











Hardwiring

How To Order NOVA Hardwiring Components

- 1. Select a standard model
- 2. Complete room layout
- 3. Select power entry
- 4. Select jumper length
- 5. Select receptacle block
- 6. Specify mounting bracket quantity for all receptacle blocks

<u>NOTE:</u> Mounting brackets with receptacle block always located behind CPU storage

Standard Features

- 4-wires, 2 circuits, 20 Amps each (Circuit 1 & 2 only)
- 13-Duplex receptacles per circuit, 26-15 Amp Duplex receptacles per power infeed maximum
- · Easy to specify
- Easy to install and reconfigure
- Requires less space
- UL Listed as a Manufactured Wiring System
- More economical than 8-Wire Systems NOTE: For hardwiring in New York City, San Francisco, or Chicago - contact Sales

Electrical Components

Receptacle Block



Model List Price
Complete the model number by indicating its circuit
number (Circuit 1 or Circuit 2)
Ex: A receptacle block for Circuit 1 would be model
number BE41917-3-A-1-8B.

Mounting bracket sold separately. See below.

BE41917-3-A-_-8B \$128

Receptacle to Receptacle Block Connector



BE41919-3 \$28

4-Way "H" Connector



BE41921-3 \$47

Spring Clip Mounting Bracket



BE41955 \$8

Transition wall power plate

Power entry not included



BE42171-3-06 \$196

Female-to-Female Jumper




Length	Model	List Price
6"	BE41920-3-6	\$114
12"	BE41920-3-12	\$125
18"	BE41920-3-18	\$133
22"	BE41920-3-22	\$138
24"	BE41920-3-24	\$143
30"	BE41920-3-30	\$151
36"	BE41920-3-36	\$160
42"	BE41920-3-42	\$169
48"	BE41920-3-48	\$185
54"	BE41920-3-54	\$196
60"	BE41920-3-60	\$206
66"	BE41920-3-66	\$217
72"	BE41920-3-72	\$226
78"	BE41920-3-78	\$237
84"	BE41920-3-84	\$248
90"	BE41920-3-90	\$259
96"	BE41920-3-96	\$269
102"	BE41920-3-102	\$278
108"	BE41920-3-108	\$290
114"	BE41920-3-114	\$301
120"	BE41920-3-120	\$309
126"	BE41920-3-126	\$321
132"	BE41920-3-132	\$331
138"	BE41920-3-138	\$341
144"	BE41920-3-144	\$352


Power Entry




144"	BE41920-3-144	\$352
36"	BE41922-3-36	\$204
42"	BE41922-3-42	\$214
48"	BE41922-3-48	\$232
54"	BE41922-3-54	\$242
60"	BE41922-3-60	\$250
66"	BE41922-3-66	\$261
72"	BE41922-3-72	\$272
78"	BE41922-3-78	\$283
84"	BE41922-3-84	\$292
90"	BE41922-3-90	\$303
96"	BE41922-3-96	\$313
102"	BE41922-3-102	\$324
108"	BE41922-3-108	\$334
114"	BE41922-3-114	\$345
120"	BE41922-3-120	\$355
126"	BE41922-3-126	\$365
132"	BE41922-3-132	\$376
138"	BE41922-3-138	\$386
144"	BE41922-3-144	\$396

Sample Layout





Audiovisual Lecterns & Podiums





Audiovisual Lecterns & Podiums

Modern designs provide a one-stop solution for integrating the latest technology into presentation lecterns & podiums.

- Accommodates latest AV equipment
- Some models are electrically adjustable from a sitting to standing position
- Offers shelves and rack rail systems
- Visual Display Options available on many models
- Hides wires and cables for a clutter-free look
- Removable modesty panel covers available in laminate or perforated metal
- Easy access to the back of equipment
- Provides security and prevents accidental damage to equipment
- Thermofused Melamine Worksurface; 1"Thick
- Standard edge detail: 2mm Flat PVC. Matching edge banding colors

Presenting a complete solution.

AV Lecterns & Podiums

How To Order

1. Select model number

Ex: 67-LS303641LM

(30x36x41 Lectern with pull-out shelf and laminate modesty)

2. Select laminate color for base and worksurface (see page 62) If ordering with perforated metal modesty, select metal color (see page

Note: Laminate modesty will match base color.

Ex: 129 664 **PSL** Worksurface

Optional Selections:

3. Select Visual Display Options (see page 34)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

4. Select Options and Factory Installed Accessories (see page 33)

Ex: RWGSC (Star cut wire grommet)

Model Number Structure

67 Series

66=Lectern

67=Lectern w/

pull-out shelf

LS

<u>Type</u> LS=Lectern with square top LP=Lectern with privacy sides LC=Lectern with curved top LD=Lectern w/ D-top DT=D-top Workstation

SS=Sit-Stand Lectern

303641

Modesty Combination for Laminate modesty

LM=Laminate modesty panels LD=Laminate modesty panels & CPU compartment with door LR=Laminate modesty; D-top right LL=Laminate modesty; D-top left LX=Laminate modesty; No CPU shelf LC=Laminate modesty panels & CPU shelf

LM

Modesty Combination for Perforated Metal modesty

MM=Metal modesty panels MD=Metal modesty panels & CPU compartment with door MR=Metal modesty; D-top right ML=Metal modesty; D-top left MX=Metal modesty; No CPU shelf MC=Metal modesty panels & CPU shelf

Visual Display Options

The Trolley™ Monitor Lift System

Maximum dimensions for widescreen:

E: 2 ½" D x 18 %" W x 14 ½" H (63.5mm D x 479.4mm W x 368.3mm H) **EXL:** 2 ½" D x 22 %" W x 14 ½" H (63.5mm D x 581mm W x 368.3mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)



NOVALinked™ is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting. To order, see page 22.

Downview™

Maximum monitor dimensions:

16x21 widescreen viewport: 20 %" W x 12 ½" H (511mm W x 318mm H) **18x21 widescreen viewport: 20** %" W x 14 ½" H (511mm W x 368mm H) 21x24 widescreen viewport: 23 1/8" W x 19" H (587mm W x 482mm H)

Surface Mount Arm

Maximum monitor dimensions:

Surface Mount Arm: Up to 24" widescreen

Articulating Surface Mount Arm: Up to 35" widescreen

Maximum monitor weight:

Surface Mount Arm: 21 lbs

Articulating Surface Mount Arm: 33 lbs

Grommets

Standard grommets are rectangular black plastic.

66-Series

66-LS303641LM




67-Series

67-LS303641LM




Laminate Mod

67-LS303641LM



Metal Mod

67-LS303641MM



Standing Height AV Lecterns

Locking rear access panels. Power strip(s). Casters. Locking doors. Wire access grommets. 30", 36", 42" W lecterns have two doors. 48" W lecterns have three doors. Front and Rear Rack Rails. Add (-L) to end of model number for left hand units. Add (-N) to the end of all model numbers for all non-locking.

Storage Dimensions:
30"W Unit: Rack rails on left side of storage area - 19 ¼"W. Remaining space is 8 %"W 36"W Unit: Left compartment - 13 %"W. Right compartment w/ rack rails - 19 ¼"W 42"W Unit: Left compartment w/ rack rails - 19 ¼"W. Right compartment w/ rack rails - 19 ¼"W 48"W Unit: Left compartment w/ rack rails - 25 %"W. Right compartment w/ rack rails - 19 ¼"W

Square Top AV Lecterns

Available with most Visual Display Options

(30"W lecterns are not available with Trolley™ EXL or 21x24 Downview™)



D x W x H (in.)	ft ³ / lbs	Model	List Price	
Laminate Modesty				
14 RU rack rails. 1 Power strip				
30 x 30 x 41	27.9 / 372	66-LS303041LM	\$4,104	
30 x 36 x 41	33.1 / 404	66-LS303641LM	\$4,238	
36 x 30 x 41	33.1 / 404	66-LS363041LM	\$4,517	
36 x 36 x 41	39.3 / 436	66-LS363641LM	\$4,649	



28 RU rack rails (14 RU's on left; 14 RU's on right). 2 Power strips				
3 Door available on 48" W only				
30 x 42 x 41	38.3 / 434	66-LS304241LM	\$4,312	
30 x <u>48</u> x 41	43.5 / 498	66-LS304841LM	\$4,451	
36 x 42 x 41	45.5 / 505	66-LS364241LM	\$4,734	
36 x <u>48</u> x 41	51.7 / 550	66-LS364841LM	\$4,873	



28 RU rack rails

30 x 30 x 41	27.9 / 372	66-LS303041MM	\$4,911	
30 x 36 x 41	33.1 / 404	66-LS303641MM	\$5,075	
36 x 30 x 41	33.1 / 404	66-LS363041MM	\$5,379	
36 x 36 x 41	39.3 / 436	66-LS363641MM	\$5,541	
28 RU rack rails (14 RU's on left; 14 RU's on right). 2 Power strips 3 Door available on <u>48"</u> W only				
30 x 42 x 41	38.3 / 434	66-LS304241MM	\$5,162	
30 x <u>48</u> x 41	43.5 / 498	66-LS304841MM	\$5,331	
36 x 42 x 41	45.5 / 505	66-LS364241MM	\$5,640	
36 x 48 x 41	517/550	66-I \$364841MM	\$5.810	

Privacy Side AV Lecterns

Perforated Metal Modesty

14 RU rack rails. 1 Power strip

Available with most Visual Display Options

(30"W lecterns are not available with Trolley™ EXL or 21x24 Downview™)

DxWxH(in.)

Laminate Modesty

14 RU rack rails. 1 Power strip



28 RU

	36 x 30 x 47 %	36.2 / 425	66-LP363047LM	\$4,682
rack rails	36 x 36 x 47 %	43.0 / 497	66-LP363647LM	\$4,814
	28 RU rack rails	(14 RU's on left; 1	14 RU's on right). 2 Power	strips
	3 Door available on <u>48"</u> W only			
	30 x 42 x 47 1/8	42.0 / 493	66-LP304247LM	\$4,481
	30 x <u>48</u> x 47 %	47.7 / 515	66-LP304847LM	\$4,618
	36 x 42 x 47 1/8	49.8 / 545	66-LP364247LM	\$4,903
rack rails	36 x 48 x 47 %	56.6 / 575	66-LP364847LM	\$5,040

30 x 30 x 47 1/8 30.5 / 404 66-LP303047LM

30 x 36 x 47 % 36.2 / 425 66-LP303647LM



14 RU rack rails

28 RH rack rails

28 RU rack rails (14 RU's on left; 14 RU's on right). 2 Power strips 3 Door available on 48" W only 30 x 42 x 47 1/8 42.0 / 493 66-LP304247MM 30 x 48 x 47 % 47.7 / 515 66-LP304847MM \$5,531 36 x 42 x 47 % 49.9 / 545 66-LP364247MM \$5,838 36 x 48 x 47 % 56.6 / 575 66-LP364847MM \$6.008

36 x 30 x 47 % 36.2 / 425 66-LP363047MM 36 x 36 x 47 % 43.0 / 497 66-LP363647MM

66-LP303047MM

66-LP303647MM

List Price

\$5,111

\$5,273

\$5,739

\$4,814

\$4,954

\$5.096

\$5,236

Curved Top AV Lecterns

Perforated Metal Modesty

14 RU rack rails. 1 Power strip

30 x 30 x 47 % 30.5 / 404

30 x 36 x 47 % 36.2 / 425

Available with most Visual Display Options


(30" W lecterns are not available with Trolley™ EXL or 21x24 Downview™)




14 RU rack rails



28 RU rack rails





Perforated Metal Modesty

*Chassis width / Top width

<u>Periorated Metal Modesty</u>			
14 RU rack rails. 1 Power strip			
30 x 30/36* x 41 33.1 / 4	404 66-LC303641MM	\$5,512	
30 x 36/42* x 41 38.3 / 4	434 66-LC304241 MM	\$5,674	
36 x 30/36* x 41 39.1 / 4	435 66-LC363641MM	\$5,979	
36 x 36/42* x 41 45.5 / 5	505 66-LC364241MM	\$6,140	

28 PH rack rails (14 PH's on left: 14 PH's on right) 2 Power strips

66-LC364841LM

66-LC365441LM



28 RU rack rails

20 NO fack fails (14 NO S OII felt, 14 NO S OII fight). 2 Power Strips				
3 Door available on <u>48"/54"</u> W only				
30 x 42/48* x 41 43.5 / 498	66-LC304841MM	\$5,762		
30 x <u>48/54</u> * x 41 48.7 / 516	66-LC305441MM	\$5,932		
36 x 42/48* x 41 51.7 / 550	66-LC364841MM	\$6,239		
36 x <u>48/54</u> * x 41 57.9 / 576	66-LC365441MM	\$6,407		
*Chassis width / Top width				

28 © 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

List Price

\$4,270

\$4,404

Standing Height AV Lecterns

with Pull-Out Shelf

Locking pull-out shelf for digital presenter on right side. Locking rear access panels. Locking front access panel for digital presenter. Power strip(s). Casters. Locking doors. Wire access grommets. 30", 36", 42" W lecterns have two doors. 48" W lecterns have three doors. Front and Rear Rack Rails. Add (-L) to end of model number for left hand units. Add (-N) to the end of all model numbers for all non-locking.

Storage Dimensions: 30" W Unit: Rack rails on left side of storage area - 19 1/4" W. Remaining space is 8 1/8" W

36" W Unit: Left compartment - 13 %" W. Right compartment w/ rack rails - 19 ¼" W 42" W Unit: Left compartment w/ rack rails - 19 ¼" W. Right compartment w/ rack rails - 19 ¼" W 48" W Unit: Left compartment w/ rack rails - 25 ¾" W. Right compartment w/ rack rails - 19 ¼" W





Square Top AV Lecterns with Pull-out Shelf

Only 48" W lecterns can accommodate all Visual Display Options

(30"W - 42"W lecterns only available with SMA or ASMA Visual Display Option)



DxWxH (in.)	ft ³ / lbs	Model	List Price
Laminate Mo	<u>odesty</u>		
10 RU rack rails	. 1 Power str	ip	
30 x 30 x 41	27.9 / 382	67-LS303041LM	\$4,661
30 x 36 x 41	33.1 / 414	67-LS303641LM	\$4,796
36 x 30 x 41	33.1 / 414	67-LS363041LM	\$5,075
36 x 36 x 41	39.3 / 446	67-LS363641LM	\$5,208



20 RU rack rail	s (10 RU's on left;	10 RU's on right). 2 Power	strips
3 Door availab	le on <u>48"</u> W o	nly	
30 x 42 x 41	38.3 / 444	67-LS304241LM	\$4,870
30 x <u>48</u> x 41	43.5 / 508	67-LS304841LM	\$5,009
36 x 42 x 41	45.5 / 515	67-LS364241LM	\$5,305
36 x <u>48</u> x 41	51.7 / 560	67-LS364841LM	\$5,430



Perforated	Perforated Metal Modesty				
10 RU rack rail	s. 1 Power str	ip			
30 x 30 x 41	27.9 / 382	67-LS303041MM	\$5,580		
30 x 36 x 41	33.1 / 414	67-LS303641MM	\$5,742		
36 x 30 x 41	33.1 / 414	67-LS363041MM	\$6,044		
36 x 36 x 41	39.3 / 446	67-LS363641MM	\$6,207		
20 RU rack rails (10 RU's on left; 10 RU's on right). 2 Power strips					
3 Door available on <u>48"</u> W only					
30 x 42 x 41	38.3 / 444	67-LS304241MM	\$5,830		



3 Door available on 40 W only				
30 x 42 x 41	38.3 / 444	67-LS304241MM	\$5,830	
30 x <u>48</u> x 41	43.5 / 508	67-LS304841MM	\$5,999	
36 x 42 x 41	45.5 / 515	67-LS364241MM	\$6,308	
36 x <u>48</u> x 41	51.7 / 560	67-LS364841MM	\$6,476	

Model

Privacy Side AV Lecterns with Pull-out Shelf

DxWxH(in.)


Laminate Modesty 10 RU rack rails. 1 Power strip

Only 48" W lecterns can accommodate all Visual Display Options (30"W - 42"W lecterns only available with SMA or ASMA Visual Display Option)

ft³/lbs

30 x 30 x 47 1/8 31.1 / 414 67-LP303047LM

30 x 36 x 47 % 36.9 / 435 67-LP303647LM



36 x 30 x 47 1/8	36.9 / 435	67-LP363047LM	\$5,241
36 x 36 x 47 %	43.9 / 507	67-LP363647LM	\$5,372
20 RU rack rails	(10 RU's on left;	10 RU's on right). 2 Power	strips
3 Door available	e on <u>48"</u> W o	nly	
30 x 42 x 47 1/8	42.8 / 503	67-LP304247LM	\$5,039
30 x <u>48</u> x 47 %	48.6 / 525	67-LP304847LM	\$5,176
36 x 42 x 47 1/8	50.8 / 555	67-LP364247LM	\$5,461
36 x <u>48</u> x 47 %	57.7 / 585	67-LP364847LM	\$5,597




0 RU rack rails	



20 RU rack rails

DxWxH(in.) ft³/lbs Model **List Price Perforated Metal Modesty** 10 RU rack rails. 1 Power strip 30 x 30 x 47 % 31.1 / 414 67-LP303047MM \$5,778 67-LP303647MM 30 x 36 x 47 % 36.9 / 435 \$5,943 36 x 30 x 47 % 36.9 / 435 67-LP363047MM \$6,243 36 x 36 x 47 % 43.9 / 507 67-LP363647MM \$6,409



Curved Top AV Lecterns with Pull-out Shelf


Only 48"/54" W lecterns can accommodate all Visual Display Options (30"/36"W - 42"/48"W lecterns only available with SMA or ASMA Visual Display Option)





20 RU rack rails

DxWxH(in.)	ft ³ / lbs	Model	List Price
Laminate Mo	<u>desty</u>		
10 RU rack rails.	1 Power stri	ip	
30 x 30/36* x 41	33.1 / 414	67-LC303641LM	\$5,162
30 x 36/42* x 41	38.3 / 444	67-LC304241LM	\$5,297
36 x 30/36* x 41	39.1 / 445	67-LC363641LM	\$5,577
36 x 36/42* x 41	45.5 / 515	67-LC364241LM	\$5,710
			,





Perforated Metal Modesty				
10 RU rack rails. 1 Power s	strip			
30 x 30/36* x 41 33.1 / 41	4 67-LC303641MM	\$6,179		
30 x 36/42* x 41 38.3 / 44	4 67-LC304241MM	\$6,343		
36 x 30/36* x 41 39.1 / 44	5 67-LC363641MM	\$6,645		
36 x 36/42* x 41 45.5 / 51	5 67-LC364241MM	\$6,807		



20 RU rack rails (10 RU's on left;	10 RU's on right). 2 Power :	strips
3 Door available on 48"/54"	W only	
30 x 42/48* x 41 43.5 / 508	67-LC304841MM	\$6,430
30 x <u>48/54</u> * x 41 48.7 / 526	67-LC305441MM	\$6,600
36 x 42/48* x 41 51.7 / 560	67-LC364841MM	\$6,905
36 x <u>48/54</u> * x 41 57.9 / 586	67-LC365441MM	\$7,077
*Chassis width / Top width		

29 © 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

\$4,827

\$4.963



Standing Height AV Lecterns

AV Lecterns with Shelves

Available with most Visual Display Options

(24" D lecterns not available with FPA1821 & FPA2124)

Locking modesty. Rear access panels. Wire management and power strip. Locking doors. Add (-N) to the end of all model numbers for all non-locking. Add (-L) to the end of all model numbers for left hand units.

• Available with heavy duty casters (Specify "C" and add \$402). Height will increase by 2 3/4" Available with Flip-up Shelf. For factory prep, must specify "U" for left-handed or "V" for right-handed placement, or "B" for both left and right-handed.

CPU Storage Width: 36"W Unit = 8 \%" min

42"W Unit = 11"

60"W Unit = 23"



D x W x H (in.)	ft³/lbs	Model	List Price
Laminate Modesty			
2 fixed shelves			
24 x 36 x 40	26.3 / 194	66-LS243640LD	\$2,689
30 x 36 x 40	32.4 / 196	66-LS303640LD	\$2,768
36 x 36 x 40	38.4 / 231	66-LS363640LD	\$3,103




2 adjustable sh	nelves & 1 fixe	d shelf. Rear access d	loor.
Separate comp	oartment on r	ight with door	
24 x 42 x 40	30.5 / 212	66-LS244240LD	\$3,273
24 x 48 x 40	34.6 / 224	66-LS244840LD	\$3,386
24 x 60 x 40	42.9 / 236	66-LS246040LD	\$3,792
30 x 42 x 40	37.5 / 294	66-LS304240LD	\$3,353
30 x 48 x 40	42.6 / 306	66-LS304840LD	\$3,430
30 x 60 x 40	52.8 / 318	66-LS306040LD	\$3,883
36 x 42 x 40	44.5 / 323	66-LS364240LD	\$3,819
36 x 48 x 40	50.6 / 375	66-LS364840LD	\$3,837

26.3 / 194 66-LS243640MD

66-LS303640MD





Perforated Metal Modesty

32.4 / 196

2 fixed shelves 24 x 36 x 40

30 x 36 x 40

AV Lecterns with Optional D-top Workstation

Power strip. Locking rear access panels. 1 fixed shelf. Locking door. 16 RU rack rails. Work surface height: (User side) 41 %". Storage Dimensions: 19 1/4" W. 30" W Lectern available with factory installed NOVA keyboard drawer (-NK) Add (-N) to the end of all model numbers for all non-locking.

Door swing Left

\wedge			_
<			_
K	4		
\checkmark	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֡֡֡֡֡֡֡	<u> </u>	

D x W x H (in.)	ft ³ /lbs	Model	List Price
Laminate N	Nodesty		
21 x 21 x 50	17.1 / 150	66-LD212150LR	\$1,402
30 x 30 x 50	33.2 / 225	66-LD303050LR	\$2,245

Perforated Metal Modesty (shown left)

21 x 21 x	50 17.1	/ 150 66-L	.D212150MR	\$1,678
30 x 30 x	50 33.2	/ 225 66-L	.D303050MR	\$2,521

Optional == D-top Desk on Right

Includes grommet in Lectern right end panel for wire management

<u>Laminate Modesty</u>

Attaches to right side of 66-LD212150LR or 66-LD303050LR. Available with Trolley™ E, *FPA1621NK and Surface Mount Arm 66-DT213934LR



Perforated Metal Modesty

Attaches to right side of 66-LD212150MR or 66-LD303050MR. Available with Trolley™ E, *FPA1621NK and Surface Mount Arm 66-DT213934MR

*FPA1621NK Flat Panel Arm will be mounted to modesty panel

Lectern-Laminate Modesty **Door swing Right**



\$3,041

\$3,118

\$3,454

\$3.623

\$3,736

\$4,142

\$3,702

\$3.817

\$4,233

\$4,171

\$4,188

21 x 21 x 50	17.1 / 150	66-LD212150LL	\$1,402
30 x 30 x 50	33.2 / 225	66-LD303050LL	\$2,245

Perforated Metal Modesty (shown left)

21 x 21 x 50	17.1 / 150	66-LD212150ML	\$1,678
30 x 30 x 50	33.2 / 225	66-LD303050ML	\$2,521

Ontional === D-top Desk on Left

Includes grommet in Lectern left end panel for wire management

Laminate Modesty

Attaches to left side of 66-LD212150LL or 66-LD303050LL. Available with Trolley™ E, *FPA1621NK and Surface Mount Arm 21 x 39 x 34 66-DT213934LL



Perforated Metal Modesty

Attaches to left side of 66-LD212150ML or 66-LD303050ML. Available with Trolley™ E, *FPA1621NK and Surface Mount Arm 66-DT213934ML \$1,339

*FPA1621NK Flat Panel Arm will be mounted to modesty panel

Sit-Stand & Seated Height AV Lecterns

Sit-Stand AV Lecterns

Available with all Visual Display Options

Locking iMod™ modesty rear access panels. Wire management and power strip. Locking doors. Vent Fan cutouts in rack rail storage bottom shelf (Vent fans sold separately). 12 RU rack rails in far right compartment: 19 1/4" W. Front and Rear Rack Rails. For left-handed units add "-l." to end of model number. Add (-N) to the end of model number for non-locking.

• Electrically adjustable unit from 30" base height with 12" travel.

• Available with heavy duty casters (Specify "-C" and add \$402) NOTE: Adding Casters will increase height of lectern by 2 3/1".



ADA compliant.

• System lift capacity up to 550 lbs.

· Column legs are standard Polished Black metal.



DxWxH(in.) ft³/lbs Lectern will grow 2" in width when ordered with FPA2124 **Laminate Modesty**

30 x 58 3/4 x 30 39.8 / 360 66-SS305730LX



30 x 58 3/4 x 30 39.8 / 360 66-SS305730MX \$6,529



30 x 58 3/4 x 34 42.9 / 368 66-SSP305934LX \$7,062 Not on GSA Contract

Privacy Sides w/ Perforated Metal Modesty

30 x 58 3/4 x 34 42.9 / 368 66-SSP305934MX Not on GSA Contract



CPU shelf. CPU storage width: 8 1/2"

Only available with Trolley™ E, or Surface Mount Arm Visual Display Options. Note: ADA Height Compliant Only

Laminate Modesty

30 x 58 34 x 30 39.8 / 379 66-SS305730LC \$6,242



Perforated Metal Modesty (shown left) 30 x 58 34 x 30 39.8 / 379 66-SS305730MC

\$6,630



Locking CPU door. CPU storage width: 8" (Reduced with some Visual Display Options)

CPU Storage Width by Visual Display Option:

FPA2124 - 6 1/2" W

Laminate Modesty

30 x 67 1/16 x 30 45.1 / 398 66-SS306530LD \$6,562



Perforated Metal Modesty (shown left)

30 x 67 1/16 x 30 45.1 / 398 66-SS306530MD \$6.996



30 x 67 7/16 x 34 49.3 / 406 66-SSP306834LD




Privacy Sides w/ Perforated Metal Modesty

30 x 67 1/16 x 34 49.3 / 406 66-SSP306834MD

Prestige Sit-Stand AV Lectern

Worksurface base height at 32" H. Available with casters. Specify "-C" and add \$495. Adding casters will not affect rack space.



Sit-Stand Pedestal Instructor Desk

Rack rail compartment replaced with locking Box/Box/File pedestal.



D x W x H (in.)	ft ³ /lbs	Model	List Price		
30 x 53 x 30	38.0 / 363	66-HA305330LX	\$6,953		
Not on GSA Contract					



Locking CPU door. CPU storage width: 8" (6 ½" w/ FPA2124) 30 x 61 5% x 30 43.0 / 400 66-HA306230LD Not on GSA Contract

Seated Height AV Lecterns

Available with most Visual Display Options

(26" D lecterns not available with FPA2124)

Locking iMod™ modesty rear access panels. Wire management and power strip. Locking doors. Vent Fan cutouts in rack rail storage bottom shelf (Vent fans sold separately). 14 RU rack rails in far right compartment: 19 1/4" W. Front and Rear Rack Rails. For left-handed units add "-L" to end of model number. Add (-N) to end of model number for non-locking.

• Available with heavy duty casters (Specify "-C" and add \$402)

NOTE: Adding Casters will increase height of lectern by 2 3/4

• Available as ADA Height unit, change height from 30 to 32 in model number and add \$644 ADA Height Example: 66-LS265232LX



	D x W x H (in.)	ft ³ / lbs	Model	List Price
	Laminate N			
	26 x 53 % 6 x 30	31.7 / 217	66-LS265230LX	\$1,766
	30 x 53 % 6 x 30	34.9 / 229	66-LS305230LX	\$1,862
	Perforated	Metal Mo	<u>odesty</u>	
1	26 52 0/ 20	24 7 / 247	CC LCCCCCCCANN	62 427



i erroratea Metar Modesty				
26 x 53 % 6 x 30 31.7 / 217	66-LS265230MX	\$2,137		
30 x 53 % ₁₆ x 30 34.9 / 229	66-LS305230MX	\$2,253		



CPU Shelf. CPU storage width: 8 ½" (4" w/ Trolley™ EXL or FPA2124) Laminate Modesty

26 x 53 % 6 x 30 31.7 / 236 66-LS265230LC \$1,870 30 x 53 % 6 x 30 34.9 / 248 66-LS305230LC \$1,966



Perforated Metal Modestv 26 x 53 % 6 x 30 31.7 / 236 66-LS265230MC

\$2,240 30 x 53 % 6 x 30 34.9 / 248 66-LS305230MC



Locking CPU door. CPU storage width: 8" **Laminate Modesty**

26 x 62 3/6 x 30 36.2 / 255 66-LS266030LD \$2,189 66-LS306030LD 30 x 62 3/6 x 30 41.4 / 267 \$2,285



Perforated Metal Modesty 26 x 62 3/16 x 30 36.2 / 255 66-LS266030MD \$2,604 30 x 62 3/16 x 30 41.4 / 267 66-LS306030MD \$2,719

List Price

\$10,186

Not on GSA Contract

Podiums & Mobile Carts

Sit-Stand Podiums

See chart below for available Visual Display Options


Locking iMod™ modesty rear access panels. Wire management and power strip.

• Available with heavy duty casters (Specify "-C" and add \$402) NOTE: Adding Casters will not increase height of lectern. Add (-N) to the end of model number for non-locking.



- Electrically adjustable unit from 30" base height with 12" travel. ADA compliant.
- System lift capacity up to 550 lbs.
- · Column legs are standard black metal.

Depth	Width	Visual Display Options Available
	38" ASMA0203 / SMA0203	
24"	42"	ASMA0203 / SMA0203 / FPA1621 / FPA1821
	48"	ASMA0203 / SMA0203 / FPA1621 / FPA1821 / TE0724 / TE0728
	38" ASMA0203 / SMA0203 / FPA1621 / FPA1821	
30" 42" ASMA0203 / SMA0203 / FPA1621 / FPA1821 / TE0724 / T		ASMA0203 / SMA0203 / FPA1621 / FPA1821 / TE0724 / TE0728
	48"	ASMA0203 / SMA0203 / FPA1621 / FPA1821 / FPA2124 / TE0724 / TE0728



AV Rack Rail Cabinets

Not Available with Visual Display Options


Locking door and rear modesty access panel. Power strip included. Vent Fan cutout in rack rail storage bottom shelf (Vent fan sold separately). Front and Rear Rack Rails. Add (-N) to the end of model number for non-locking.

Rack Units by Cabinet Height

- 30" H = 14 RU
- 42" H = 18 RU
- Available with heavy duty casters (Specify "-C" and add \$402)

NOTE: Adding Casters will not increase height of Rack Cabinet but will reduce the rack space by 2 RU

ft³ / lbs



	24 x 22 %6 x 42	17.0 / 142	68-RC242242LM	\$1,664
	30 x 22 % 6 x 30	15.7 / 100	68-RC302230LM	\$1,573
	30 x 22 %6 x 42	20.9 / 150	68-RC302242LM	\$1,754
	Porforated	Motal Me	docty	_
1	remorated	ivietai ivit	odesty Not on GSA	Contract
1	24 x 22 %6 x 30		68-RC242230MM	\$1,845
		12.7 / 92	68-RC242230MM	
	24 x 22 % 6 x 30	12.7 / 92	68-RC242230MM	\$1,845
	24 x 22 % 6 x 30	12.7 / 92 17.0 / 142	68-RC242230MM	\$1,845

Standing Height Podiums

Not Available with Visual Display Options

Podium with

Angled Top

1 fixed shelf. Pencil Lip - Standard is black

D x W x H (in.)	ft ³ / lbs	Model	List Price
Laminate N	/lodesty		
18 x 18 x 44	11.6 / 86	66-LS181844LM	\$795
21 x 22 x 44	16.0 / 100	66-LS212244LM	\$1,221



Perforated Metal Modesty

18 x 18 x 44	11.6 / 86	66-LS181844MM	\$1,133
21 x 22 x 44	16.0 / 100	66-LS212244MM	\$1,603

Podium with Angled Top and **Privacy Sides**

Laminate Modesty

18 x 18 x 44	11.6 / 86	66-LP181844LM	\$795
21 x 22 x 44	16.0 / 100	66-LP212244LM	\$1,221



Perforated Metal Modesty

1	18 x 18 x 44	11.6 / 86	66-LP181844MM	\$1,133
	21 x 22 x 44	16.0 / 100	66-LP212244MM	\$1,603

Caster Option

D x W x H (in.)	Model	List Price
To add casters, add "-C" to the end of model number. Includes stabilization bracket.		
includes stubilization blue	inc ti	
	cket.	



lo add casters, add "-C" to the end of model number. Includes stabilization bracket.	
Single Desk / Set of 4 (2 locking, 2 non-locking)	
2 5% x 1 3/4 x 3 1/4 -C \$1	10 / set

Mobile Carts

Not Available with Visual Display Options

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door and rear modesty access panels. 11 RU rack rails. Storage dimensions: 19 $34^{\prime\prime}$ W. Add (-N) to the end of model number for non-locking.

List Price

Not on GSA Contract

68-RC242230LM

Mobile Cart	DxWxH (in.)	ft ³ / lbs	Model	List Price
^ ^	Laminate Mod	desty		
	24 ¹³ / ₁₆ x 22 ⁹ / ₁₆ x 34	14.5 / 115	66-LC242136LM	\$1,600
	Perforated Me	etal Mod	<u>esty</u> (shown left))



24 ¹³/₁₆ x 22 %₆ x 34 14.5 / 115 66-LC242136MM \$1,919

Mobile Cart Laminate Modesty

with Raised Sides 24 x 22 5/16 x 38 15.2 / 115 66-LC242138LM \$1,672



<u> </u>	Perforated M	etal Mod	<u>esty</u> (shown left)	
	24 x 22 5/16 x 38	15.2 / 115	66-LC242138MM	\$2,006

32 www.novadesk.com © 2025 NOVA Solutions, Inc. 800-730-6682



Options & Accessories

Options for Lecterns

DxWxH(in.) ft³/lbs Model List Price

Flip-up Shelf



Field installed on all but Sit-Stand Lecterns. Shipped Separately. Color matches worksurface of lectern ordered. Located 3" down from worksurface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement, or "B" on lectern model number for both left and right hand placement.

For 21" D or 24" D Lectern:

Attaches to the LEFT side panel of Lectern				
20 x 20 x 1	0.9 / 24	66-SH202001L	\$660	
Attaches to the RIGHT side panel of Lectern				
20 x 20 x 1	0.9 / 24	66-SH202001R	\$660	

For 26" D, 30" D or 36"D Lectern:

Attaches to the	Attaches to the LEFT side panel of Lecterns					
22 x 20 x 1	1.0 / 24	66-SH222001L	\$660			
Attaches to the	Attaches to the RIGHT side panel of Lecterns					
22 x 20 x 1	1.0 / 24	66-SH222001R	\$660			

2 Space Rack Drawer



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

20 x 15 x 3 ½	10.4 / 20	66-2DRAWER	\$616

Sliding Shelf



Attaches to rack rails. 35 lb. weight capacity. 20 x 15 x 1 10.4 / 15 66-SSHELF \$517

2 Space Rack



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

20 x 15 x 3 ½	10.4 / 15	66-2SHELF	\$237
---------------	-----------	-----------	-------

Removable Console



Black laminate box (Customer to provide cutouts needed) 2.0 / 20 66-CONSOLE01

Ventilation Fan 115V fan rated at 57 CFM. 30 dBA. Add (-VF) on lectern model number to be factory installed. Must also specify cutout location on lectern.

1 x 6 x 6 2.0 / 3	66-FAN	\$363
-------------------	--------	-------

Rack Cube



All metal construction providing front and rear Rack Rails allowing rack storage mounting prior to installation in rack storage compartment. Standard Black metal. Available with 6 RU - 14 RU; height varies by RU count. Complete Model number replacing blank "__" with desired RU (Ex: 66-RRCUBE 10 – 10 RU Rack Cube). NOTE: If ordering with a lectern, specify "-RR" at end of lectern model number. (Ex: 66-LP303047LM-RR)

19 1/2 x Varies 66-RRCUBE_

Factory Installed Accessories

Must specify location of grommet / power center at time of order

Factory Installed NOVA Keyboard Drawer

Dimensions (in.) Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen \$149

Rectangular Wire Grommet



Rectangular black plastic grommet cover is removable for easy wire management

cas, iiii c iiiaiiageiiiciii		
1 1/8" D x 3 1/4" W	WG1080	\$79

Star Cut Wire Grommet



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through

2 ¾" Diameter RWGSC

Pop-up Power Center



Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5" W 11225PP \$380

Pop-up Power/ Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5" W 11225PD


Pop-up Power / USB Charging Center





3 ¾" D x 5" W


Round Flush Power Center





3359PP \$354 Not on GSA Contract

Round Flush Power / USB **Charging Center**





Not on GSA Contract

3359PC \$415

Round Power Center

One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed.

2" Diameter \$278

Not on GSA Contract



33 © 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com




Visual Display Options

Adding a Downview™ or Trolley™ Visual Display Option may affect CPU storage width or available RUs

Model

Model



The Trolley™ E

The Trolley™

- · Ships installed in assembled units only.
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ EXL

Maximum Dimensions for

2 1/2" D x 22 7/8" W x 14 1/2" H

Wt(lbs) Description With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

TE0724NK	48	Trolley™ E & NOVA Keyboard Drawer	\$1,546
TE0728NK	48	Trolley™ EXL & NOVA Keyboard Drawer	\$2,050

Maximum Dimensions for $2 \frac{1}{2}$ " D x 18 $\frac{7}{8}$ " W x 14 $\frac{1}{2}$ " H

up to 20" widescreen

- up to 24" widescreen 36" min. worksurface width • Patented Access door automatically opens and closes with the push of a
- · Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology™ provides operational intuition

Available with $\lim_{n \to \infty} N \cap \lim_{n \to \infty} N \cap$

List Price

List Price



Downview™

Ships installed in assembled units only.

16" D x 21" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8" W x 12 1/2" H up to 21" widescreen

24" min. worksurface depth

21" D x 24" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 23 1/8" W x 19" H up to 24" widescreen

30" min. worksurface depth 36" min. worksurface width

18" D x 21" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8" W x 14 1/2" H

up to 21" widescreen

26" min. worksurface depth

- Tinted, tempered glass viewport
 - Keeps monitor under glass below worksurface
 - · Ergonomic viewing angle

Wt(lbs) Description With NOVA Keyboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only. Optional Privacy/Glare visor sold separately, see page 60 for pricing.

EDA1621NV 25 16"D v 21"W Downwigwill 9 NOVA Voyboard Drawer

FPA 102 INK	33	10 D X 21 W DOWNVIEW & NOVA REYDOARD Drawer	\$500
FPA1821NK	35	18" D x 21" W Downview™ & NOVA Keyboard Drawer	\$530
TEMTOZINK	33	10 D X Z 1 W DOWNVIEW & NOVA REYDOGIU DIGWEI	2230
FPA2124NK	39	21" D x 24" W Downview™ & NOVA Keyboard Drawer	\$675



Surface Mount Arm 👄

Installation required

Surface Mount Arm Maximum Weight: 21 lbs Maximum Dimensions: Up to 24" widescreen

Articulating Surface Mount Arm Maximum Weight: 33 lbs Maximum Dimensions: Up to 35" widescreen Not on GSA Contract

- · Securely fastens monitor to worksurface
- · Height and tilt adjustable

Model Wt(lbs) Description

List Price

With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

SMA0203NK 13 SMA & NOVA Keyboard Drawer \$383 ASMA0203NK 22 **Articulating SMA & NOVA Keyboard Drawer** \$605

Not on GSA Contract

Collaboration & Conference





Collaboration & Conference Tables

Enhance the following environments with technology driven collaboration tables

- K-12 Classrooms
- College & University Classrooms
- Technical Schools
- Distant Learning Environments
- Private Training & Tutoring Companies
- Lecture Halls
- Testing Centers
- Corporate Training Rooms
- Government Training Facilities
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Healthcare Facilities
- Correctional Institutions

Take peer interaction to the next level.



Round Collaboration Tables

How to Order

1. Select model number

Ex: 46-CR919630CS (6 Seat Round Collaboration Table)

2. Select laminate base and worksurface color (see page 62)

174 044 Ex: Base Worksurface

Optional Selections:

3. Select Visual Display Options (see page 43)

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

4. Select Options and Factory Prepared Accessories (see page 42) Ex: RWGSC (Star cut wire grommet)

Please Note:

Wire management system and power strip included per user

Model Number Structure

46 **Series**

919630 Size

Type CR=Round Collaboration Table CD=Boat Shape Collaboration Table CT=Keystone

Collaboration Table

<u>Type</u> CS=Standard CX=No CPU AD=With ADA Lift AX=ADA Lift, No CPU CT=With TV Lift AT=With ADA Lift & TV I ift CC=With TV Cabinet AC= ADA Lift & TV

Cabinet

Work Surface Edge Detail



Visual Display Options

The Trolley™ Monitor Lift System

Maximum dimensions for widescreen:

E: 2 1/2" D x 18 7/8" W x 14 1/2" H (63.5mm D x 479.4mm W x 368.3mm H) EXL: 2 1/2" D x 22 1/8" W x 14 1/2" H (63.5mm D x 581mm W x 368.3mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)





NOVALinked™ is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting. To order, see page 22.

Downview™

Maximum monitor dimensions:

16x21 widescreen viewport: 20 1/8" W x 12 1/2" H (511mm W x 318mm H) 18x21 widescreen viewport: 20 1/8" W x 14 1/2" H (511mm W x 368mm H)

Surface Mount Arm

Maximum monitor dimensions:

Surface Mount Arm: Up to 24" widescreen

Articulating Surface Mount Arm: Up to 35" widescreen

Maximum monitor weight:

Surface Mount Arm: 21 lbs


Articulating Surface Mount Arm: 33 lbs

Round Collaboration Tables

Available Visual Display Options: Trolley™ E (TE0724NK) or EXL (TE0728NK), Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

5 Person Round Collaboration Table


Three-piece, 5 person table. Center laminate base. Includes Adjustable CPU Holder per user, adjusts from 4 1/4" to 7 1/2" wide DxWxH(in.) Model List Price Seats 46-CR949630CS 93 ¼ x 95 ½ x 30 5 \$14,572






5 Person Round Collaboration **Table with ADA**


ADA electric hydraulic lift option available for 1 user. Electrically adjustable base height from 30" with 2 1/2" travel DxWxH(in.) Model List Price Seats 46-CR949630AD \$18,268 93 ¼ x 95 ½ x 30



6 Person Round Collaboration **Table**

Three-piece, 6 person table. Center laminate base. Includes Adjustable CPU Holder per user, adjusts from 4 1/4" to 7 1/2" wide DxWxH(in.) Seats Model List Price 90 ½ x 95 ½ x 30 6 46-CR919630CS \$11,942






6 Person Round Collaboration **Table with ADA** Lift

37

ADA electric hydraulic lift option is available for 1 user. Electrically adjustable base height from 30" with 2 1/2" travel

DxWxH(in.) Seats Model List Price 90 ½ x 95 ½ x 30 46-CR919630AD \$15,638





Boat Shape Collaboration Tables

Boat Shape Collaboration Tables

Available Visual Display Options:

Trolley™ E or EXL, Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

4 Person Boat Shape Collaboration Table CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables D x W x H (in.) Seats Model List Price

46-CD608430CS

List Price Collab

List Price

\$10,096

CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables

D x W x H (in.)

Seats


Model

List Price

 D x W x H (in.)
 Seats
 Model
 List Price

 60 x 104 13%6 x 30
 5
 46-CD6010230CS
 \$8,417


Not on GSA Contract



60 x 120 ½ x 30

user on end only


60 x 83 15/16 x 30




5 Person Boat Shape Collaboration Table

with ADA Lift

Electrically adjustable from 30" with 2 $1\!\!/\!\!2"$ travel. Available for user on end only





6 Person Boat Shape Collaboration Table CPU shelf width is 7". Three users on each side.
6" D x 36" W compartment on end for cables
D x W x H (in.)
Seats
Model

46-CD6011330CS

6 Person Boat Shape Collaboration Table CPU shelf width is 7". Two users on each side and one on each end $\,$


D x W x H (in.) Seats Model List Price 60 x 122 11/16 x 30 6 46-CD6012330CS \$9,491




Electrically adjustable from 30" with 2 $\frac{1}{2}$ " travel. Available for one user on end only



46-CD6012330AD \$13,186





7 Person Boat Shape Collaboration Table

with ADA Lift

CPU shelf width is 7". Three users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables

D x W x H (in.)

Seats

Model

List Price

60 x 141 % x 30

7 46-CD6013630CS

\$11,785

Electrically adjustable from 30" with 2 1/2" travel. Available for

Boat Shape Collaboration

8 Person

 CPU shelf width is 7". Three users on each side and one on each end

 D x W x H (in.)
 Seats
 Model
 List Price


 60 x 159 1/4 x 30
 8
 46-CD6015230CS
 \$13,985


with ADA Lift

Electrically adjustable from 30" with 2 $\frac{1}{2}$ " travel. Available for one user on end only


60 x 159 ¼ x 30

46-CD6015230AD \$17,681









10 Person Boat Shape Collaboration Table CPU shelf width is 7". Four users on each side and one on each end


 D x W x H (in.)
 Seats
 Model
 List Price

 60 x 194 11/6 x 30
 10
 46-CD6018630CS
 \$16,252

with ADA Lift

Electrically adjustable from 30" with 2 ½" travel. Available for one user on end only

D x W x H (in.)	Seats	Model	List Price
60 x 194 ¹ / ₁₆ x 30	10	46-CD6018630AD	\$19,948





Keystone Collaboration Tables

Keystone Collaboration Tables

Available Visual Display Options:

Trolley™ E or EXL, Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

4 Person Keystone Collaboration **Table**


CPU shelf width is 7". Two users on each side. 6" D x 36" W	
compartment on end for cables	


DxWxH(in.)	Seats	Model	List Price
60 v 82 v 30	4	46-CT608230CS	\$7.242

5 Person Keystone Collaboration **Table**

CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables

) x W x H (in.)	Seats	Model	List Price
50 x 102 % x 30	5	46-CT6010230CS	\$8,926






with ADA Lift

Electrically adjustable from 30" with 2 1/2" travel. Available for user on end only





6 Person Keystone Collaboration Table

CPU shelf width is 7". Three users on each side. 6" D x 36" W compartment on end for cables

DxWxH(in.)	Seats	Model	List Price
60 x 119 1/16 x 30	6	46-CT6011830CS	\$10,609

7 Person Keystone **Collaboration** Table


CPU shelf width is 7". Three users on each side and one on end. 6" D x 36" W compartment on opposite end for cables DxWxH(in.) Seats Model List Price 46-CT6014230CS \$12,292





with ADA Lift

Electrically adjustable from 30" with 2 ½" travel. Available for one user on end only









8 Person Keystone Collaboration **Table**


CPU shelf width is 7". Four users on each side. 6" D x 36" W compartment on end for cables


D x W x H (in.)	Seats	Model	List Price
60 x 155 x 30	8	46-CT6015630CS	\$14,993



CPU shelf width is 7". Five users on each side. 6" D x 36" W compartment on end for cables

DAWAII (III.)	Jeats	Model	LISTITICE	
60 x 192 1/16 x 30	10	46-CT6019230CS	\$17,342	
00 X 1 32 /16 X 30	10	70-C10019230C3	717,372	






11 Person Kevstone Collaboration CPU shelf width is 7". Five users on each side and one on end. 6" D x 36" W compartment on opposite end for cables

D x W x H (in.)	Seats	Model	List Price
60 x 212 15/16 x 30	11	46-CT6021430CS	\$19.026

Not on GSA Contract




with ADA Lift

Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only DvWvH(in)

D A II A II (III.)	Jeurs	mouci	LISTITICE
40 04045/ 00		44 67400440040	400 455
60 x 212 ¹⁵ / ₁₆ x 30	11	46-CT6021430AD	\$22,457

Not on GSA Contract





D-Top Collaboration Tables

Products listed on this page are not on GSA Contract

How to Order

1. Select model number

Ex: 46-DT486030LB

2. Select laminate base and worksurface color (see page 62)

Ex: 174 044 Worksurface Base

Optional Selections:

3. Select Options and Factory Prepared Accessories (see page 42)

Ex: 11225PP (Pop-up Power Center)

Not available with Visual Display Options. Wire management system included in central iMod™ compartment

Model Number Structure

DT 46 <u>Series</u>

<u>Type</u> DT=D-Top Collaboration Table

486030

LB

Туре LB=Standard Base LT=Standard Base with TV Lift LC=Standard Base with

TV Cabinet RLB=Rack Cabinet

Base RLT=Rack Cabinet Base w/TV Lift

RLC=Rack Cabinet Base w/TV Cabinet


D-Top with Standard Base


Center iMod™ with removable modesty panel on one side

4 Person D-Top	D x W x H (in.)	Seats	Model	List Price
Collaboration	48 x 60 x 30	4	46-DT486030LB	\$3,237
Table	60 x 60 x 30	4	46-DT606030LB	\$3,358



D x W x H (in.)	Seats Model		List Price
48 x 84 x 30	6	46-DT488430LB	\$3,358
60 x 84 x 30	6	46-DT608430LB	\$3,509






D-Top with Rack Cabinet Base


Rack Cabinet included on wide end of table with front and rear locking modesty panels. Power strip included in Rack Cabinet. 10 RU Rack Storage. Storage width: 19 1/4"

4 Person D-Top	D x W x H (in.)	Seats	Model	List Price
Collaboration	48 x 60 x 30	4	46-DT486030RLB	\$4,810
Table with Rack	60 x 60 x 30	4	46-DT606030RLB	\$4,931
Cabinet				

6 Person D-Top
Collaboration
Table with Rack
Cabinet

D x W x H (in.)	Seats	Model	List Price
48 x 84 x 30	6	46-DT488430RLB	\$4,931
60 x 84 x 30	6	46-DT608430RLB	\$5,082







Conference Tables

How to Order

1. Select model number for Table Top and Base

Ex: 35-BT489601 (Boat-shaped Top, 48" x 96" x 1")

35-BB244829P (Panel Base for 96"Top)

2. Select laminate worksurface color (see page 62) for Table Top Option

<u>560</u> Worksurface

3. If ordering Laminate Table Base Option, select laminate base color (see page 62). Or if ordering Metal Table Base Option select Metal color (see

page 63)

Ex: 560 or **PSL** Base Metal

Optional Selections:

4. Select Options and Factory Prepared Accessories (see page 42)

Ex: RWGSC (Star cut wire grommet)

Table Top Options

Table Top only; order Base separately. 120" and 144" Tops are in two pieces.

Circular lops

D x W x H (in.)	ft ³ / lbs	Model	List Price
36 x 36 x 1	2.5 / 80	35-CT363601	\$521
42 x 42 x 1	3.3 / 90	35-CT424201	\$686
48 x 48 x 1	4.3 / 100	35-CT484801	\$778



ar Tops	36 x 72 x 1	4.8 / 220	35-RT367201	\$770
	48 x 96 x 1	8.5 / 270	35-RT489601	\$1,094
_				



48 x 96 x 1	8.5 / 270	35-BT489601	\$1,204
48 x 120 x 1	7.1 / 320	35-BT481200	\$1,479
48 x 144 x 1	8.5 / 370	35-BT481440	\$1,666



36 x 72 x 1	4.8 / 210	35-RC367201	\$843
48 x 96 x 1	8.5 / 260	35-RC489601	\$1,223
48 x 120 x 1	7.1 / 310	35-RC481200	\$1,547
48 x 144 x 1	8.5 / 360	35-RC481440	\$1,712

Table Base Options

Note: When choosing a Metal Table Base option you must specify a Metal color

Laminate Cross Base



D x W x H (in.)	ft ³ /lbs	Model	List Price		
For 35-CT3636	01 Circular 1	Гор			
20 x 20 x 29	1.1 / 40	35-BB202029CB	\$521		
For 35-CT4242	01 Circular 1	Гор			
27 x 27 x 29	1.5 / 52	35-BB272729CB	\$596		
For 35-CT4848	For 35-CT484801 Circular Top				
33 x 33 x 29	1.8 / 66	35-BB333329CB	\$770		
Priced per pair.	Tables 72"	& 96" require 1 pair. Ta	bles 120"		
& 144" require 2 pairs.					

Laminate V-Base (Not available with Circular Tops)

35-BB161629V 16 x 16 x 29 1.0 / 36 \$778



Laminate Panel
Base (Not
available with
Circular Tops)




10172 10p3 (C	10172 Tops (order one per table)					
24 x 36 x 29	1.8 / 60	35-BB243629P	\$676			
For 96"Tops (Order one per table)						
24 x 48 x 29	2.3 / 80	35-BB244829P	\$777			
For 120"Tops (Order one per table)						

For 72" Tons (Order one per table)



24 x 84 x 29	2.7 / 130	35-BB248429P	\$1,020
For 144"Tops (Order one p	er table)	
24 x 108 x 29	2.7 / 160	35-BB2410829P	\$1,157







Metal T-Leg Base	2 x 30 x 29	2.2 / 18	35-BB023029T	\$550
(Not available with Circular Tops)				



Metal Straight	4 x 4 x 29	2.2 / 11	35-BB040429L	\$411
Leg Base				Per Leg



(Not available with



Options & Accessories

Collaboration Table Options

Not available with Conference Tables



<u>Dimensions</u> <u>Model</u> <u>List Price</u>
Electric motor lift raises TV from enclosed laminate end storage cabinet to usable height.


- To add TV Lift change last position of model number to "T"
 Ex: 46-CD6010230CS would become 46-CD6010230CT
- Power strip included in TV Lift cabinet
- Note: Only available on units with end wire compartment and D-Top Collaboration Tables

10 %" D x 48" W x 32 %" H

Add \$4,397

Not on GSA Contract

TV Cabinet



Laminate Cabinet for mounting TV onto Collaboration Table with concealed wire management.

- To add **TV Cabinet** change last position of model number to " \mathbf{C} "

Ex: 46-DT486030RLB would become 46-DT486030RLC

- Fits most screens 37" 70". Max weight 165 lb.
- Note: Only available on units with end wire compartment and D-Top Collaboration Tables

4 3/8" D x 20" W x 57 3/8" H

Add \$1,870

Not on GSA Contract

TV Mounting Pole



TV Mounting Pole with 100mm or 400mm VESA mount pattern

- Field installed item
- Note: Only compatible with units with end wire compartment

100mm VESA	AC-TMP100	\$660
400mm VESA	AC-TMP400	\$660
Not on GSA Contract		

Factory Prepared Accessories

Must specify location of grommet / power center at time of order

Factory Prepared NOVA Keyboard Drawer D x W x H (in.) Model List Price

Keyboard length to fit desk ordered.

Only ordered when NO Visual Display Option is chosen.

24" - 34" wide NK \$149



Rectangular black plastic grommet cover is removable for easy wire management



1 % D x 3 ¼" W WG1080 \$79

Star Cut Wire Grommet

Grommet



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.

2 ¾" Diameter RWGSC

\$93

Pop-up Power Center



Two grounded outlets. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5" W 11225PP

\$380

Pop-up Power / Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5" W

11225PD

\$380

Pop-up Power / USB Charging Center

One grounded outlet. One USB charging duplex. Fluid one touch accessability. 6ft, 15 Amp cord. UL Listed.

3 ¾" D x 5" W

11225PC

3359PP

\$435

\$354

\$415



Round Flush Power Center



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.

4" Diameter
Not on GSA Contract

Round Flush Power / USB Charging Center

One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.

4" Diameter

3359PC

Not on GSA Contract








2" Diameter 3825P \$278
Not on GSA Contract

© 2025 NOVA Solutions, Inc. 42 800-730-6682 www.novadesk.com



Visual Display Options

One (1) Visual Display Option per user in collaboration table ordered



The Trolley™

- · Ships installed in most units
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ EXL

The Trolley™ E **Maximum Dimensions for** $2 \frac{1}{2}$ " D x 18 $\frac{7}{8}$ " W x 14 $\frac{1}{2}$ " H

Maximum Dimensions for 2 1/2" D x 22 1/8" W x 14 1/2" H up to 20" widescreen up to 24" widescreen

- Patented Access door automatically opens and closes with the push of a
- Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology™ provides operational intuition

Wt(lbs) Description Model With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units,

compatible with all power requirements inside and outside the U.S.

TE0724NK	48	Trolley™ E & NOVA Keyboard Drawer	\$1,546 / User
TE0728NK	48	Trolley™ EXL & NOVA Keyboard Drawer	\$2,050 / User





List Price

List Price

List Price



Downview™

Installation required

16" D x 21" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8" W x 12 1/2" H up to 21" widescreen

24" min. worksurface depth

18" D x 21" W viewport (Widescreen) **Maximum Dimensions for**

> Widescreen: 20 1/8" W x 14 1/2" H up to 21" widescreen

26" min. worksurface depth

- Tinted, tempered glass viewport
- Keeps monitor under glass below worksurface
- · Ergonomic viewing angle

Model	Wt(lbs)	Description
With N	IOVA Ke	yboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only. Optional Privacy/Glare visor sold separately, see page 60 for pricing.

FPA 162 INK	35	16" D X 21" W DOWNVIEW" & NOVA KEYDOARD Drawer	\$500 / User
FPA1821NK	35	18" D x 21" W Downview™ & NOVA Keyboard Drawer	\$530 / User



Surface Mount Arm

Installation required

Surface Mount Arm Maximum Weight: 21 lbs Maximum Dimensions: Up to 24" widescreen

Articulating Surface Mount Arm Maximum Weight: 33 lbs **Maximum Dimensions: Up** to 35" widescreen Not on GSA Contract

- · Securely fastens monitor to worksurface
- · Height and tilt adjustable

Model Wt(lbs) Description

With NOVA Keyboard Drawer


NOVA Keyboard Drawer installed in assembled units only.

SMA0203NK 13 **SMA & NOVA Keyboard Drawer** \$383 / User

ASMA0203NK 22 **Articulating SMA & NOVA Keyboard Drawer** \$605 / User Not on GSA Contract

43 www.novadesk.com © 2025 NOVA Solutions, Inc. 800-730-6682

Gaming Desks





Gaming Desks

NOVA's professional-grade gaming desks possess features that will make your gaming experience the best it can be. These desks are ideal for professional computer gamers and enthusiast gamers who demand the highest quality

- 4 desk widths for multi-monitor universal gaming setups
- Built-in wire management
- Durable thermofused laminate construction
- Designer laminate end panel base with leveling glides
- Spacious desk options desks designed by gamers, built for durability by quality furniture manufacturers
- Most desk configurations are ADA Compliant

Level up your gaming

© 2025 NOVA Solutions, Inc. 45 800-730-6682 www.novadesk.com

eSports Gaming Desks

Products listed on this page are not on GSA Contract

Features

- Different desk configurations geared for multi-monitor universal gaming setups
- ADA compliant in most configurations
- Standard edge detail: 2mm Flat PVC. Matching edge banding colors.
 Alternate worksurface edge banding colors available
- Thermofused Melamine Worksurface; 1" Thick
- Wire management channel included on rear fixed modesty panel
- CPU Shelf / Holder options available
- · Manufactured with recycled post-industrial materials
- Ships assembled

How To Order

1. Select model number

Ex: 48-GD304830RX

2. Select laminate base and worksurface color (see page 62)

EX: 1/4 U3U
Base Worksurface

Optional Selections:

Select alternate edge banding color for worksurface (see color options below)

Ex: 664 (White edge banding for worksurface)

Note: Edge banding will match color of worksurface if no alternate color is selected

4. Select Visual Display Option (see next page)

Ex: ASMA0203XK2 (Qty 2 Articulating Surface Mount Arms w/o keyboard drawer)

5. Select Desk Options & Factory Installed Accessories (see next page)

Ex: 11225PD (Pop-up Power / Data Center)

Model Number Structure

48 -Series **GD**<u>Type</u>
GD=Gaming Desk

304830 Size RX CPU Style =No CPU

XX=No CPU RX=Right Slide-out CPU Shelf LX=Left Slide-out CPU Shelf

Visual Display Option

Articulating Surface Mount Arm

Maximum monitor dimensions: Up to 35" widescreen

Maximum monitor weight: 33 lb Base Rotation Range: ±90° / 180° Middle Rotation Range: ±180° Monitor Rotation Range: ±90° Monitor Orientation Rotation: ±90°





Grommets

Standard grommets in end panels are rectangular black plastic.


Gaming Desks

DxWxH(in.)	ft ³ / lbs	Model	List Price
30 x 36 x 30	22.6 / 133	48-GD303630XX	\$937
30 x 42 x 30	26.3 / 144	48-GD304230XX	\$1,003
30 x 48 x 30	29.9 / 155	48-GD304830XX	\$1,069
30 x 60 x 30	37.3 / 177	48-GD306030XX	\$1,267



Gaming Desks with Slide-out CPU Shelf

	C5115 11111	i biiac bat ti	• • • • • • • • • • • • • • • • • • • •
DxWxH(in.)	ft ³ / lbs	Model	List Price
30 x 42 x 30	26.3 / 164	48-GD304230RX	\$1,390
30 x 48 x 30	29.9 / 175	48-GD304830RX	\$1,456
30 x 60 x 30	37.3 / 197	48-GD306030RX	\$1,654
30 x 42 x 30	26.3 / 164	48-GD304230LX	\$1,390
30 x 48 x 30	29.9 / 175	48-GD304830LX	\$1,456
30 x 60 x 30	37.3 / 197	48-GD306030LX	\$1,654





CPU Size by Desk Width		
Desk Width	Slide-out CPU Shelf Width	
42"	7 %"	
48" / 60"	10"	
*		

Alternate Worksurface Edge Banding Colors

White (664)

Black (174)

Blue (417)





Options & Accessories

for eSports Gaming Desks

Products listed on this page are not on GSA Contract

Options for Gaming Desks

NOVA eSports Logo

List Price Dimensions (in.) Standard eSports Logo to display on outside of rear fixed modesty panel



ES-LOGO 32"W x 12"H \$440

Custom eSports Logo

Custom design eSports Logo to display on outside of rear fixed modesty panel. Must supply artwork file for quote and order. MAX size: (Desk Width minus 2 3/8") W x 23" H

ES-LOGO-C Contact for quote

*Example logo shown for reference only.

Note: Open Market Item

CPU Shelf



Not available on Desks with Slide-out CPU Shelf

Change straight fixed shelf to contoured laminate CPU shelf. MAX area: 21 1/4" D x 9 1/2" W x 22 3/8" H Note: Adding CPU Shelf option to 36" W Desk removes **ADA Compliancy**

Left-handed CPU Shelf

	-CSL	\$237
Right-handed CPU Shelf		
	-CSR	\$237

CPU Holder



Not available on Desks with Slide-out CPU Shelf

Add factory-installed metal adjustable CPU holder. MAX CPU: (Min 4 1/4" - Max 7 1/2") W x 18 3/8" H Note: Adding CPU Holder option to 36"W Desk removes **ADA Compliancy**

Left-handed CPU Holder

15"D x 7 %"W x 21 ¼"H	-CHL	\$237
Right-handed CPU Holder		
15" D x 7 %"W x 21 ¼" H	-CHR	\$237

Headphone Hook



Field-installed hook for storing headphones. Can be adhesive or screw mounted under worksurface or on end

4" D x 1 ½"W x 2" H AC-HH02 \$82



To add casters, add "-C" to the end of model number. Includes stabilization bracket.

Gaming Desk | Set of 4 (2 locking, 2 non-locking)

2 5/8" D x 1 3/4" W x 3 1/4" H -C

\$110 / set

Gaming Desk w/ Slide-out CPU Shelf | Set of 6 (2 locking, 4 non-locking)

2 5%" D x 1 34" W x 3 14" H \$165 / set

Visual Display Options

Articulating **Surface Mount** Arm ===



Field-installed, grommet-mount Articulating Surface

Standard color is black metal & plastic.

Mount Arm. Available with (NK) or without (XK) NOVA

Note: Adding Keyboard L	rawer removes ADA Co	ompliancy
1 Arm / No Keyboard	ASMA0203XK1	\$455
2 Arms / No Keyboard	ASMA0203XK2	\$911
3 Arms / No Keyboard	ASMA0203XK3	\$1,368
1 Arm / 1 Keyboard	ASMA0203NK1	\$605
2 Arms / 1 Keyboard	ASMA0203NK2	\$1,061
3 Arms / 1 Keyboard	ASMA0203NK3	\$1,518

Factory Installed Accessories

Must specify location of grommet / power center at time of order

Factory Installed NOVA Keyboard Drawer

List Price Dimensions (in.) Model Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen. **Note:** Adding Keyboard Drawer removes ADA Compliancy \$149

NK

Star Cut Wire Grommet



Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.

2 ¾" Diameter

RWGSC \$93

Power Strip



Six grounded outlets. On/Off switch on power strip. 6ft, 15 Amp cord. UL listed.

2"D x 11"W

\$114

Pop-up Power Center



Two grounded outlets. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.

3 ¾"D x 5"W

11225PP \$380

Pop-up Power/ **Data Center**



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5"W

11225PD

\$380

Pop-up Power / USB Charging Center



One grounded outlet. One USB charging duplex. Fluid one touch accessability. 6ft, 15 Amp cord. UL Listed.

3 ¾" D x 5"W

\$435

Round Flush Power Center



Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.

4" Diameter

3359PP

\$354

Round Flush Power / USB **Charging Center**

One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.

4" Diameter

3359PC

\$415





One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed.

2" Diameter 3825P \$278

© 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com

Retrofit





Retrofit

Transform your existing work area into a high-tech, multi-use workspace with NOVA's Retrofit Kits


Retrofit Kits are suited for most environments including, but not limited to...

- Board Rooms
- Reception Areas
- Hospitality Desks
- Corporate Offices
- Home Offices
- Correctional Institutions
- Healthcare Facilities
- Common Areas & Lobbies
- Libraries

The right technology in your furniture

Retrofit

Retrofit Kit Technology Options



The Trolley™ Monitor Lift System

Features:

- Patented access door automatically opens and closes with the push of a button
- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology™ provides operational intuition
- Provides flexible, ergonomic flat screen location when raised
- · Clears line-of-sight when submerged
- Allows for multi-use workstations and classrooms
- Hides confidential information when necessary
- Reduces the risk of damage to flat panel display
- Creates a clean, uncluttered look in the classroom or office
- Manage technology in your workspace environment

Trolley Model	Dimensions	Min Install Space	Max Monitor Dimensions			Max Monitor Weight	
E	8 ¾" D 24 ¾" W 22 ¾" H	24" D 21" W	Fits most monitors up to 20" widescreen	2 ½" D 18 %" W 14 ½" H	63.5mm D 479.4mm W 368.3mm H	NOTE: Maximum distance from center of wall mount	21lb
EXL	8 ¾" D 28 ¾" W 22 ¾" H	24" D 25" W	Fits most monitors up to 24" widescreen	2 ½" D 22 %" W 14 ½" H	63.5mm D 581.0mm W 368.3mm H	VESA plate to bottom of monitor is 6 ¾" (171mm)	2110



Downview™

Features:

- Tinted, tempered glass viewport
- Keeps monitor under glass below worksurface
- Ergonomic viewing angle
- Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increasing productivity
- · Saves premium classroom and desktop space
- · Hides confidential information
- Creates a clean, uncluttered look in the classroom or office
- Reduces the risk of damage to flat panel display

Downview Model	Dimensions	Min Install Space	Max Monitor Dimensions			Max Monitor Weight
1621	16 %" D 21 %" W	24″ D 22″ W	Fits most monitors up to 21" widescreen	20 1/8" W 12 1/2" H	511mm W 318mm H	
1821	18 %" D 21 %" W	24″ D 22″ W	Fits most monitors up to 21" widescreen	20 1/8" W 14 1/2" H	511mm W 368mm H	
2124	21 ⁷ ⁄8" D 24 ¹³ ⁄16" W	27 ¼″ D 25″W	Fits most monitors up to 24" widescreen	23 1⁄8" W 19" H	587mm W 482mm H	21lb
1818	18 %" D 18 %" W	24" D 19" W	Fits most monitors up to 18" diagonal	17 1/8" W 14 1/2" H	435mm W 368mm H	
2121	21 %" D 21 %" W	27 ¼″ D 22″ W	Fits most monitors up to 21" diagonal	20 1/8" W 19" H	511mm W 482mm H	



Surface Mount Arm (SMA)

Features

- Securely fastens monitor to worksurface
- Height and tilt adjustable
- Allows for multi-use working and learning environments
- Saves premium classroom and desktop space
- \bullet Creates a clean, uncluttered look in the classroom or office
- Reduces the risk of damage to flat panel display

SMA Model	Dimensions	Min Install Space	Max Monitor Dimensions	Max Monitor Weight
SMA0203	1 ¾″ D 7 ½″W	18″D 8 1⁄8″W	Fits most monitors up to 24" widescreen	21lb

Retrofit Kit pricing does not include installation

The Trolley™ Retrofit Kits

Products listed on this page are not on GSA Contract

The Trolley™ Models & Pricing

Model Number Structure

Technology TE=Trolley

Style

0728 <u>Size</u> 0724=E 0728=EXL

Keyboard Drawer Option

NK=NOVA Keyboard Drawer XK=No Keyboard Drawer

30 **Keyboard Drawer** Size

24=24" Keyboard Drawer* 28=28" Keyboard Drawer 30=30" Keyboard Drawer 34=34" Keyboard Drawer

*The Trolley™ E Only

Kit Includes: Assembled Trolley™, 100mm VESA Plate, and optional NOVA Keyboard Drawer with Hangers.

For monitors that have a VESA standard attachment method on the back. NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

International Customers: The Trolley™ includes Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

Available with \bigcap To order, see page 22.

NOVALinked™ is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting.


The Trolley™ E

Fits most monitors up to 20" widescreen

- Maximum monitor dimensions: 2 1/2" D x 18 1/8" W x 14 1/2" H (63.5mm D x 479.4mm W x 368.3mm H)
- · Weight of monitor cannot exceed 21lb
- · Minimum 28" worksurface height required
- Minimum 24" depth of clearance underneath worksurface

Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Key	/board Drav	ver	
25 %" W	4.8 / 44	TE-0-0724-NK-24	\$1,721
29 ½″W	4.9 / 45	TE-0-0724-NK-28	\$1,721
31 ½″W	5.0 / 46	TE-0-0724-NK-30	\$1,721
35 1/2"W	5 2 / 48	TF-0-0724-NK-34	\$1 721

Without Keyl	ooard Drawer		
21″W	3.7 / 32	TE-0-0724-XK	\$1,621




The Trolley™ EXL

Fits most monitors up to 24" widescreen

- Maximum monitor dimensions: 2 1/2" D x 22 1/8" W x 14 1/2" H (63.5mm D x 581.0mm W x 368.3mm H)
- · Weight of monitor cannot exceed 21lb
- · Minimum 28" worksurface height required
- Minimum 24" depth of clearance underneath worksurface

Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Ke	yboard Draw	/er	
29 ½″W	4.9 / 45	TE-0-0728-NK-28	\$2,277
31 ½″W	5.0 / 46	TE-0-0728-NK-30	\$2,277
35 ½″W	5.2 / 48	TE-0-0728-NK-34	\$2,277
Without Keybo	ard Drawer		
25″W	3.7 / 32	TE-0-0728-XK	\$2,179

Box size: 11" D x 30" W x 26" H



The Trolley™ E Retrofit Kits

Components & Dimensions

Worksurface footprint: 24 %"W x 8 %"D Worksurface cut-out: 24 %"W x 7 %"D

Min. worksurface depth: 24


Maximum Dimensions for Flat Panel Display: $2\frac{1}{2}$ D x 18 $\frac{1}{2}$ W x 14 $\frac{1}{2}$ H Fits most widescreen monitors up to 20"


TROLLEY E


Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion Technology™ provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.

KEYBOARD DRAWER


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.







	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
24"	25 %" (657mm)	22 ¹⁹ / ₃₂ " (574mm)
28"	29 ½" (747mm)	26 3/6" (664mm)
30"	31 ½" (798mm)	28 ¾6" (715mm)
34"	35 ½" (899mm)	32 1/8" (816mm)



 $Dimensions\ are\ for\ underneath\ side\ of\ worksurface.\ Product\ specifications\ are\ subject\ to\ change\ without\ notice.\ Dimensions\ are\ nominal.$

The Trolley™ EXL Retrofit Kits

Components & Dimensions

Worksurface footprint: 28 %"W x 8 %"D Worksurface cut-out: 28 %"W x 7 %"D

Min. work surface depth: 24'


Maximum Dimensions for Flat Panel Display: 2 ½" D x 22 ½" W x 14 ½" H
Fits most widescreen monitors up to 24"


TROLLEY EXL


Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion Technology™ provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.

KEYBOARD DRAWER


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.







Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
28"	29 ½" (747mm)	26 3/16" (664mm)
30"	31 ½" (798mm)	28 3/16" (715mm)
34"	35 ½" (899mm)	32 1/8" (816mm)



Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

Downview™ Retrofit Kits

Products listed on this page are not on GSA Contract

Downview[™] Models & Pricing

Model Number Structure

1821

Technology FPA=Downview

<u>Size</u> 1621= 16" x 21

Viewport 1821= 18" x 21" Viewport 2124= 21" x 24" Viewport 1818=18" x 18"

Viewport

2121= 21" x 21"

Keyboard Drawer

Option NK=NOVA Keyboard Drawer XK=No Keyboard Drawer

30 **Keyboard Drawer** Size

24=24" Keyboard Drawer* 28=28" Keyboard Drawer 30=30" Keyboard Drawer 34=34" Keyboard Drawer

*Not available w/ FPA2124

Kit Includes: Tinted Tempered Glass, Trim Ring, Adjustable Flat Panel Arm, 100mm VESA Plate, and optional NOVA Keyboard Drawer with Hangers. For monitors that have a VESA standard attachment method on the back. Weight of Monitor cannot exceed 21lb.

Minimum 28" worksurface height required.

18" x 18" Downview™

Fits most monitors up to 18" diagonal

- Maximum monitor dimensions: 17 1/8" W x 14 1/2" H (435mm W x 368mm H)
- · Minimum 24" depth of clearance underneath worksurface



Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Keyk	oard Drawe	r	
25 %"W	3.4 / 22	FPA-0-1818-NK-24	\$722
29 ½″W	3.4 / 24	FPA-0-1818-NK-28	\$722
31 ½″W	4.7 / 25	FPA-0-1818-NK-30	\$722
35 ½″W	4.9 / 27	FPA-0-1818-NK-34	\$722

Without Keyboard Drawer				
19″W	3.4 / 12	FPA-0-1818-XK	\$611	

21" x 21" Downview™

Fits most monitors up to 21" diagonal

- Maximum monitor dimensions: 20 1/8" W x 19" H (511mm W x 482mm H)
- Minimum 27 1/4" depth of clearance underneath worksurface



	Min. Clearance	ft ³ / lb	Model	List Price
	With NOVA Keyk	oard Drawe	r	
3	25 %"W	3.4 / 25	FPA-0-2121-NK-24	\$809
?	29 ½″W	3.4 / 27	FPA-0-2121-NK-28	\$809
	31 ½″W	4.8 / 28	FPA-0-2121-NK-30	\$809
	35 1/2"W	4.9 / 29	FPA-0-2121-NK-34	\$809

Without Keyboard Drawer						
22″W	3.4 / 14	FPA-0-2121-XK	\$699			

Privacy	/ Glare
Visor	
	/

Accessor	ies & up	tions	
D x W x H (in.)	ft ³ /lb	Model	List Price
21 & 24" Wide	viewports		
12 x 26 ½ x 6		AC-1064	\$108

Replacement Tinted & **Tempered Glass**

Can only be ordered as replacement glass. Must provide PO number of purchased unit. Shipped separately.

18 x 18 x 1/4	0.5/8	AC-SG10701818	\$107
21 x 18 x 1/4	0.5 / 9	AC-SG10721821	\$112
21 x 21 x 1/4	0.6 / 10	AC-SG10712121	\$124
24 x 21 x 1/4	0.6 / 11	AC-SG10732124	\$128
Widescreen gl	ass		
16 x 21 x 1/4	0.5/9	AC-SG10701621W	\$112
18 x 21 x 1/4	0.5 / 9	AC-SG10721821W	\$112
21 x 24 x 1/4	0.6 / 11	AC-SG10732124W	\$128



Flat Panel Arm. Height ar	nd tilt adjustable. Adju	ustable from
fully- to semi-recessed po	ositions.	
0.2/3	FPA-8-2006	\$312

16" x 21" Widescreen Downview™

Fits most monitors up to 21" widescreen

- Maximum monitor dimensions: 20 1/8" W x 12 1/2" H (511mm W x 318mm H)
- Minimum 24" depth of clearance underneath worksurface



Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Key	board Draw	/er	
25 %"W	3.4 / 22	FPA-0-1621-NK-24	\$693
29 ½"W	3.4 / 24	FPA-0-1621-NK-28	\$693
31 ½″W	4.7 / 25	FPA-0-1621-NK-30	\$693
35 ½″W	4.9 / 27	FPA-0-1621-NK-34	\$693

Without Keyboard Drawer 22"W 3.4 / 12 FPA-0-1621-XK \$583

18" x 21" Widescreen Downview™

Fits most monitors up to 21" widescreen

- Maximum monitor dimensions: 20 1/8" W x 14 1/2" H (511mm W x 368mm H)
- · Minimum 24" depth of clearance underneath worksurface



Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Key	board Draw	er	
25 %"W	3.4 / 19	FPA-0-1821-NK-24	\$722
29 ½"W	3.4 / 21	FPA-0-1821-NK-28	\$722
31 ½″W	4.7 / 25	FPA-0-1821-NK-30	\$722
35 ½″W	4.9 / 28	FPA-0-1821-NK-34	\$722
Without Keybo	ard Drawer		
22″W	3.4 / 12	FPA-0-1821-XK	\$611

21" x 24" Widescreen Downview™

Fits most monitors up to 24" widescreen

- Maximum monitor dimensions: 23 1/8" W x 19" H (587mm W x 482mm H)
- Minimum 27 ¼" depth of clearance underneath worksurface




Min. Clearance	ft ³ /lb	Model	List Price
With NOVA Key	/board Draw	er	
29 ½″W	3.4 / 26	FPA-0-2124-NK-28	\$895
31 1/2"W	4.8 / 27	FPA-0-2124-NK-30	\$895
35 ½″W	4.9 / 30	FPA-0-2124-NK-34	\$895
Without Keybo	ard Drawer		
25″W	3.4 / 14	FPA-0-2124-XK	\$788

© 2025 NOVA Solutions, Inc. 800-730-6682 www.novadesk.com


Downview™ Retrofit Kits

Specifications

Adjustable Flat Panel Arm (FPA) - Max weight 21lb



Worksurface Thickness: 1" - 2" thick







PLATE SIZES

The arm ships with a 100mm VESA plate only.






The 75mm VESA plate is available as a separate line item. (See page 61)

Worksurface Specification Diagrams

Use these images as a guide to help determine the appropriate worksurface cutout for your monitor dimensions.



Dimensions are for underneath side of worksurface.
Product specifications are subject to change without notice. Dimensions are nominal.

Monitor

clearance

20 1/8"


W.


24" Min.


Underneath

Worksurface

Depth







Downview™ Retrofit Kits

Components & Dimensions

Maximum weight for flat panel display: 21lb Maximum monitor dimensions: 18x18 viewport: 17 %"W x 14 %"H (435mm x 368mm) 21x21 viewport: 20 %"W x 19"H (511mm x 482mm) 16x21 widescreen viewport: 20 %"W x 12 %"H (511mm x 318mm) 18x21 widescreen viewport: 20 %"W x 14 %"H (511mm x 368mm)

21x24 widescreen viewport: 23 1/8" W x 19" H (587mm x 482mm)

 Keyboard size
 Min. Kneespace Width
 Keyboard drill pattern

 24"
 25 %" (657mm)
 22 ½2" (574mm)

 28"
 29 ½" (747mm)
 26 %" (664mm)

 30"
 31 ½" (798mm)
 28 ¾" (715mm)

 34"
 35 ½" (899mm)
 32 ½" (816mm)

GLASS

Tinted (T41 rating) and tempered with screen printed border and graphics.
Glass for FPA-0-1818: 18" D x 18" W x ¼" H

Glass for FPA-0-2121: 21" D x 21" W x ¼" H
Glass for FPA-0-1621: 16" D x 21" W x ¼" H
Glass for FPA-0-1821: 18" D x 21" W x ¼" H
Glass for FPA-0-2124: 21" D x 24" W x ¼" H



TRIM RING

Manufactured using injection molded plastic, allowing support of viewport.

Trim ring for FPA-0-1818: 18" D x 18" W x 1 ¼" H
Trim ring for FPA-0-2121: 21" D x 21" W x 1 ¼" H
Trim ring for FPA-0-1621: 16" D x 21" W x 1 ¼" H
Trim ring for FPA-0-1821: 18" D x 21" W x 1 ¼" H
Trim ring for FPA-0-2124: 21" D x 24" W x 1 ¼" H



hanger 14" D

FLAT PANEL ARM Mounts underneath worksurface, supporting the flat panel display on a tension-mounted steel

supporting the flat panel display on a tension-mounted steel arm. The display attaches with a VESA compliant steel plate. Can be adjusted to fit fully-recessed or semi-recessed positions. 100mm VESA Plate included.





FPA-0-2124


keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.

drawer.		
Kit Model No.	Dimension C Min. Worksurface Depth	Dimension D1 x Dimension D2 Viewport Cut-Out (W x D)
FPA-0-1818	24" (610mm)	18 ¼" (464mm) x 18 ¼" (464mm)
FPA-0-2121	27 ¼" (692mm)	21 ¼" (540mm) x 21 ¼" (540mm)
FPA-0-1621	24" (610mm)	21 ¼" (540mm) x 16 ¼" (413mm)
FPA-0-1821	24" (610mm)	20 11/16" (526mm) x 18 1/4" (464mm)

27 ¼" (692mm)







Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.

24 ¼" (616mm) x 21 ¼" (540mm)

Surface Mount Arm Retrofit Kits

Products listed on this page are not on GSA Contract

> Kevboard drawer hanger 14"D

Model Number Structure

30 Keyboard Drawer Keyboard Drawer **Technology** Size SMA=Surface **Option** <u>Size</u> NK=NOVA Keyboard 24=24" Keyboard Drawer Mount Arm 28=28" Keyboard Drawer Drawer XK=No Keyboard 30=30" Keyboard Drawer Drawer 34=34" Keyboard Drawer

Kit Includes: Surface Mount Arm, 100mm VESA Plate, and optional NOVA Keyboard Drawer with Hangers.


For monitors that have a VESA standard attachment method on the back. Weight of Monitor cannot exceed 21lb

Arm mounts under worksurface through grommet cutout

Models & Pricing

Fits most monitors up to 24" widescreen

• Minimum 18" depth of clearance underneath worksurface



Min. Clearance	ft³/lb	Model	List Price
With NOVA Key	board Draw	/er	
25 %"W	2.5 / 12	SMA-1-0203-NK-24	\$471
29 ½"W	2.7 / 12	SMA-1-0203-NK-28	\$471
31 ½″W	2.8 / 13	SMA-1-0203-NK-30	\$471
35 1/2"W	2.9 / 13	SMA-1-0203-NK-34	\$471
Without Keybo	ard Drawer		

SMA-1-0203-XK

\$361

Components & Dimensions


1.4/3

The arm ships with a 100mm VESA plate only.
75mm VESA plate is available as a seperate line item (see page 65).





Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
24"	25 %" (657mm)	22 ¹⁹ / ₃₂ " (574mm)
28"	29 ½" (747mm)	26 3/16" (664mm)
30"	31 ½" (798mm)	28 ¾6" (715mm)
34"	35 ½" (899mm)	32 1/8" (816mm)



Components & Dimensions

SURFACE MOUNT ARM


Mounts underneath worksurface through grommet hole, supporting the flat panel display on a steel arm. The display attaches with a VESA compliant steel plate, 100mm VESA Plate included.





Black plastic worksurface grommet with removable cover.

KEYBOARD DRAWER

Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard








Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

Visual Display Options

Visual Display Option

Features, Benefits and Options



The Trolley™ Monitor Lift System

- Available in most models
- Patented access door automatically opens and closes with the push of a button
- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology™ provides operational intuition
- E suitable for most monitors up to 20"
- EXL suitable for most monitors up to 24"

- · Display submerges into desktop when not in use
- Tamper-guard security hardware
- · Provides vertical tilt adjustment in "up" position
- Ideal for secure environments
- · Available as a Retrofit Kit



DownviewTM

- · Available in most models
- Monitor size varies by Visual Display Option selected
- · Tinted, tempered glass viewport
- Keeps monitor under glass below worksurface
- Places display at a natural ergonomic viewing angle
- · Saves valuable desktop space

- · Tamper-guard security hardware
- · Protects valuable hardware
- Available as a Retrofit Kit



Surface Mount Arm

- Available in most models
- Secures monitor to desk to protect valuable hardware
- Height and tilt adjustable
- Provides added security and control in any environment
- · Easily accommodates monitors up to 21lb
- Available as a Retrofit Kit





- Available in most models
- Secures monitor to desk to protect valuable hardware
- $\bullet \ \ \mbox{Height, tilt, swivel and rotation adjustable}$
- Provides added security and control in any environment
- Easily accommodates monitors up to 33lb
- Built-in cable management down the $\mbox{\sc arm}$
- Rotation limit setting prevents monitor from extending beyond rear edge of worksurface

Visual Display Options

Dimensions & Tolerances

Keyboard Options Keyboard drawer size varies by model

- Minimum worksurface depth: 24"
- Worksurface footprint:
 E: 24 5%" W x 8 3%" D
 EXL: 28 5%" W x 8 3%" D
- Monitor sizes vary by model. For specifications, refer to Visual Display Options page in each section.



NOVA Keyboard Drawer Trolley E - 24" to 34" Widths Trolley EXL - 28" to 34" Widths

- Minimum worksurface depth: 24"-27 1/4"
- Viewport and monitor sizes vary by model. For specifications, refer to Visual Display Options page in each section



NOVA Keyboard Drawer 24" to 34" Widths

- Minimum worksurface depth: 18"
- Monitor sizes vary by model. For specifications, refer to Visual Display Options page in each section



NOVA Keyboard Drawer 24" to 34" Widths

- Minimum worksurface depth: 18"
- Monitor sizes vary by model. For specifications, refer to Visual Display Options page in each section



NOVA Keyboard Drawer 24" to 34" Widths

Accessories

Please Note: All items on this page must be field installed



NOVA Keyboard Drawer

- · Tucks neatly away under the worksurface.
- · Five locking positions.
- · Tray is black, matt finish plastic.

AC-NK102024	24" W	\$237
AC-NK102028	28" W	\$237
AC-NK102030	30" W	\$237
AC-NK102034	34" W	\$237



Pop-up Power Center

- · Two grounded outlets
- · 6ft, 15 Amp cord
- · UL Listed
- · Cutout Dimensions: 3 ¾" D x 5" W

C-11225PP	\$333
C-11225PP	\$333



Adjustable CPU Holder

- · Mounts to underside of work surface
- · Fits most CPUs up to 18" H

Standard Pr	ofile	
AC-ACPU1	(Adjusts 4 1/4"-7 1/2" W)	\$237

Medium Profile AC-ACPU4 (Adjusts 3 ¼"-5 ½" W) \$237 Not on GSA Contract **Ultra Thin Profile** AC-ACPU3 (Adjusts 2 1/4"-3 1/2" W) \$237 Not on GSA Contract



Privacy / Glare Visor

· Black plastic visor can be used with NOVA's Downview[™] technology when unusual lighting conditions are present

AC-1064 (21 & 24" W Viewports) 12" D x 26 ½" W x 6" H



Replacement Viewport Glass

- · For furniture that incorporates the Downview[™] Visual Display Option
- · Only available as replacement glass. Must provide PO number of purchased unit

Not on GSA Contract

Widescreen Glass

AC-SG10701621W (16" D x 21" W) \$112 AC-SG10721821W (18" D x 21" W) \$112 AC-SG10732124W (21" D x 24" W) \$128



Pop-up Power / Data Center

- · One grounded outlet
- · One opening for voice / data jack
- · 6ft, 15 Amp cord
- · Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers
- · UL Listed
- · Cutout Dimensions: 3 ¾" D x 5" W

AC-11225PD	\$333
------------	-------



Pop-up Power / USB Charging Center

- · One grounded outlet
- · One USB charging duplex
- · 6ft, 15 Amp cord
- · UL Listed
- · Cutout Dimensions: 3 ¾" D x 5" W


AC-11225PC \$388



Round Flush Power Center

- · Two grounded outlets
- · 6ft, 15 Amp cord
- · UL Listed
- · Cutout Dimensions: 3" Diameter

AC-3359PP	\$306
Not on GSA Contract	



Round Flush Power / USB Charging Center

- · One grounded outlet
- · One USB charging duplex
- · 6ft, 15 Amp cord
- · UL Listed
- · Cutout Dimensions: 3" Diameter

AC-3359PC	\$368
Not on GSA Contract	



Round Power Center

- · One grounded outlet
- · 6ft, 15 Amp cord
- · UL Listed
- · Cutout Dimensions: 1 3/4" Diameter

AC-3825P	\$231
Not on GSA Contract	

Accessories

Please Note: All items on this page must be field installed



Power Strip

- · 6ft power cord
- · Six grounded outlets
- · On/Off Switch is located on the strip
- · UL listed. 15A 125V 60Hz 1875W
- · Please verify your local codes before making electrical connections
- · Dimensions:

2" D x 11" W x 1 %" H


AC-PS1125 \$114





- · Black plastic wire channel (Mounting screws included)
- · Keeps all cords and cables under control
- · Position wherever cable management is needed
- · Dimensions:

2" D x 14" W x 5" H





Rectangular Wire Grommet

- · Black plastic grommet cover is removable for easy wire management
- · Cutout Dimensions: 1 %" D x 3 ¼" W x 1 ¼" H

AC-WG1080 \$40



Star Cut Wire Grommet

- · Black plastic grommet with star cut opening allows more cords and cables to pass through
- · Cutout Dimensions:
- 2 %" Diameter

AC-RWGSC \$47



USB Port Extension

- · Features one USB port with hinged cover
- · Fits into designated opening on top of Trolley[™] housing
- · Six foot cord plugs into USB port in CPU
- · Dimensions:

2 ½" x 1" x 1"

AC-USB01




75mm VESA Plate

- · For monitors with 75mm VESA plates (100mm VESA plate included with NOVA **Visual Display Options)**
- · VESA Plate required for use with Visual **Display Options**
- · Dimensions:

3" W x 3" H

AC-VESA75 \$24



Replacement 100mm VESA Plate

- · 100mm VESA plate included with NOVA **Visual Display Options**
- · VESA Plate required for use with Visual **Display Options**
- · Dimensions: 4" W x 4" H


AC-VESA100



Extended VESA Plate Adapter

- · For widescreens with off-center VESA
- · VESA plate required for use with NOVA **Visual Display Options**
- · Dimensions: 3 ¾" W x 6 1/8" H


AC-VESA \$48



FPA Arm

- · Flat Panel Arm
- · Mounts to underside of worksurface
- · Height and tilt adjustable
- · Adjustable from fully- to semi-recessed
- · Weight of monitor cannot exceed 21lb
- · Includes 100mm VESA Plate

FPA-8-2006 \$312



Articulating Surface Mount Arm

- **Grommet-mount Articulating Surface Mount Arm**
- · Maximum monitor dimensions: Up to 35" widescreen
- · Maximum monitor weight: 33lb
- · Base Rotation Range: ±90° / 180°
- · Middle Rotation Range: ±180°
- · Monitor Rotation Range: ±90°
- · Monitor Orientation Rotation: ±90°

· Monitor Tilt Range: ±45°

AC-ASMA \$514 Not on GSA Contract


Laminate Color Options

B = Base Color W = Worksurface Color

Solid / Abstract Colors




Wood Grain Colors



Colors are subject to variations in printing. For exact color matching, please request a laminate chip sample by calling customer support at 1-800-730-6682 or your local sales representative.

Metal Color Options



Colors are subject to variations in printing. For exact color matching, please request a metal chip sample by calling customer support at 1-800-730-6682 or your local sales representative.



WWW.NOVADESK.COM · 421 INDUSTRIAL AVENUE EFFINGHAM, IL 62401 · PHONE: 800-730-6682 · FAX: 800-940-6682





© 2025, NOVA Solutions, Inc.

NOVA Solutions products are protected by various U.S. and foreign patents issued and/or pending.

Government Edition of April 2025 Commercial Catalog Version Date: November 2025