Accesories

Technical Sales Brochure

Explore our desk accessories catalog for practical solutions that enhance your workspace effortlessly. From keeping cables tidy with grommets to ensuring devices stay charged with power centers and strips, our collection has you covered. Simplify your organization with desk organizers designed to streamline your workflow. Elevate your workspace with functional yet stylish accessories.









www.novadesk.com sales@novasolutionsinc.com

Accessories

Please Note: All items on this page must be field installed



NOVA Keyboard Drawer

·Tucks neatly away under the worksurface. ·Five locking positions. •Tray is black, matt finish plastic.


AC-NK102024 24" W AC-NK102028 28" W AC-NK102030 30" W AC-NK102034 34" W



Pop-up Power Center ·Two grounded outlets ·6ft, 15 Amp cord ·UL Listed •Cutout Dimensions: 3 ¾" D x 5" W

AC-11225PP





Adjustable CPU Holder ·Mounts to underside of work surface ·Fits most CPUs up to 18" H

Standard Profile AC-ACPU1 (Adjusts 4 ¼"-7 ½" W) \$237


Medium Profile AC-ACPU4 (Adjusts 3 1/4"-5 1/2" W) \$237

Ultra Thin Profile AC-ACPU3 (Adjusts 2 1/4"-3 1/2" W) \$237

Privacy / Glare Visor Black plastic visor can be used with NOVA's Downview[™] technology when unusual lighting conditions are present

AC-1064 (21 & 24" W Viewports) 12" D x 26 ½" W x 6" H





 For furniture that incorporates the Downview[™] Visual Display Option ·Only available as replacement glass. Must provide PO number of purchased unit

AC-SG10701818	(18" D x 18" W)
AC-SG10721821	(21" D x 18" W)
AC-SG10712121	(21" D x 21" W)
AC-SG10732124	(24" D x 21" W)

Widescreen Glass


AC-SG10701621W (16" D x 21" W) AC-SG10721821W (18" D x 21" W) AC-SG10732124W (21" D x 24" W)



Pop-up Power / Data Center ·One grounded outlet ·One opening for voice / data jack ·6ft, 15 Amp cord ·Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers ·UL Listed •Cutout Dimensions: 3 ¾" D x 5" W

AC-11225PD





AC-11225PC

Round Flush Power Center ·Two grounded outlets •6ft, 15 Amp cord ·UL Listed

AC-3359PP



Round Flush Power / USB Charging Center ·One grounded outlet ·One USB charging duplex •6ft, 15 Amp cord ·UL Listed •Cutout Dimensions: 3" Diameter

AC-3359PC

Round Power Center ·One grounded outlet •6ft, 15 Amp cord ·UL Listed •Cutout Dimensions: 1 3/4" Diamete

AC-3825P





·Cutout Dimensions: 3" Diameter



Accessories

Please Note: All items on this page must be field installed



· 6ft power cord

Power Strip

- · Six grounded outlets · On/Off Switch is located on the strip
- · UL listed. 15A 125V 60Hz 1875W
- Please verify your local codes before making electrical connections ·Dimensions:

2" D x 11" W x 1 ¾" H

AC-PS1125



Wire Management ·Black plastic wire channel (Mounting screws included) ·Keeps all cords and cables under control ·Position wherever cable management is needed ·Dimensions: 2" D x 14" W x 5" H




75mm VESA Plate

· For monitors with 75mm VESA plates (100mm VESA plate included with NOVA Visual Display Options) · VESA Plate required for use with Visual Display Options

- · Dimensions:
- 3" W x 3" H

AC-VESA75



- **Display Options**
- · VESA Plate required for use with Visual Display Options
- · Dimensions:
- 4" W x 4" H

AC-VESA100

Extended VESA Plate Adapter

· For widescreens with off-center VESA mount locations

- · VESA plate required for use with NOVA Visual
- **Display Options**
- · Dimensions:
- 3 ¾″ W x 6 ½″ H

AC-VESA

FPA Arm

- · Flat Panel Arm · Mounts to underside of worksurface
- · Height and tilt adjustable
- · Adjustable from fully- to semi-recessed positions · Weight of monitor cannot exceed 21lb
- · Includes 100mm VESA Plate


FPA-8-2006

- **Articulating Surface Mount Arm**
- · Grommet-mount Articulating Surface Mount Arm
- · Maximum monitor dimensions: Up to 35"
- widescreen
- · Maximum monitor weight: 33lb
- · Base Rotation Range: ±90° / 180°
- Middle Rotation Range: ±180° · Monitor Rotation Range: ±90°
- · Monitor Orientation Rotation: ±90°
- · Monitor Tilt Range: ±45°
- AC-ASMA



·Features one USB port with hinged cover ·Fits into designated opening on top of Trolley[™] housing ·Six foot cord plugs into USB port in CPU ·Dimensions: 2 ½″ x 1″ x 1″

AC-USB01





1 1 8" D x 3 14" W x 1 14" H

Star Cut Wire Grommet

AC-WG1080



2 3/8" Diameter AC-RWGSC



·Black plastic grommet with star cut opening allows more cords and

cables to pass through Cutout Dimensions:



USB Port Extension