Collaboration Tables

Technical Sales Brochure

Introducing NOVA Solutions' Collaboration Tables – a transformative solution designed to cultivate teamwork, innovation, and seamless communication in modern educational and professional environments.











46-DT606030LB-RWGSC

Peripherals not included



(217) 342-7070 www.novadesk.com sales@novasolutionsinc.com



Round Collaboration Tables

How to Order

1. Select model number

Ex: 46-CR919630CS (6 Seat Round Collaboration Table)

2. Select laminate base and worksurface color

Ex: 174 044 Base Worksurface

Optional Selections:

3. Select Visual Display Options

Ex: TE0728NK (The Trolley™ EXL with NOVA keyboard drawer)

4. Select Options and Factory Prepared Accessories

Ex: RWGSC (Star cut wire grommet)

Type CR=Round Collaboration

Collaboration Table

Collaboration Table

Wire management system and power strip included per user

Model Number Structure

46 Series

Table

CD=Boat Shape

CT=Keystone

919630

Size

<u>Type</u> CS=Standard CX=No CPU AD=With ADA Lift AX=ADA Lift, No CPU CT=With TV Lift AT=With ADA Lift & TV I ift CC=With TV Cabinet AC= ADA Lift & TV

Cabinet

Visual Display Options

The Trolley™ Monitor Lift System

Maximum dimensions for widescreen:

E: 2 ½" D x 18 %" W x 14 ½" H (63.5mm D x 479.4mm W x 368.3mm H) **EXL:** 2 ½" **D** x 22 %" **W** x 14 ½" **H** (63.5mm D x 581mm W x 368.3mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)



NOVALinked™ is a networking system that provides complete control of NOVA's Trolley™ monitor lifts in a classroom or training room setting. Downview™

Maximum monitor dimensions:

16x21 widescreen viewport: 20 1/8" W x 12 1/2" H (511mm W x 318mm H) 18x21 widescreen viewport: 20 %" W x 14 ½" H (511mm W x 368mm H)

Surface Mount Arm

Maximum monitor dimensions:

Surface Mount Arm: Up to 24" widescreen

Articulating Surface Mount Arm: Up to 35" widescreen

Maximum monitor weight:

Surface Mount Arm: 21 lbs

Articulating Surface Mount Arm: 33 lbs


Round Collaboration Tables


Available Visual Display Options: Trolley™ E (TE0724NK) or EXL (TE0728NK), Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

5 Person Round Collaboration **Table**

Three-piece, 5 person table. Center laminate base. Includes Adjustable CPU Holder per user, adjusts from 4 1/4" to 7 1/2" wide DxWxH(in.) Model Seats

93 ¼ x 95 ½ x 30 46-CR949630CS 5






5 Person Round Collaboration **Table with ADA**

ADA electric hydraulic lift option available for 1 user. Electrically adjustable base height from 30" with 2 1/2" travel DxWxH(in.) Model Seats

93 ¼ x 95 ½ x 30 46-CR949630AD





90 ½ x 95 ½ x 30 6

6 Person Round Collaboration **Table**

Three-piece, 6 person table. Center laminate base. Includes Adjustable CPU Holder per user, adjusts from 4 1/4" to 7 1/2" wide DxWxH(in.) Model Seats

46-CR919630CS






6 Person Round Collaboration **Table with ADA** Lift

ADA electric hydraulic lift option is available for 1 user. Electrically adjustable base height from 30" with 2 1/2" travel

DxWxH(in.) Seats Model 90 ½ x 95 ½ x 30 46-CR919630AD





Boat Shape Collaboration Tables

Boat Shape Collaboration Tables


Available Visual Display Options:

Trolley™ E or EXL, Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

4 Person **Boat Shape** Collaboration **Table**


CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables DxWxH(in.) Seats Model

60 x 83 ¹⁵/₁₆ x 30 46-CD608430CS



6 Person **Boat Shape Collaboration Table**

CPU shelf width is 7". Three users on each side. 6" D x 36" W compartment on end for cables Model DxWxH(in.) Seats 46-CD6011330CS 60 x 120 ½ x 30



7 Person **Boat Shape** Collaboration Table

with ADA Lift

10 Person

Table

Boat Shape

Collaboration


CPU shelf width is 7". Three users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables Model DxWxH(in.) Seats

60 x 141 3 x 30 46-CD6013630CS

Electrically adjustable from 30" with 2 1/2" travel. Available for user on end only

60 x 141 3/8 x 30 46-CD6013630AD





CPU shelf width is 7". Four users on each side and one on each

Model

DxWxH(in.) Seats 60 x 194 11/16 x 30 10 46-CD6018630CS



5 Person **Boat Shape** Collaboration

Table

with ADA Lift

CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables **D** x W x H (in.) Seats Model

60 x 104 13/16 x 30 5 46-CD6010230CS

Electrically adjustable from 30" with 2 1/2" travel. Available for user on end only

60 x 104 13/16 x 30 5 46-CD6010230AD

6 Person **Boat Shape** Collaboration **Table**

DxWxH(in.)

CPU shelf width is 7". Two users on each side and one on **List Price**


Seats 60 x 122 11/16 x 30 6 46-CD6012330CS

with ADA Lift

Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only

Model

60 x 122 11/16 x 30 6 46-CD6012330AD



8 Person **Boat Shape** Collaboration Table


with ADA Lift

CPU shelf width is 7". Three users on each side and one on

DxWxH(in.) Seats Model 60 x 159 ¼ x 30 46-CD6015230CS

Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only


60 x 159 ¼ x 30 46-CD6015230AD



with ADA Lift

Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only

DxWxH(in.) Model Seats 60 x 194 11/16 x 30 10 46-CD6018630AD



Keystone Collaboration Tables

Keystone Collaboration Tables

Available Visual Display Options:

Trolley™ E or EXL, Downview™ (FPA1621NK & FPA1821NK only), or Surface Mount Arm (SMA0203NK or ASMA0203NK)

4 Person Keystone Collaboration **Table**

CPU shelf width is 7". Two users on each side. 6" D x 36" W			
compartment on end for cables			
D x W x H (in.)	Seats	Model	


46-CT608230CS

5 Person Keystone Collaboration **Table**


CPU shelf width is 7". Two users on each side and one on the end. 6" D x 36" W compartment on opposite end for cables

D x W x H (in.) Seats Model

60 x 102 % x 30 46-CT6010230CS



60 x 82 x 30




with ADA Lift

Electrically adjustable from 30" with 2 ½" travel. Available for user on end only

46-CT6010230AD







6 Person Keystone Collaboration Table

CPU shelf width is 7". Three users on each side. 6" D x 36" W compartment on end for cables Model

DxWxH(in.) Seats 46-CT6011830CS 7 Person Keystone Collaboration Table

CPU shelf width is 7". Three users on each side and one on end. 6" D x 36" W compartment on opposite end for cables

DxWxH(in.) Seats Model


60 x 139 15/16 x 30 7





Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only

46-CT6014230CS

60 x 139 ¹⁵/₁₆ x 30 7 46-CT6014230AD







8 Person Keystone Collaboration **Table**

CPU shelf width is 7". Four users on each side. 6" D x 36" W compartment on end for cables

Model


Seats 60 x 155 x 30 46-CT6015630CS 10 Person **Keystone** Collaboration **Table**

CPU shelf width is 7". Five users on each side. 6" D x 36" W compartment on end for cables


Model


Seats 10 46-CT6019230CS

DxWxH(in.)



DxWxH(in.)






11 Person Kevstone Collaboration Table

CPU shelf width is 7". Five users on each side and one on end. 6" D x 36" W compartment on opposite end for cables Seats Model


60 x 212 15/16 x 30 11 46-CT6021430CS



with ADA Lift

Electrically adjustable from 30" with 2 1/2" travel. Available for one user on end only **D** x W x H (in.)

60 x 212 15/16 x 30 11 46-CT6021430AD





D-Top Collaboration Tables

How to Order

1. Select model number

Ex: 46-DT486030LB

2. Select laminate base and worksurface color

Ex: 174 O44

Base Worksurface

Optional Selections:

3. Select Options and Factory Prepared Accessories

Ex: 11225PP (Pop-up Power Center)

Please Note:

Not available with Visual Display Options. Wire management system included in central iMod™ compartment

Model Number Structure

46 - DT Series Type

TypeDT=D-Top Collaboration
Table

486030

<u>Size</u> D x W x H LB

LB=Standard Base LT=Standard Base with TV Lift LC=Standard Base with

TV Cabinet RLB=Rack Cabinet Base

RLT=Rack Cabinet Base w/TV Lift

RLC=Rack Cabinet Base w/TV Cabinet


D-Top with Standard Base


Center iMod™ with removable modesty panel on one side

4 Person D-Top	D x W x H (in.)	Seats	Model	
Collaboration	48 x 60 x 30	4	46-DT486030LB	
Table	60 x 60 x 30	4	46-DT606030LB	



D x W x H (in.)	Seats	Model	
48 x 84 x 30	6	46-DT488430LB	
60 x 84 x 30	6	46-DT608430LB	





D-Top with Rack Cabinet Base

Rack Cabinet included on wide end of table with front and rear locking modesty panels. Power strip included in Rack Cabinet.


10 RU Rack Starage. Storage width: 19 ¼"


4 Person D-Top
Collaboration
Table with Rack
Cabinet

DxWxH (in.)	Seats	Model
48 x 60 x 30	4	46-DT486030RLB
60 × 60 × 30	4	46 DT606030DLD

6 Person D-Top Collaboration Table with Rack Cabinet

D x W x H (in.)	Seats	Model
48 x 84 x 30	6	46-DT488430RLB
60 x 84 x 30	6	46-DT608430RLB







Options & Accessories

Collaboration Table Options

Not available with Conference Tables




Dimensions Model

Electric motor lift raises TV from enclosed laminate end storage cabinet to usable height.

- To add TV Lift change last position of model number to "T"
 Ex: 46-CD6010230CS would become 46-CD6010230CT
- Power strip included in TV Lift cabinet
- Note: Only available on units with end wire compartment and D-Top Collaboration Tables

10 5/8" D x 48"W x 32 7/8" H

TV Cabinet



Laminate Cabinet for mounting TV onto Collaboration Table with concealed wire management.

• To add **TV Cabinet** change last position of model number to

Ex: 46-DT486030RLB would become 46-DT486030RLC

- Fits most screens 37" 70". Max weight 165 lb.
- Note: Only available on units with end wire compartment and D-Top Collaboration Tables

4 %" D x 20" W x 57 %" H

TV Mounting Pole



TV Mounting Pole with 100mm or 400mm VESA mount

- · Field installed item
- Note: Only compatible with units with end wire compartment

100mm VESA AC-TMP100 400mm VESA AC-TMP400

Factory Prepared Accessories

Must specify location of grommet / power center at time of order

Factory Prepared NOVA Keyboard Drawer DxWxH(in.) Model

Keyboard length to fit desk ordered.

Only ordered when NO Visual Display Option is chosen.

NF

Rectangular Wire Grommet

Rectangular black plastic grommet cover is removable for easy wire management

1 % D x 3 ¼"W WG1080

Star Cut Wire Grommet

Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through.

2 ¾" Diameter RWGSC

Pop-up Power Center

Two grounded outlets. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.



3 ¾" D x 5" W 11225PP

Pop-up Power / Data Center



One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessability. 6ft, 15 Amp cord. UL listed.

3 ¾" D x 5" W 11225PD

Pop-up Power / USB Charging Center

One grounded outlet. One USB charging duplex. Fluid one touch accessability. 6ft, 15 Amp cord. UL Listed.

3 ¾" D x 5" W 11225PC



Round Flush Power Center

Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.

4" Diameter 3359PP



Round Flush Power / USB Charging Center

One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.

4" Diameter 3359PC



Round Power Center


One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed.

2" Diameter



Visual Display Options

One (1) Visual Display Option per user in collaboration table ordered



The Trolley™

- · Ships installed in most units
- Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

The Trolley™ E

Maximum Dimensions for

 $2 \frac{1}{2}$ " D x 18 $\frac{7}{8}$ " W x 14 $\frac{1}{2}$ " H up to 20" widescreen

Maximum Dimensions for

The Trolley™ EXL

2 ½" D x 22 %"W x 14 ½"H up to 24" widescreen

- Patented Access door automatically opens and closes with the push of a
- Low voltage electrical motor to lift & lower monitor
- Intelligent Motion Technology™ provides operational intuition

Wt(lbs) Description Model

With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

International Customers: The Trolley™ includes Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

TE0724NK	48	Trolley™ E & NOVA Keyboard Drawer
TE0728NK	48	Trolley™ EXL & NOVA Keyboard Drawer





Downview™

Installation required

16" D x 21" W viewport (Widescreen) **Maximum Dimensions for** Widescreen: 20 1/8" W x 12 1/2" H up to 21" widescreen

24" min. worksurface depth • Tinted, tempered glass viewport

· Ergonomic viewing angle

· Keeps monitor under glass below worksurface

18" D x 21" W viewport (Widescreen)

Maximum Dimensions for Widescreen: 20 1/8" W x 14 1/2" H up to 21" widescreen

26" min. worksurface depth

Model Wt(lbs) Description

With NOVA Keyboard Drawer

Downview™ & NOVA Keyboard Drawer installed in assembled units only. Optional Privacy/Glare visor sold separately

FPA1621NK	35	16" D x 21" W Downview™ & NOVA Keyboard Drawer	
FPA1821NK	35	18" D x 21" W Downview™ & NOVA Keyboard Drawer	



Installation required

Surface Mount Arm

Surface Mount Arm Maximum Weight: 21 lbs **Maximum Dimensions: Up** to 24" widescreen

Articulating Surface Mount Arm Maximum Weight: 33 lbs **Maximum Dimensions: Up** to 35" widescreen

- · Securely fastens monitor to worksurface
- · Height and tilt adjustable

Model Wt(lbs) Description

With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.

SMA0203NK 13 **SMA & NOVA Keyboard Drawer**

ASMA0203NK 22 **Articulating SMA & NOVA Keyboard Drawer**