

# Privacy Sides AV Lecterns

## Base Model



### Model Number Structure

66	-	LP	303647	LM
<u>Series</u>		<u>Type</u>	<u>Size</u>	<u>Modesty Combination for</u>
66=Lectern		LP= Lectern with Privacy Sides	D x W x H	<u>Laminate modesty</u> LM=Laminate modesty <u>Perforated Metal modesty</u> MM=Metal modesty

# Privacy Sides AV Lecterns

## 1. Select model number

Ex: 66-LP303647LM


(30x36x47 Privacy Sides AV Lectern with laminate modesty)

## 2. Select laminate color for base and worksurface

If ordering with perforated metal modesty, select metal color

**Note:** Laminate modesty will match base color.

Ex: 567 567  
Base Worksurface



14 RU rack rails

## Available with most Visual Display Options

(30" W lecterns are not available with Trolley™ EXL or 21x24 Downview™)

D x W x H (in.)	ft <sup>3</sup> / lbs	Model
-----------------	-----------------------	-------

### Laminate Modesty

14 RU rack rails. 1 Power strip

30 x 30 x 47 7/8	30.5 / 404	66-LP303047LM
------------------	------------	---------------

30 x 36 x 47 7/8	36.2 / 425	66-LP303647LM
------------------	------------	---------------

36 x 30 x 47 7/8	36.2 / 425	66-LP363047LM
------------------	------------	---------------

36 x 36 x 47 7/8	43.0 / 497	66-LP363647LM
------------------	------------	---------------

### Perforated Metal Modesty

14 RU rack rails. 1 Power strip

30 x 30 x 47 7/8	30.5 / 404	66-LP303047MM
------------------	------------	---------------

30 x 36 x 47 7/8	36.2 / 425	66-LP303647MM
------------------	------------	---------------

36 x 30 x 47 7/8	36.2 / 425	66-LP363047MM
------------------	------------	---------------

36 x 36 x 47 7/8	43.0 / 497	66-LP363647MM
------------------	------------	---------------

## Storage Dimensions:

**30" W Unit:** Rack rails on left side of storage area - 19 1/4" W. Remaining space is 8 5/8" W

**36" W Unit:** Left compartment - 13 5/8" W. Right compartment w/ rack rails - 19 1/4" W

## Standard Features

- iMod™ wire management
- Locking Front Access Doors
- Heavy Duty Locking Casters
- Powerstrip
- Laminate or metal modesty panel
- 14 Rack Units
- Ships Fully Assembled (Casters Field Installed)
- Privacy Sides

## Color Options

### Base Color Options



WALNUT  
(537)



EMPIRE  
MAHOGANY  
(531)



WILD  
CHERRY  
(567)



FUSION  
MAPLE  
(560)



WHITE  
(664)



FASHION  
GREY  
(227)



SILVER  
(N99)



SLATE  
GREY  
(129)



BLACK  
(174)

### Worksurface Color Options



BLACK  
LODESTONE  
(N62)



SILVER  
(N99)



FUSION  
MAPLE  
(560)



WILD  
CHERRY  
(567)



WALNUT  
(537)



FASHION  
GREY  
(227)



WHITE  
(664)



GRAPHITE  
NEBULA  
(030)



GREY  
NEBULA  
(044)



EMPIRE  
MAHOGANY  
(531)

### Metallic Color Options (for Metal Modesty)



POLISHED  
BLACK  
(PBL)



POLISHED  
SILVER  
(PSL)



WHITE  
(WHT)



SLATE  
(SL)

# Options & Accessories

## Factory Installed Accessories

**Must specify location of grommet / power center at time of order**

		Dimensions (in.)	Model
NOVA Keyboard Drawer		Keyboard length to fit desk ordered. Only ordered when NO Visual Display Option is chosen	
		24" - 34" wide	NK
Rectangular Wire Grommet		Rectangular black plastic grommet cover is removable for easy wire management	
		1 7/8" D x 3 1/4" W	WG1080
Star Cut Wire Grommet		Round black plastic grommet with rubber star cut opening allows more cords and cables to pass through	
		2 3/4" Diameter	RWGSC
Pop-up Power Center		Two grounded outlets. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.	
		3 3/4" D x 5" W	11225PP
Pop-up Power / Data Center		One grounded outlet. One opening for voice/data jack. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. Fluid one touch accessibility. 6ft, 15 Amp cord. UL listed.	
		3 3/4" D x 5" W	11225PD
Pop-up Power / USB Charging Center		One grounded outlet. One USB charging duplex. Fluid one touch accessibility. 6ft, 15 Amp cord. UL Listed.	
		3 3/4" D x 5" W	11225PC
Round Flush Power Center		Two grounded outlets. Clean, flush mount. 6ft, 15 Amp cord. UL listed.	
		4" Diameter	3359PP
Round Flush Power / USB Charging Center		One grounded outlet. One USB charging duplex. Clean, flush mount. 6ft, 15 Amp cord. UL Listed.	
		4" Diameter	3359PC
Round Power Center		One grounded outlet. Features spill-proof technology. 6ft, 15 Amp cord. UL Listed.	
		2" Diameter	3825P

## Options for Lecterns



**Surface Mount Arm**  
 Maximum Weight: 21 lbs  
 Maximum Dimensions: Up to 24" widescreen

**Model Wt(lbs) Description**

### With NOVA Keyboard Drawer

NOVA Keyboard Drawer installed in assembled units only.




**Articulating Surface Mount Arm**  
 Maximum Weight: 33 lbs  
 Maximum Dimensions: Up to 35" widescreen

**SMA0203NK 13 SMA & NOVA Keyboard Drawer**

**ASMA0203NK 22 Articulating SMA & NOVA Keyboard Drawer**

### Flip-up Shelf



**D x W x H (in.) ft<sup>3</sup> / lbs Model List Price**

Field installed on all but Sit-Stand Lecterns. Shipped Separately. Color matches worksurface of lectern ordered. Located 3" down from worksurface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement, or "B" on lectern model number for both left and right hand placement.


#### For 21" D or 24" D Lectern:

Attaches to the LEFT side panel of Lectern  
**20 x 20 x 1 0.9 / 24 66-SH202001L**  
 Attaches to the RIGHT side panel of Lectern

#### For 26" D, 30" D or 36" D Lectern:

Attaches to the LEFT side panel of Lecterns  
**22 x 20 x 1 1.0 / 24 66-SH222001L**  
 Attaches to the RIGHT side panel of Lecterns  
**22 x 20 x 1 1.0 / 24 66-SH222001R**


### 2 Space Rack Drawer



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

**20 x 15 x 3 ½ 10.4 / 20 66-2DRAWER**


### Sliding Shelf



Attaches to rack rails. 35 lb. weight capacity.

**20 x 15 x 1 10.4 / 15 66-SSHELF**


### 2 Space Rack Shelf



Attaches to rack rails. Takes up 2 RU space. 50 lb. weight capacity.

**20 x 15 x 3 ½ 10.4 / 15 66-2SHELF**

### Removable Console



Black laminate box (Customer to provide cutouts needed)

**11 x 15 x 6 2.0 / 20 66-CONSOLE01**


### Ventilation Fan



115V fan rated at 57 CFM. 30 dBA. Add (-VF) on lectern model number to be factory installed. Must also specify cutout location on lectern.

**1 x 6 x 6 2.0 / 3 66-FAN**

### Rack Cube



All metal construction providing front and rear Rack Rails allowing rack storage mounting prior to installation in rack storage compartment. Standard Black metal. Available with 6 RU - 14 RU; height varies by RU count. **Complete Model number replacing blank "\_\_\_" with desired RU** (Ex: 66-RRCUBE10 – 10 RU Rack Cube). **NOTE:** If ordering with a lectern, specify "-RR" at end of lectern model number. (Ex: 66-LP303047LM-RR)

**19 1/8 x 19 ½ x Varies 66-RRCUBE\_\_**